DAILY RAINFALL 1911 1920

MERIONGTH

ABERDOUGY		1911 - 1916,	1920
ABERDOUEY	FRONEITHYN	1914, 15, 17,	1919
ABERDOUEY	PLAS PENHELIG	1914	1920
BALA	HENBLAS	1913	1915
BALA	ERY ARAN	1911	1916
BLAENAU FESTINIOG	LLECHWEDD QUARRIES	1914	1920
BLAENAU FESTINIOG	OAKLEY QUARRIES	1911	1920
CORWEN	RUG GARDENS	1911	
DOLGELLY	BRYNTIRION	1911	1920
FESTINIOG	HAFOD FAWR	1919	1920
FESTINIOG	MORWYNION LAKE	1911 - 1916,	1920
LLANDRILLO	TYDDYSILLAN	1913	
TAN-Y- BWLCH	THE GARDENS	1911	1920
TOWYN	TNYS-Y- MAENGWYN	1915	1920
TOWYN	PENIARTH	1911	1920
TRAWSFYNYDD CAMP		1919	1920

MERIONETH

ABERDOVEY

1911 – 1916, 1920

FORM A2. BRITISH RAINFALL. 12 JAN 1912

REC ...911

Kept at Aberd... Snowdon

in the County of Me... op 5 in.

by William J... above Ground 1 ft. 0 in.

for the Urban District Coun... „ Sea Level 125 15 ft.

9 am

tion { Name Aberdovey
Distance ½ mile Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	0·05	—	0·44	0·10	—	0·65	—	—	0·15	0·22	1
2	—	—	0·14	0·03	0·19	—	—	—	—	0·34	0·28	0·03	2
3	—	—	0·06	—	0·58	—	—	0·16	0·03	—	0·18	0·14	3
4	—	—	0·26	Trace	0·01	—	—	0·44	—	Trace	0·23	0·14	4
5	0·36	—	—	0·01	—	—	—	0·43	—	0·02	Trace	0·01	5
6	0·05	—	0·10	—	—	—	—	0·15	—	0·06	0·29	0·32	6
7	0·09	—	—	—	—	—	—	—	—	—	0·43	—	7
8	0·48	—	0·45	—	—	—	—	—	—	—	0·45	0·13	8
9	0·08	—	—	—	—	—	—	—	—	—		0·14	9
10	0·16	0·42	0·35	—	—	—	—	—	Trace	—	—	0·54	10
11	0·20	0·01	—	—	0·02	—	—	—	0·04	—	0·16	0·14	11
12	—	0·01	0·62	—	0·09	—	—	—	1·22	Trace	0·81	—	12
13	Trace	0·02	0·02	—	0·61	—	—	0·11	—	—	0·06	0·13	13
14	0·01	0·20	0·04	—	0·04	—	—	—	—	—	0·04	0·24	14
15	0·01	0·22	0·03	—	—	0·18	—	—	—	—	0·12	0·02	15
16	0·02		—	Trace	—	0·35	—	—	—	—	0·38	0·08	16
17	0·01	—	—	—	—	0·34	—	0·10	—	—	0·61	0·12	17
18	—	0·14	—	0·06	—	0·24	—	0·01	—	—	0·42	0·38	18
19	—	0·01	—	0·20	—	0·03	Trace	—	0·26	0·24	0·15	0·54	19
20	—	0·08	—	0·26	—	Trace	Trace	0·42	0·04	0·10	Trace	0·09	20
21	—	0·18	0·20	0·06	—	0·12	0·25	Trace	0·06	0·62	—	Trace	21
22	0·07	0·14	—	0·13	—	0·02	—	—	—	0·42	—	0·60	22
23	0·01		—	Trace	0·04	Trace	—	0·18	0·41	0·44	—	0·27	23
24	0·02	0·24	—	0·06	0·01	0·66	—	0·04	0·06	0·60	—	0·10	24
25	—	0·01	—	0·45	—	0·18	0·02	—	0·14	0·41	—	0·08	25
26	0·03	0·20	—	0·25	—	0·04	—	0·11	0·04	0·08	Trace	0·13	26
27	0·01	0·45	0·04	0·04	0·35	—	—	1·14	0·69	—	0·11	0·20	27
28	—	0·28	—	0·13	—	0·02	—	0·11	—	0·02	—	0·06	28
29	—		0·03	—	—	0·12	0·80	—	0·24	0·47	Trace	0·12	29
30	—		0·04	—	—	0·02	—	—	—	0·24	0·03	0·03	30
31	—		0·02		Trace		0·22	—		0·01		0·18	31
Total	1·61	2·61	2·48	1·98	2·06	2·42	1·29	4·58	3·26	4·18	4·90	5·16	TOTAL for year 36·53
No. of Rain Days.	16	18	16	12	11	14	4	14	12	15	19	28	179

W. 8,000, X. '11.

Smoke

REC[redacted]911

FORM A2.
BRITISH RAINFALL.
12 JAN 1912

Kept at Aberdovey

in the County of Merioneth 5

by William J Rees
for the Urban District Council

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 125 15 ft.

Time of Observation 9 am

Nearest Railway Station
Name Aberdovey
Distance ½ mile Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	0·05	—	0·14	0·10	—	0·65	—	—	0·15	0·22	1
2	—	—	0·14	0·03	0·19	—	—	—	—	0·34	0·28	0·03	2
3	—	—	0·06	—	0·58	—	—	0·16	0·03	—	0·18	0·14	3
4	—	—	0·26	Trace	0·01	—	—	0·44	—	Trace	0·23	0·14	4
5	0·36	—	—	0·01	—	—	—	0·43	—	0·02	Trace	0·01	5
6	0·05	—	0·10	—	—	—	—	0·15	—	0·06	0·29	0·32	6
7	0·09	—	—	—	—	—	—	—	—	—	0·43	—	7
8	0·48	—	0·45	—	—	—	—	—	—	—	0·46	0·13	8
9	0·08	—	—	—	—	—	—	—	—	—		0·14	9
10	0·16	0·42	0·35	—	—	—	—	—	Trace	—	—	0·64	10
11	0·20	0·01	—	—	0·02	—	—	—	0·04	—	0·16	0·14	11
12	—	0·01	0·62	—	0·07	—	—	—	1·22	Trace	0·81	—	12
13	Trace	0·02	0·02	—	0·61	—	—	0·11	—	—	0·06	0·13	13
14	0·01	0·20	0·04	—	0·04	—	—	—	—	—	0·04	0·24	14
15	0·01	0·22	0·03	—	—	0·18	—	—	—	—	0·12	0·02	15
16	0·02		—	Trace	—	0·35	—	—	—	—	0·38	0·08	16
17	0·01	—	—	—	—	0·34	—	0·10	—	—	0·61	0·12	17
18	—	0·14	—	0·06	—	0·24	—	0·01	—	—	0·42	0·38	18
19	—	0·01	—	0·20	—	0·03	Trace	—	0·26	0·27	0·15	0·54	19
20	—	0·08	—	0·26	—	Trace	Trace	0·42	0·04	0·10	Trace	0·09	20
21	—	0·18	0·20	0·06	—	0·12	0·25	Trace	0·06	0·62	—	Trace	21
22	0·07	0·14	—	0·13	—	0·02	—	—	—	0·42	—	0·60	22
23	0·01		—	Trace	0·04	Trace	—	0·18	0·41	0·44	—	0·27	23
24	0·02	0·24	—	0·06	0·01	0·66	—	0·04	0·06	0·60	—	0·10	24
25	—	0·01	—	0·45	—	0·18	0·02	—	0·14	0·41	—	0·08	25
26	0·03	0·20	—	0·25	—	0·04	—	0·11	0·04	0·08	Trace	0·13	26
27	0·01	0·45	0·04	0·04	0·35	—	—	1·14	0·69	—	0·11	0·20	27
28	—	0·28	—	0·13	—	0·02	—	0·11	—	0·02	—	0·06	28
29	—		0·03	—	—	0·12	0·80	—	0·24	0·47	Trace	0·12	29
30	—		0·04	—	—	0·02	—	—	—	0·24	0·03	0·03	30
31	—		0·02		Trace		0·22	—		0·01		0·18	31
Total	1·61	2·61	2·48	1·98	2·06	2·42	1·29	4·58	3·26	4·18	4·90	5·16	TOTAL for year
No. of Rain Days.	16	18	16	12	11	14	4	14	12	15	19	28	36·53 / 179

W. 8,000, X. '11.

Ex D?

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL.

17 JAN 1913

Kept at Aberdovey

in the County of Merionethshire 5

by W J Ives

RAIN GAUGE — Pattern Snowden; Diameter of top 5 in.; Height of top above Ground 1 ft. in.; " " " Sea Level 22 ft.

Time of Observation 9 a.m.

Nearest Railway Station — Name Aberdovey; Distance ¾ Mls. Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·05	—	0·10	—	0·04	0·31	0·02	—	—	—	0·07	0·08	1
2	0·04	0·04	0·32	0·09	—	0·42	—	0·23	—	—	—	—	2
3	0·27	—	0·19	0·02	—	0·08	—	0·49	0·13	—	0·02	0·15	3
4	0·35	—	0·80	0·02	0·02	—	—	0·46	0·08	—	0·59	—	4
5	0·17	0·02	0·12	—	0·04	0·02	—	0·03	Trace	0·04	Trace	0·03	5
6	0·01	0·05	—	—	0·18	—	—	0·05	Trace	—	0·04	0·07	6
7	—	0·11	0·01	0·03	0·12	0·34	0·04	Trace	0·03	—	0·10	0·07	7
8	0·24	0·07	0·28	—	0·06	0·09	—	0·20	0·08	—	0·07	Trace	8
9	0·15	0·06		0·08	—	0·34	0·01	0·28	—	—	0·02	0·21	9
10	0·20	—	—	Trace	—	0·06	0·15	0·07	—	—	0·08	0·03	10
11	0·02	—	—	—	Trace	—	0·16	0·05	—	—	0·54	0·79	11
12	0·02	—	0·61	0·14	—	0·02	0·15	—	—	—	0·14	0·03	12
13	0·05	—	0·04	—	—	0·01	0·02	0·11	Trace	0·26	0·05	0·42	13
14	0·08	0·18	0·65	—	—	—	—	0·46	0·05	—	Trace	0·12	14
15	—	0·02	0·04	—	Trace	0·31	—	Trace	Trace	—	0·04	0·12	15
16	0·11	0·24	0·53	—	—	—	—	0·16	—	0·19	0·01	0·02	16
17	0·33	0·54	0·15	—	—	1·10	—	0·72	—	Trace	0·29	0·28	17
18	0·13	—	0·05	—	—	Trace	—	0·10	—	0·21	0·24	0·06	18
19	—	0·26	0·07	—	0·05	0·02	—	0·71	—	0·08	0·01	0·07	19
20	—	~~0·10~~ 0·19	0·08	—	0·10	—	—	0·06	—	0·54	0·29	0·04	20
21	—	0·~~27~~	0·32	—	0·19	0·01	—	0·42	—	0·39	0·01	0·48	21
22	0·09	~~0·28~~	0·04	—	0·04	0·07	0·08	0·98	—	0·05	0·02	0·20	22
23	0·03	0·00	0·28	—	—	0·31	0·02	0·96	—	0·07	0·44	0·12	23
24	—	0·01	0·05	—	—	0·19	Trace	—	—	0·01	—	0·15	24
25	—	0·02	0·41	—	—	0·24	—	0·26	—	Trace	0·31	0·37	25
26	—	0·15	0·16	—	—	—	0·17	0·41	—	1·27	0·19	0·18	26
27	—	0·04	0·54	—	—	0·52	1·02	—	—	0·46	0·04	0·47	27
28	—	0·04	—	—	—	0·30	0·82	0·15	—	0·54	1·21	—	28
29	—	0·06	0·05	—	—	Trace	0·10	0·05	0·09	0·27	—	0·01	29
30	Trace		0·21	0·02	0·09	0·04	0·13	—	—	0·35	Trace	0·02	30
31	Trace		0·16		0·21		0·64	0·15		0·04		0·09	31
Total	2·34	2·32	6·29	0·40	1·14	4·89	3·53	7·56	0·41	4·76	4·85	4·68	TOTAL for year
No. of Rain Days.	18	19	27	7	12	21	15	24	6	16	24	27	43·17 216

8,000, X. '11.

REGISTER OF RAINFALL IN 1913

cmd 29.IV.14

FORM A. BRITISH RAINFALL. 9 JAN 1914

Kept at Aberdovey

in the County of Merioneth 5

by W J Foves

Lat. 52-33 Long. 4-5 W

Time of Observation 9 am

Nearest Railway Station Aberdovey

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 22 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	0·11	0·10	0·14	0·13	Trace	—	—	—	Trace	—	0·12	0·02	1
2	0·01	0·26	0·18	0·03	0·15	0·10	—	—	—	0·16	0·16	0·06	2
3	0·09	Trace	0·11	—	0·45	—	—	—	—	0·13	—	0·21	3
4	0·24	0·03	0·06	—	0·02	0·13	—	—	0·20	0·19	0·02	0·13	4
5	0·35	0·05	0·03	—	0·19	0·48	0·19	—	—	0·89	0·18	Trace	5
6	0·06	0·15	0·13	—	0·01	0·24	0·04	—	—	0·06	0·09	0·43	6
7	—	0·31	0·10	—	0·14	0·64	0·01	—	—	0·26	0·07	0·03	7
8	—	0·26	0·05	—	0·11	0·02	0·11	0·25	0·02	0·02	Trace	0·11	8
9	—	0·38	0·11	0·09	0·05	0·96	0·04	0·02	0·19	—	0·04	0·22	9
10	0·10	—	0·07	0·04	0·12	0·02	0·02	0·32	0·21	—	0·12	—	10
11	0·64	—	—	0·39	0·05	0·01	0·01	0·02	Trace	0·29	0·25 (·25)	0·10	11
12	0·01	—	0·02	—	0·04	0·04	0·10	0·01	0·79	—	0·95	0·02	12
13	0·06	—	0·50	0·01	0·44	—	0·14	0·04	0·43	0·04	0·38	—	13
14	Trace	—	0·46	0·12	—	—	—	0·10	0·14	0·50	0·15	0·21	14
15	0·13	—	0·24	0·82	—	—	—	0·04	0·12	Trace	0·10	0·04	15
16	0·22	—	0·22	0·16	—	Trace	0·09	—	—	—	0·05	Trace	16
17	0·41	—	0·09	0·06	—	0·01	0·44	—	—	—	0·10	—	17
18	0·08	—	0·19	0·29	0·07	Trace	0·25	—	—	—	0·07	—	18
19	0·21	—	0·06	Trace	0·03	0·36	0·02	—	0·13	0·29	0·30	—	19
20	0·26	—	0·11	0·25	—	0·01	—	—	0·10	0·03	1·04	—	20
21	—	—	0·16	0·13	0·21	Trace	0·48	0·24	—	0·09	0·02	—	21
22	0·64	—	1·50	—	0·11	0·23	—	1·56	0·53	—	—	0·02	22
23	0·04	—	—	—	—	0·01	—	—	0·15	—	0·32	0·04	23
24	0·36	Trace	—	0·19	0·01	0·01	—	—	—	—	0·07	0·03	24
25	—	—	—	0·14	Trace	—	—	—	0·39	—	0·05	—	25
26	—	0·03	—	0·94	—	0·03	—	—	0·56	0·02	0·01	0·31	26
27	0·36	0·01	—	0·20	—	—	—	—	—	0·06	0·01	0·08	27
28	0·53	—	0·05	0·06	0·14	—	—	—	—	0·13	0·04	0·22	28
29	—		0·10	0·68	0·41	—	—	0·26	—	0·36	0·06	—	29
30	0·25		0·02	0·06	0·06	—	—	—	—	0·14	0·28	0·01	30
31	0·05		0·13		0·26		—	—		0·03		—	31
Total	5·14	1·54	4·85	4·85	3·05	3·65	1·94	2·86	3·96	3·72 (3·72)	5·08	2·32	YEAR'S TOTAL 43·02 (43·02)
Rain Days.	23	10	25	20	21	14	14	11	14	19	24	19	220

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 22 JAN 1915

Kept at Aberdovey

in the County of Merioneth 5

by W J Rees for District Council

Lat. 52-33-15 h Long. 4-3-45 E

Time of Observation 9 a.m.

Nearest Railway Station Aberdovey

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 22 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	0·10	—	—	0·39	1·05	0·44	—	0·06	—	0·15	1
2	0·01	0·01	0·03	—	0·01	—	0·45	0·04	—	0·01	0·11	0·69	2
3	0·03	—	0·32	0·01	0·66	—	—	0·32	—	—	—	0·52	3
4	0·31	—	0·14	0·10	0·04	—	0·63	—	—	—	0·62	0·16	4
5	0·14	—	0·35	0·02	0·49	—	0·10	0·02	—	—		0·04	5
6	—	0·08	0·12	—	0·14	0·04	0·05	0·05	—	—	0·20	0·35	6
7	0·02	0·09	0·42	0·01	0·10	0·02	0·43	0·14	0·03	0·01	0·01	0·29	7
8	0·44	—	0·03	0·03	0·52	0·04	0·24	0·84	0·04	0·01	0·03	0·12	8
9	0·70	0·35	0·04	0·10	0·36	0·24	—	0·34	0·02	—	0·23	—	9
10	0·04	0·06	0·01	0·09	0·02	0·03	—	—	0·31	—	—	—	10
11	←	0·24	0·35	0·01	—	0·04	—	—	0·14	—	0·58	0·42	11
12	—	0·39	0·29	—	—	—	—	—	0·64	—	0·45	—	12
13	—	0·31	0·26	0·02	—	—	0·04	—	0·20	0·02	0·13	0·12	13
14	—	0·64	0·12	—	—	—	—	—	0·04	0·02	0·10	0·02	14
15	—	0·02	0·11	—	—	—	—	—	0·09	—	0·01	0·06	15
16	—	0·03	0·04	—	—	—	0·13	—	0·33	—	—	0·23	16
17	—	0·54	0·34	—	—	—	0·23	—	0·25	—	—	0·93	17
18	—	—	0·14	—	—	—	0·05	—	0·05	0·01	—	0·22	18
19	—	0·12	0·15	—	—	—	0·19	—	0·09	—	0·10	0·13	19
20	—	0·44	0·39	—	—	1·04	0·09	—	—	—	—	0·01	20
21	—	0·02	—	—	—	0·19	0	—	—	0·01	—	0·14	21
22	—	0·39	0·03	0·07	0·04	0·01	0·15	0·43	—	0·02	0 0	—	22
23	—	0·01	0·11	—	—	—	0·03	0·01	—	—	0·03	—	23
24	0·05	—	0·15	0·02	—	0·02	0·08	0·04	—	0·02	0·24	—	24
25	0·15	0·06	0·02	—	—	—	0·09	0·51	—	0·12	0·04	0·24	25
26	—	0·01	—	—	—	—	0·31	—	—	0·13	0·32	0·25	26
27	0·28	—	—	—	—	—	—	—	—	0·06	0·21	1·33	27
28	0·18	0·17	0·07	—	0·11	—	—	0·04	—	0·16	0·02	0·80	28
29	0·13		0·02	—	0·06	—	—	0·08	—	0·01	(0·42	—	29
30	—	X	0·32	—	0·03	—	—	0·31	—	—		0·24	30
31	0·32	X	0·14	X	—	X	0·76	—	X	0·08	X	0·09	31
Total	2·86	3·94	4·67	0·48	2·61	2·09	5·00	3·73	2·26	1·24	4·21	7·67	YEAR'S TOTAL 40·63 ✓
Rain Days.	13	20	28	11	13	11	19	15	13	16	21	24	205

W. 8,000. X. 14.

cwd. 17.V.16

4318

FORM A. BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Aberdovey

in the County of Merioneth

by W J Rees

Lat. 52-33-15 Long. 4-3-45 W

Time of Observation 9 h

Nearest Railway Station Aberdovey

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 22 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·24	0·19	0·04	—	1·08	—	0·02	0·39	0·10	0·37	—	0·08	1
2	0·11	0·57	0·60	0·54	—	0·03	0·19	0·25	0·01	0·01	—	0·16	2
3	—	0·03	0·24	0·10	0·02	—	0·14	0·04	—	—	—	0·26	3
4	0·22	0·17	—	—	0·41	—	—	0·02	Trace	—	—	1·02	4
5	0·06	0·14	0·09	0·05	0·05	0·15	—	0·05	—	—	—	0·64	5
6	0·40	0·05	0·07	0·14	—	—	0·18	0·23	—	—	Trace	0·28	6
7	0·46	0·46	—	0·03	—	—	0·34	0·20	—	0·24	—	0·12	7
8	0·12	0·25	—	Trace	—	—	—	0·28	—	0·06	0·56	—	8
9	0·08	0·34	—	0·26	—	—	—	0·07	—	—	0·04	0·81	9
10	0·50	0·05	0·25	0·15	—	—	0·03	0·10	—	0·03	0·05	0·03	10
11	—	—	—	—	—	—	0·01	0·06	—	—	1·29	0·02	11
12	0·45	0·02	—	0·16	0·02	—	—	0·06	—	0·42	1·43	0·14	12
13	0·05	0·24	0·02	—	0(1D)	—	0·01	0·08	0·10	0·10	0·04	0·10	13
14	0·08	0·22	—	0·02	0·04	—	—	0·19	0·08	—	0·14	0·40	14
15	0·25	~~0·13~~	—	0·07	0·13	—	0·20	0·03	0·04	—	0·01	0·22	15
16	0·06	0·43	—	0·06	0·55	—	0·42	0·46	0·01	—	—	0·12	16
17	0·05	0·28	Trace	—	0·31	—	—	—	—	—	—	0·02	17
18	0·04	0·64	0·15	—	—	—	0·10	—	—	—	—	—	18
19	—	0·02	0·02	0·16	0·42	—	0·43	—	—	—	—	0·03	19
20	0·52	—	0·05	0·02	—	—	—	0·02	—	0·05	—	0·63	20
21	0·47	0·17	—	0·07	0·23	—	0·35	Trace	—	0·02	—	0·84	21
22	0·10	0·16	0·12	0·01	0·02	0·19	0·32	—	0·03	0·04	—	0·19	22
23	—	0·11	0·08	0·03	—	0·26	—	—	0·06	0·44	—	0·35	23
24	—	—	0·02	0·04	—	—	0·08	—	0·08	0·18	—	0·15	24
25	—	—	—	—	—	0·24	0·01	—	—	—	0·15	0·06	25
26	—	0·25	—	—	—	0·32	0·04	—	0·22	—	—	0·65	26
27	—	0·14	—	—	—	—	0·20	—	0·07	0·39	—	0·57	27
28	—	0·13	—	—	0·01	0·04	0·05	0·10	0·04	0·10	—	0·03	28
29	—		—	Trace	Trace	0·03	~~0·32~~	—	0·20	—	0·11	0·04	29
30	0·15	X	—	0·35	—	—	—	—	Trace	Trace	0·02	0·13	30
31	0·02	X	—	X	—	X	0·32	0·19	X	0·04	X	0·24	31
Total	4·73	5·09	1·75	2·26	3·39	1·32	3·52	2·82	1·07	2·49	3·84	8·35	YEAR'S TOTAL 40.63
Rain Days.	21	23	13	18	14	8	20	19	13	15	11	29	204

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL. 10 JUL 1917 4246

Kept at Aberdovey (UD Council station)

in the County of Merionethshire

by The late W J Eves

Lat. 52·33·15" Long. 4-3-45"

Time of Observation 9 a.m. G.M.T.

Nearest Railway Station Aberdovey

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 22 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·9 2·3	·09	·10	—	—	·13	·24	—	—	·08	·05	~~·15~~	1
2	0·29 1·6	·21	·09	02	—	·06	·04	—	·59	·87	·30	—	2
3	—	·19	—	10	04	·32	·26	—	1·10	·29	·04	·10	3
4	0·09 2·3	·24	·03	04	·29	·36	—	—	·48	·01	·06	~~·02~~	4
5	0·14 3·6	·08	·14	—	·05	·02	·03	—	—	·94	·13	~~·31~~	5
6	0·22	·51	02	—	·21	—	·09	—	—	·19	·33	·02	6
7	0·04	·02	—	—	·05	—	—	—	—	·10	·62	·31	7
8	0·09	·05	·01	01	·55	·04	—	—	—	·16	·01	·05	8
9	·21	·11	—	~~·17~~	·14	·23	·03	—	·02	—	·03	·14	9
10	·02	·47	·01	·13	·01	·04	·01	—	—	·09	·04	—	10
11	·08	·10	—	·22 ~~·15~~	·23	·01	·01	—	·10	—	·10	—	11
12	·03	·08	03	·03 ~~·22~~	·41	—	·34	·19	·04	·09	—	—	12
13	Trace	·48	·14	·05 ~~·03~~	·04	—	·01	·02	—	·08	—	—	13
14	·06	·52	·03	— ~~·05~~	·22	—	—	·29	·01	·14	—	—	14
15	·05	·31	·23	·21 —	·11	—	05	·24	·05	·19	—	—	15
16	Trace	—	—	·46	·13	—	03	·06	—	·14	—	—	16
17	·28	·24	—	·19	—	—	—	—	·92	·28	·02	·14	17
18	·01	·14	·08	·45	—	—	—	·02	·24	03	·04	·67	18
19	·12	—	·24	·14	—	—	—	·10	·02	—	·22	—	19
20	·18	·03	·52	—	—	—	—	—	—	—	·18	·10	20
21	·05	—	·22	—	~~·14~~ ·14	·05	01	—	—	—	·04	·25	21
22	Trace	—	—	—	~~·14~~	·21	—	—	—	05	—	·21	22
23	·06	—	·08	·09	—	·01	—	·22	—	11	·15	·30	23
24	—	·05	·12	·08	1·30	·03	—	·32	—	·05	·01	·02	24
25	·03	—	·10	—	~~1·30~~ 1·4	·10	—	·53	·08	·22	·51	·09	25
26	·13	—	·04	—	·01 ~~·11~~	·21	—	·08	·10	·03	08	—	26
27	·02	—	·11	—	~~·05~~ ·07	·01	—	—	·35	1·52	—	—	27
28	—	·16	—	—	~~·05~~	—	—	—	—	·24	06	·61	28
29	·02	·03	—	—	—	·41	—	05	—	18	02	·12	29
30	—	X	—	—	—	·09	—	·03	—	·10	01	14	30
31	—	X	—	X	·04	X	—	·18	X	·49	X	—	31
Total	~~2·24~~ 2·23	4·14	2·46	2·25	4·25	2·36	1·21	2·33	4·10	~~6·71~~ 6·74	3·14	3·33	YEAR'S TOTAL ~~38·53~~ 38·51
Rain Days.	23	21	20	15	20	18	13	14	14	26	23	16	~~225~~ 223

W. 8,000, VIII. 16

6·76

Form A.S. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Aberdovey (MO)

in the County of Merioneth

by .....

Lat. 52° 33 N Long. 4° 4' W
Time of Observation 9h GMT.
Nearest Railway Station .....
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ..... ft. ..... in.
" " " " Sea Level 22 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				0.07	0.24	-	0.33	-	0.33	0.06	-	0.08	1
2				0.34	0.02	-	0.17	-	0.32	-	-	0.14	2
3				0.03	0.10	-	0.21	-	0.23	0.46	-	0.07	3
4				0.02	-	-	-	1.09	0.12	0.08	-	-	4
5				0.03	0.30	-	0.21	0.14	-	0.09	-	-	5
6				0.18	-	-	0.02	-	-	0.35	0.03	-	6
7				0.08	-	-	0.03	0.04	0.02	-	-	-	7
8				0.36	0.25	-	0.23	0.21	-	-	-	-	8
9				0.63	-	-	0.16	-	0.04	-	0.20	-	9
10				-	-	0.14	0.53	0.02	-	-	0.04	-	10
11				-	0.39	-	0.05	0.03	-	-	0.02	-	11
12				0.29	-	0.65	0.06	0.05	0.07	0.03	0.38	0.01	12
13				0.28	-	0.12	-	-	-	-	0.11	-	13
14				0.22	-	0.13	0.12	-	1.08	0.51	0.55	-	14
15				0.67	-	0.13	-	-	-	-	0.02	-	15
16				0.26	0.30	0.45	0.32	0.02	1.11	0.68	-	-	16
17				0.05	0.37	0.03	-	0.23	0.60	0.07	-	-	17
18				0.22	0.21	0.07	-	0.01	0.45	-	-	-	18
19				0.34	-	0.01	0.25	-	-	-	-	-	19
20				0.13	-	-	0.19	0.01	0.30	-	-	0.17	20
21				0.02	-	-	0.77	0.03	-	-	-	0.23	21
22				0.09	-	-	0.47	0.50	-	-	-	-	22
23				0.17	-	-	0.19	-	-	-	-	0.33	23
24				-	-	0.04	0.17	0.01	-	-	-	0.38	24
25				0.08	0.24	0.08	0.72	-	-	-	-	0.01	25
26				0.14	-	-	0.41	-	-	-	0.02	0.03	26
27				0.19	0.13	0.75	0.15	-	-	-	0.13	0.20	27
28				0.06	0.06	0.03	0.11	-	-	-	-	0.11	28
29				0.04	0.48	0.02	1.12	-	-	-	0.09	0.56	29
30		X		0.42	-	0.34	-	-	0.79	-	0.55	0.21	30
31		X		X	0.40	X	0.16	-	X	0.36	X	0.03	31
TOTAL				4.41	3.49	2.99	7.15	2.39	5.46	2.69	2.84	2.51	YEAR'S TOTAL
Days with .01 in. or more				27	14	15	25	14	13	10	12	15	

No observations received

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Copied from 1st 3202.

23 13 11 23 7 12 9 6 11

REGISTER

MERIONETH.

ABERDOVEY.

"FRONEITHYN"

1914, 15, 17, 19.

FORM A. BRITISH RAINFALL.

29 APR 1915

Kept at Froneithyn, Aberdo… …W.

in the County of Merioneth …ovey

by G. M. S. Farmer …in.

…d 1 ft. - in.

…evel 200 ft.

IMPORTANT NOTE.—Rain s… …esult entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	001	008	haze	—	030		042	—	004	haze	014	1
2	haze	—	—	—	004	—		058	—	001	014	045	2
3	002	—	030	haze	065	—	↓	028	—	—	haze	042	3
4	030	—	012	011	002	—	—	—	—	—	026	019	4
5	015	—	035	002	045	—	—	haze	—	—	038	005	5
6	—	006	013	—	015	003	018	006	—	—	017	028	6
7	008	006	040	—	007	002	048	024	haze	haze	001	024	7
8	043	001	002	003	045	003	031	074	004	001	haze	014	8
9	066	034	005	004	036	024	—	038	001	—	019	haze	9
10	003	005	haze	009	002	003	—	—	033	—	haze	—	10
11	—	025	038	haze	—	008	002	—	012	—	050	035	11
12	—	035	030	—	—	—	~~057~~	—	065	—	↑	~~haze 003~~	12
13	—	027	024	001	—	—	002	haze	018	003		012 ~~042~~	13
14	—	048	011	—	—	—	001 ~~002~~	—	002	—		002	14
15	—	001	023	—	—	—	~~057 028~~	haze	009	haze		022	15
16	—	002	002	↑	—	—	~~003~~ 008	—	035	—		002	16
17	—	042	030		—	—	028	—	025	—	036	080	17
18	—	—	014		—	—	003 ~~028~~	—	003	haze		025	18
19	—	013	015		—	—	~~003~~ 022	—	008	—		010	19
20	—	044	034	004	—	090	010	haze	—	—	↓	001	20
21	—	002	haze		—	024	~~002~~	—	—	002	↓	014	21
22	—	030	004		005	—	018	044	—	haze	—	—	22
23	—	haze	009		—	—	~~002~~	001	—	002	001	haze	23
24	003	—	~~075~~			001	006 ~~028~~	004	—	001	025	—	24
25	013	006	↑	↓		—	~~haze~~	052	—	063	004	034	25
26	—	001		—		—	028	—	—	014	032	018	26
27	025	haze	035	—	—	↑	haze	—	—	006	020	127	27
28	015	015		—	010		—	004	—	016	002	075	28
29	013			—	006	1.40	—	008	—	001	034	002	29
30	—	X	↓	—	—		—	030	—	haze	026	023	30
31	026	X	014	X	—	X	080	haze	X	006	X	014	31
Total	262	344	443	040	242	~~535~~ 6.35		363	215	120	345	684	YEAR'S TOTAL ~~3596~~ 3696
Rain Days.	13	20	?	?	12			14	12	13	?	25	

W. 8,000. X. 14.

REGISTER

FORM A. BRITISH RAINFALL.

29 APR 1915

Kept at Fronesthyn, Aberdovey

in the County of Merioneth

by G. M. S. Farmer

Time of Observation 9 a.m.

Nearest Railway Station Aberdovey

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	001	008	haze	—	030		042	—	004	haze	014	1
2	haze	—	—	—	004	—		058	—	001	014	045	2
3	002	—	030	haze	065	—	↓	028	—	—	haze	042	3
4	030	—	012	011	002	—	—	—	—	—	026	019	4
5	015	—	035	002	045	—	—	haze	—	—	038	005	5
6	—	006	013	—	015	003	018	~~006~~	—	—	017	028	6
7	008	006	040	—	007	002	048	024	haze	haze	001	024	7
8	043	001	002	003	045	003	031	074	004	001	haze	014	8
9	066	034	005	007	036	024	—	038	001	—	019	haze	9
10	003	005	haze	009	002	003	—	—	033	—	haze	—	10
11	—	025	038	haze	—	008	002	—	012	—	050	035	11
12	—	035	030	—	—	—	~~005~~	—	065	—	↑	~~haze~~ 003	12
13	—	027	024	001	—	—	002	haze	018	003	↓	012 ~~002~~	13
14	—	048	011	—	—	—	001 ~~002~~	—	002	—	↓	002	14
15	—	001	023	—	—	—	~~001~~ ~~028~~	haze	009	haze	↓	022	15
16	—	002	002	↑	—	—	~~003~~ 008	—	035	—	↓	002	16
17	—	042	030	↓	—	—	028	—	025	—	036	080	17
18	—	—	014	↓	—	—	003 ~~028~~	—	003	haze	↓	025	18
19	—	013	015	↓	—	—	~~003~~ 022	—	008	—	↓	010	19
20	—	044	034	004	—	090	018	haze	—	—	↓	001	20
21	—	002	haze	↓	—	024	~~002~~	—	—	002	↓	014	21
22	—	030	004	↓	005	—	018	044	—	haze	—	—	22
23	—	haze	009	↓	—	—	002	001	—	002	001	haze	23
24	003	—	~~015~~	↓	—	001	006 ~~028~~	004	—	001	025	—	24
25	013	006	↑	↓	—	—	~~haze~~	052	—	063	004	034	25
26	—	001	↓	—	—	—	028	—	—	014	032	018	26
27	025	haze	035	—	—	↑	haze	—	—	006	020	127	27
28	015	015	↓	—	010	↓	—	004	—	016	002	075	28
29	013		↓	—	006	1.40	—	008	—	001	034	002	29
30	—	X	↓	—	—	↓	—	030	—	haze	026	023	30
31	026	X	014	X	—	X	080	haze	X	006	X	014	31
Total	262	344	443	040	242	~~535~~ 6.35		363	215	120	345	684	YEAR'S TOTAL ~~3596~~ 36.96
Rain Days.	13	20	?	?	12			14	12	13	?	25	

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL. 4-JAN 1916

Kept at Fronsithyn, Aberdovey

in the County of Merioneth

by G. M. S. Farmer

Lat. 52½ Long. 4·3

Time of Observation 9 a.m.

Nearest Railway Station Aberdovey

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	022	021	002		108		002	040	010	037		017	1
2	018	050	060	052		003	021	030	001	032		006	2
3	Trace	003	021	006	010		016	005				022	3
4	025	019	Trace		031							105	4
5	002	015	010	006	002	015		004			mist & fog	069	5
6	066	003	005	013	Trace		022	019				027	6
7	044	043		002			034	021		029		012	7
8	010	024						028		003	Nov.		8
9	010	031		026				005				066	9
10	050	008	026	016			002	007		002	25th	003	10
11	Trace	Trace		Trace	Trace		Trace	008				003	11
12	043	003		014	001		Trace	003		037	to	016	12
13	002	020	Trace		008			003	010	010		007	13
14	008	022		001	002			022	009		14th Oct.	042	14
15	022	Trace		005	014		021	003	009			020	15
16	086	047		008	051		043	047	002			013	16
17	007	036			035				Trace		from	005	17
18	004	056	015				011	Trace					18
19	001	001	001	015	043		040					001	19
20	049		004					002			460	063	20
21	031	016	Trace	007	021		036					082	21
22	012	015	012		004	026	023		003			018	22
23	Trace	008	007	004		027	001		004			030	23
24			004	003			003		009			020	24
25						028	001					001	25
26		025				031	014		021		—	056	26
27		012					021		001		—	039	27
28		010			Trace	006	005	011	011		—	003	28
29					001	003			024		011	012	29
30	012			036							001	016	30
31	002						033	019				023	31
Total	446	488	167	214	331	139	349	277	114	592		797	YEAR'S TOTAL 3914
Rain Days.	22	23	12	16	14	8	19	18	13			29	

000. X. 15. Rainfall of 1914 is entered in Mawddach, in General Table – should it not be in Dovey, same as Mr. Eves'.

REGISTER OF RAINFALL IN 1917.

FORM A. BRITISH RAINFALL.

Kept at Tronesthyn, Aberdovey

in the County of Merioneth

by G. M. S. Farmer

Lat. 52:31 Long. 4:3

Time of Observation 9 a.m.

Nearest Railway Station Aberdovey 3/4 mile

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 200 — ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	008	002	—	Trace	—	Trace	040	—	020	012	1
2	002	—	—	025	—	002	—	—	—	012	017	004	2
3	006	001	—	—	—	009	—	—	—	053	Trace	013	3
4	Trace	010	—	001	—	Trace	—	—	—	048	001	003	4
5	047	—	004	—	—	002	—	—	—	060	014	—	5
6	Trace	—	010	025	—	015	—	—	Trace	023	018	015	6
7	052	—	—	—	—	004	015	013	—	006	005	004	7
8	018	—	—	018	—	—	006	119	011	050	055	025	8
9	—	—	002	Trace	006	—	—	040	—	029	054	005	9
10	026	—	076	018	—	—	—	021	—	035	—	—	10
11	004	—	Trace	014	—	—	—	006	Trace	030	022	—	11
12	027	—	016	021	070	—	—	004	004	038	—	008	12
13	—	—	001	005	Trace	001	—	054	052	003	034	008	13
14	—	—	—	—	016	—	—	Trace	—	013	Trace	010	14
15	—	—	—	010	001	—	001	001	Trace	029	Trace	040	15
16	—	016	—	005	—	—	—	029	013	025	006	026	16
17	—	002	015	052	002	—	090	203	007	014	010	—	17
18	Trace	—	010	026	001	—	036	003	071	002	—	—	18
19	—	090	011	001	—	022	—	Trace	Trace	—	001	—	19
20	—	035	Trace	—	025	118	—	—	004	—	016	—	20
21	—	011	009	—	—	001	—	001	Trace	015	005	—	21
22	—	001	—	Trace	—	001	—	043	020	020	009	—	22
23	—	020	—	—	025	012	004	010	Trace	006	001	006	23
24	—	015	010	—	—	013	—	004	002	046	006	019	24
25	—	016	018	—	—	—	001	033	014	004	015	—	25
26	—	Trace	—	—	041	003	010	022	039	014	057	—	26
27	—	010	013	—	062	061	035	051	Trace	016	001	Trace	27
28	—	—	004	—	004	—	007	079	Trace	009	Trace	—	28
29	—		011	—	—	—	—	025	—	037	—	018	29
30	—	X	002	—	—	—	—	032	Trace	004	007	—	30
31	Trace	X	019	X	018	X	—	064	X	Trace	X	—	31
Total	185	227	239	223	271	264	205	857	277	641	377	216	YEAR'S TOTAL 3982
Rain Days.	8	12	18	14	12	14	10	22	12	27	22	16	184

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1919.

FORM A. BRITISH RAINFALL. 13.1.19

Kept at Froneithyn Aberdovey

in the County of Merioneth

by G. M. S. Farmer

Lat. 52·31 N Long. 4·3 W

Time of Observation 9 a.m.

Nearest Railway Station 3/4 mile West

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	0·15	—	0·05	0·09	—	—	0·11	0·05	0·03	0·25	Trace	1
2	—	0·02	—	0·12	—	—	—	0·06	0·04	0·02	0·11	0·80	2
3	—	0·02	—	—	0·29	—	—	0·26	1·12	0·35	0·01	—	3
4	0·06	0·09	—	—	—	—	—	0·05	0·18	0·47	0·34	0·21	4
5	—	0·01	—	0·25	0·90	—	—	0·31	0·05	0·60	0·04	Trace	5
6	Trace	0·62	—	0·04	—	0·20	—	Trace	0·16	0·26	—	0·03	6
7	0·02	0·12	—	0·08	0·24	—	—	0·01	0·82	0·01	0·16	0·61	7
8	0·13	0·07	—	—	Trace	0·11	0·23	—	0·19	0·36	0·09	Trace	8
9	Trace	0·25	—	0·03	—	0·58	0·11	—	0·25	0·39	0·06	0·11	9
10	Trace	0·16	—	—	—	—	0·13	—	—	0·23	0·53	0·23	10
11	Trace	0·05	0·14	0·01	0·06	Trace	0·37	—	0·16	Trace	Trace	0·36	11
12	0·02	0·15	—	—	0·25	—	0·09	Trace	0·46	—	—	0·02	12
13	—	0·02	—	—	0·15	0·02	—	—	0·03	0·05	—	0·02	13
14	0·70	—	Trace	—	0·02	Trace	0·34	Trace	0·19	0·02	—	0·46	14
15	0·36	—	—	—	—	—	0·61	—	0·90	0·24	—	0·66	15
16	0·09	—	—	Trace	—	0·08	0·51	0·04	1·05	0·13	—	0·24	16
17	0·38	—	—	—	—	0·18	0·31	0·01	0·24	0·03	—	0·21	17
18	0·75	0·19	0·06	—	—	0·24	0·01	—	0·27	—	—	0·36	18
19	0·07	0·24	0·09	0·25	—	0·08	0·35	—	0·26	Trace	—	0·10	19
20	0·10	0·08	Trace	0·19	0·25	0·14	—	—	0·66	—	—	Trace	20
21	0·15	0·24	—	0·08	—	0·20	0·22	0·01	0·26	—	—	0·10	21
22	0·06	Trace	—	Trace	1·15	—	0·20	0·01	0·25	0·06	—	0·61	22
23	0·17	Trace	—	—	1·27	0·04	0·07	—	0·10	—	0·05	0·03	23
24	0·02	0·31	—	—	Trace	Trace	—	0·34	0·42	0·01	0·25	0·09	24
25	—	Trace	—	—	0·20	0·02	0·24	0·95	0·21	0·03	0·12	Trace	25
26	0·07	0·08	—	Trace	Trace	—	0·05	0·12	0·15	0·10	0·12	0·34	26
27	—	0·09	0·60	—	—	0·07	—	0·45	0·16	0·01	0·43	0·04	27
28	—	0·09	0·56	—	—	—	—	—	Trace	0·06	0·40	0·30	28
29	—	X	0·24	—	—	—	—	—	0·42	0·01	0·01	0·11	29
30	—	X	0·07	—	—	—	—	0·11	0·05	0·03	0·25	0·31	30
31	—	X	0·85	X	—	X	—	Trace	X	0·24	X	0·09	31
Total	3·15	3·05	2·61	1·10	4·87	1·96	3·84	2·84	9·10	3·74	3·22	5·94	YEAR'S TOTAL 45·42
Rain Days.	16	21	8	10	12	13	16	15	28	24	17	25	205

W, 6,500, VII. 18. w w c

WP Wanstead 3/5/15

4345

FORM A. BRITISH RAINFALL

REGIS

4345.

ABERDOVEY

PLAS PENHELIG.

1914 – 20

781709

1923-24

Kept at Plâs Penhelig Gar

in the County of Meri

by

Aberdovey

in.

nd 1 ft. 6 in.

Level 150 ft.

IMPORTANT NOTE.— esult entered to the previous day. If an Observ rule, he is earnestly requested to add the reading the space provided for it at the end of this pa [illegible] for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (·10)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·30	·17									·28	1
2				·15			1.18	·77			·9	·27	2
3					·05		·50	·45			·11	·53	3
4			·38		·72		·52	·8				·47	4
5	·35		·13	·10			·11	·38			·26	·20	5
6	·20		·37		·55		·5				·38		6
7		·7	·11		·15	·5	·45	·7			·23	·42	7
8		·8	·44		·10	·3	·30	·27				·20	8
9	·53				·48	·28		·67	·10			·20	9
10	·88	·28	·11	·15	·35	·14		·43			·25		10
11		·12		·10	·10						·60		11
12		·25	·35						·55			·40	12
13		·35	·30						·68		·45		13
14		·28	·25				·5				·15	·12	14
15		·53	·11									·5	15
16			·25						·35			·26	16
17		·3	·4				·13		·45			·4	17
18		·50	·38				·25		·12			·85	18
19			·14				·5		·6			·23	19
20		·15	·16				·22				·15	·11	20
21		·45	·37		~~1.00~~	1.00	·7					·15	21
22		·40			~~·30~~	·30	·15						22
23			·8	·10				·43					23
24			·15								·2		24
25	·5						·11			·88	·25		25
26	·17	·7	·2				·10	·54		·15		·30	26
27							·35			·5	·30	·16	27
28	·28										·31	1.30	28
29			·6	~~·10~~	·10						·2	·85	29
30	·25	X	·2		·10			·15		·20	·38	·4	30
31	·15	X	·30	X	·9	X		·30	X		X	·21	31
	·30	·17									·28	(·10)	
Total	~~2.86~~ 3.16	~~3.86~~ 3.73	~~4.69~~ 4.52	·60	2.79	1.80	4.59	4.54	2.31	1.28	~~3.95~~ 4.23	~~7.64~~ 7.46	YEAR'S TOTAL ~~40.91~~ 41.01
Rain Days.	~~9~~ 10	~~14~~ 15	~~23~~ 22	5	11	6	17	12	7	4	~~16~~ 17	23	~~147~~ 149

W. 8,000. X. 14.

WD Uncorr 3/5/15

REGIS[TER]

4345 FORM A. BRITISH RAINFALL. 1915

Kept at Plâs Penhelig Garden, Aberdovey

in the County of Merioneth

by

Lat. Long.

Time of Observation 9. a.m.

Nearest Railway Station Aberdovey

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 150 — ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. (.10)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.30	.17									.28	1
2				.15			1.18	.77			.9	.27	2
3					.05		.50	.45			.11	.53	3
4			.38		.72		.52	.8				.47	4
5	.35		.13	.10			.11	.38			.26	.20	5
6	.20		.37		.55		.5				.38		6
7		.7	.11		.15	.5	.45	.7			.23	.42	7
8		.8	.44		.10	.3	.30	.27				.20	8
9	.53				.48	.28		.67	.10			.20	9
10	.88	.28	.11	.15	.35	.14		.43			.25		10
11		.12		.10	.10						.60		11
12		.25	.35						.55			.40	12
13		.35	.30						.68		.45		13
14		.28	.25				.5				.15	.12	14
15		.53	.11									.5	15
16			.25						.35			.26	16
17		.3	.4				.13		.45			.4	17
18		.50	.38				.25		.12			.85	18
19			.14				.5		.6			.23	19
20		.15	.16				.22				.15	.11	20
21		.45	.37		~~1.00~~	1.00	.7					.15	21
22		.40			~~.30~~	.30	.15						22
23			.8	.10				.43					23
24			.15								.2		24
25	.5						.11			.88	.25		25
26	.17	.7	.2				.10	.54		.15		.30	26
27							.35			.5	.30	.16	27
28	.28										.31	1.30	28
29			.6	~~.10~~	.10						.2	.85	29
30	.25	X	.2		.10			.15		.20	.38	.4	30
31	.15	X	.30	X	.9	X		.30	X		X	.21	31
Total	~~2.86~~ .30	~~3.86~~ .17	~~4.69~~	.60	2.79	1.80	4.59	4.54	2.31	1.28	~~3.95~~ .28	~~1.64~~ (.10)	YEAR'S TOTAL
	3.16	3.73	4.52								4.23	7.46	~~40.91~~ 41.01
Rain Days.	~~4~~ 10	~~14~~ 15	~~23~~ 22	5	11	6	17	12	7	4	~~6~~ 17	23	~~147~~ 149

W. 8,000. X. 14.

Section A for the entry of Daily Observations

Station No. 4345

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 1964

Kept at PLAS PENTELIG GARDEN, ABERDOVEY

in the County of MERIONETH

Diameter of funnel of gauge ..... in.

Height of top of gauge above ground ..... ft. ..... in.

Height of ground above sea level ..... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0000	0000	0000	.15	0000	[illegible]	1.18	.77	0000	[illegible]	.09	.27		1
2					.05	[illegible]	.50	.45			.11	.53		2
3			.38		.72	[illegible]	.52	.08				.47		3
4	.35		.13	.10		[illegible]	.11	.38			.26	.20		4
5	.20		.37		.55	[illegible]	.05				.38			5
6		.07	.11		.15	.05	.45	.07			.23	.42		6
7		.08	.44		.10	.03	.30	.27				.20		7
8	.53				.48	.28	[illegible]	.67	.10			.20		8
9	.88	.28	.11	.15	.35	.14	[illegible]	.43			.25			9
10		.12		.10	.10						.60			10
11		.25	.35						.55			.40		11
12		.35	.30						.68		.45			12
13		.28	.25			[illegible]	.05				.15	.12		13
14		.53	.11									.05		14
15			.25						.35			.26		15
16		.03	.04			[illegible]	.13		.45			.04		16
17		.50	.38			[illegible]	.25		.12			.85		17
18			.14			[illegible]	.05		.06			.23		18
19		.15	.16			[illegible]	.22				.15	.11		19
20		.45	.37			1.00	.07					.15		20
21		.40				.30	.15							21
22			.08	.10			[illegible]	.43						22
23			.15								.02			23
24	.5					[illegible]	.11			.88	.25			24
25	.17	.07	.02			[illegible]	.10	.54		.15		.30		25
26						[illegible]	.35			.05	.30	.16		26
27	.28										.31	1.30		27
28		.30	.06		.10						.02	.85		28
29	.25	X	.02		.10		[illegible]	.15		.20	.38	.04		29
30	.15	X	.30		.09		[illegible]	.30				.21		30
31		X	.17	X		X			X		X	.28		31
TOTAL	~~3.16~~	~~3.73~~	~~4.52~~	.60	2.79	1.80	4.59	4.54	2.31	1.28	~~4.23~~	~~7.46~~	Year's Total	
													~~41.01~~	
*Days with .01 in. or more.	2.86	3.86	4.69								3.95	7.64		40.91
*Days with .04 in. or more.														

*See Instruction 3(g) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) .....

(P.T.O.)

Cist B

4312

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL. 3 JAN 1916

Kept at Plas Penhelig, Aberdovey

in the County of Merioneth

by J. M. Howell

Lat. ..... Long. .....

Time of Observation 9. a.m

Nearest Railway Station Aberdovey

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ... in.

" " " " Sea Level ~~120~~ 130 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.19	.22	-		1.12		-23	-46	-10	-37		-15	1
2	.12	-46	-68	-55				-26	-03	-03		-08	2
3		-04	-25	-08	-09		-15	-04				-25	3
4	-30	-18			-36							1.06	4
5	-03	-10	-10		-05	-18						-70	5
6	-70			-19			-20	.24				-27	6
7	.45	-46					-42	-25		-23	-01	-11	7
8	-13	.23						-30		-07	-62		8
9	-08	.31		-27				-06			-06	-78	9
10	-54	-06	-36	-17			-03			-04	-01		10
11								-16			1.35	-04	11
12	-48	-04		-16				-05		-42	1.51	-14	12
13	-03	-25		-02	-15			-08	-11	-13	-04	-10	13
14	-08	-25		-16	-03			-12	-07		-12	-40	14
15	-25			-03	-13		-20	-03	-11		-03	-20	15
16	-08	-40			-56		-46	-46	-02			-11	16
17	~~-20~~	-31			-35							-06	17
18	-10	-58	-21	~~-17~~			-12						18
19	-02			-17	-44		-42					-01	19
20	-50									-04		-65	20
21	-46	-20		-09	-24		-36			-03		-88	21
22	-11	-13	-20		-05	-18			-03	-04		-16	22
23		-15		-05		-29	-03		-06	-45		-33	23
24			-10	-05			-06		-09	-23		-22	24
25			~~-10~~			-29	-02				-15	-01	25
26		-23				-27	-15		-25			-61	26
27							-19		-02	-38		-51	27
28		-25				-07	-06	-11	-11	-10		-04	28
29		X				-05			-22		-11	-10	29
30	-13	X		-35		-02	~~-32~~		-01	-01	-01	-13	30
31		X		X		X	-32	-21	X	-04	X	-23	31
Total	4.78	4.85	1.90	2.34	3.57	1.35	3.42	2.83	1.23	2.61	4.02	8.33	YEAR'S TOTAL 41.23
Rain Days.	~~20~~	20	7	~~14~~	~~12~~	8	17	15	~~14~~ 11	13	12	~~28~~	183

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

2 JAN 1917

4345

Kept at Plâs Penhelig, Aberdovey

in the County of Merioneth

by J. M. Howell

Lat. ..... Long. .....

Time of Observation 9 a.m.

Nearest Railway Station Aberdovey

Diameter of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. ... in.

" " " " Sea Level 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.08	.08	.13			.21	.25			.13	.34	.02	1
2	.23	.21	.09			.06	.06		.55	.86	.10		2
3		.17		.09	.07	.16	.34		1.32	.38	.04	.09	3
4	.09	.25		.03	.29	.55			.49		.06		4
5	.15	.22	.17		.05	.02				1.04	.15		5
6	.12	.40	.02		.18		.12			.20	.30	.03	6
7	.04	.03			.28				.02	.09	.63	.28	7
8	.09	.03	.01		.45	.02	.01			.17	.02	.11	8
9	.22	.13			.08	.25	.01		.07		.02	.14	9
10	.06	.52	.01	.13	.01	.08				.09	.07		10
11	.08	.07		.21	.21		.06		.10		.11		11
12	.03	.08	.02	.03	.45		.40	.19	.04	.07	.02		12
13	.01	.53	.17	.05	.04		.02	.18		.10			13
14	.06	.48	.03		.24			.15	.01	.10			14
15	.05	.31	.23	.21	.15		.03	.25	.05	.15			15
16				.46	.10		.06	.07		.14			16
17	.28	.23		.18					1.11	.30	.03		17
18	.01	.22	.07	.40				.05	.25	.03	.05	.82	18
19	.10		.25	.15							.20		19
20	.15	.04	.45	.02				.24			.22	.09	20
21	.05		.35		.16	.05	.01				.04		21
22						.23				.04	.01	.30	22
23	.06		.09	.07		.02		.24		.11	.13	.22	23
24		.05	.09	.07	1.35	.03		.32		.14		.30	24
25	.01		.07		.16	.07		.40	.08	.12	.46	.04	25
26	.13	.01	.07			.26		.39	.10	.03	.03	.14	26
27	.02		.13		.05			.03	.35	1.50			27
28		.15								.27	.04	.51	28
29	.31	.03				.35		.01		.14	.01	.18	29
30		X				.10				.12		.15	30
31		X		X	.05	X		.18	X	.54	X	.05	31
Total	2.22	4.24	2.45	2.10	4.37	2.46	1.37	2.70	4.56	6.86	3.13	3.47	YEAR'S TOTAL 39.93
Rain Days.	24	22	19	14	19	16	12	14	15	25	23	17	221

7,000, XI. 13

REGISTER OF RAINFALL IN 19

FORM A. BRITISH RAINFALL. E.T. JAN 1918. 4345

Kept at Plâs Penbeleg, Aberdovey

in the County of Merioneth

by

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Aberdovey

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 120 ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.29	Snow .04	.02	.02			.33		.20		1
2	.05			Snow .24	.04	.04				.14	.19	.17	2
3	.04	.02		.03		.11				.47		.11	3
4		Snow .08								.67	.01		4
5	.48		.04	.25		.03			.07	.69	.15		5
6			.14			.15			.50	.25	.21		6
7	.50					.03		.11		.08	.05	.23	7
8	.18			.19		.07	.18	1.18	.13	.45	.55	.40	8
9			.04	Snow .05	.10			.40		.30	.45		9
10	.24		.79	.18	.08			.18		.36			10
11				.12					.04	.31	.21		11
12	.24		.16	.25		.03		.10	.09	.40			12
13			.01	.05				.45	.48	.05	.35	.35	13
14				.05	.76		.02			.30		.05	14
15		.13		.09	.16		.01		.04	.25		.45	15
16		.10		.05	.01		.92	.23	.08	.20	.06	.23	16
17			.14	.53	.02		.43	2.15	.14		.11		17
18			.09	.24			.03	.05	.72	.03	.20		18
19		.90	.09			.20		.01	.04		.07		19
20		.40	.02		.30	.10					.06		20
21			.10					.01		.17	.01		21
22		.05						.46	.25	.24			22
23		.25			.24	.05		.11	.01	.08	.05	.10	23
24		.25	.10			.18		.05		.52	.12	.15	24
25		.18	.20				.01	.34	.20	.05	65		25
26					.49	.03	.10	.29	.35	.12	.01		26
27		.10	.07		.53	.63	.36	.53		.14			27
28			.12		.06		.08	.72		.16			28
29		X	.11					.37		.42	.07	.22	29
30		X	.03					.32		.02			30
31		X	Snow .14	X	.18	X		.68	X	.03	X		31
Total	1.73	2.46	2.68	2.36	2.93	2.67	2.14	8.74	3.47	6.90	3.78	2.46	43.32
Rain Days.	7	11	14	15	12	14	10	21	16	27	21	11	184

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL. 10 1 18 4345

Kept at Plâs Penhelig, Aberdovey

in the County of Merioneth

by J. M. Stowell

Lat. ..... Long. .....

Time of Observation 9 a.m.

Nearest Railway Station Aberdovey

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ... in.

" " " " Sea Level 130 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.12		.05	.10			.12	.04	.04	.24		1
2				.14				.05	.04	.02	.15	.30	2
3					.29			.16	1.12	.37	.01	.01	3
4	.06							.06	.18	.55	.34	.22	4
5		.02		.12	.92			.34	.05	.71	.04		5
6		.62		.10	.01	.21			.16	.29		.03	6
7	Snow .03	.13		.19	.25			.02	.82	.02	.15	.12	7
8	.13	.05			.01	.10	.29		.19	.28	.09		8
9		.25		.05		.66	.09		.85	.45	.08	.11	9
10		.15	.03	.01			.15		.16	.24	.64	.23	10
11	.92	.07	.15		.08		.24	.01	.46		.07	.35	11
12		.16			.26		.16		.03			.02	12
13		.01			.24	.03	.02		.19	.05		.02	13
14	.81				.02		.32		.90	.03		.45	14
15	Snow .20						.61		1.06	.22		.67	15
16	.11			.01		.09	.47	.06	.24	.15		.24	16
17	.35					.22	.31	.02	.27	.04		.22	17
18	.43	.17	.09			.38	.02		.26			.37	18
19	.07	.22	.10	.26		.04	.33		.01			.10	19
20	.08	.07		.19	.17	.10	.02	.02	.26			.01	20
21	.15	.21		.09		.09	.20		.66			.10	21
22	.05				.91		.18	.02	.29	.06		.60	22
23	.17	.01			1.65	.04	.11		.10		.05	.04	23
24	.02	.34						.21	.46	.02	.25	.11	24
25					.23		.27	.91	.22	.06	.12	—	25
26	.07	.10					.09	.01	.20	.12	.12	.32	26
27		.12	.67			.12		.64	.16	.06	.43	.04	27
28		.05	.62							.02	.40	.29	28
29		X	.36						.36	.04	.01	.12	29
30		X	.15					.14	.12	.25	.25	.30	30
31		X	.80	X		X		.01	X	.01	X	.07	31
Total	3.15	2.93	2.87	1.21	5.14	2.08	3.88	2.80	9.86	4.10	3.37	5.96	YEAR'S TOTAL 47.35
Rain Days	16	19	9	11	17	12	18	17	29	24	17	27	213

W. 8,000, IX. 17.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 19 19

4345

Kept at Plâs Penhelig, Aberdovey

in the County of Merioneth

by J. M. Stowell

Lat. ..... Long .....
Time of Observation 9 a.m.
Nearest Railway Station Aberdovey
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. ..... in.
" " " " Sea Level 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.45	—	.03				.15	.32	.45	.20			1
2	.14	—	.18		.09							.45	2
3	.29	.03 S			.07	.05						.05	3
4	—	.20	.37		.10	.03	.03		.06			.15	4
5	.07	.32 S		.08	.12						.02	.37	5
6	.01	.02	.44		.08				.18		.01	.38	6
7	—		.18	.14		.02			.05			.35	7
8	.13		.01	.12		.08			.10		.06	.13	8
9	.32		1.00	.05							.16		9
10	.11		2.70	.06	.08					.50	.03 S	.01	10
11	.07		.15	.04	.08		.15			.55		.05	11
12	.06			.07		2.62					.19	.15	12
13	.35			.03			.25					.10	13
14	.54	.01		.20			.20					.77	14
15	.33	.20	.08	.15	.02		.10			.50		.02	15
16	.05	.33	.01			.16	.16			.53	.67	.04	16
17	.01	.77	.04	.41		.68		.50			.53	.02	17
18	.08	—	1.37	.01		.32		.64	.15		.13	.20	18
19	.17	.35	.45					.16	.31			.31	19
20	.50	.15	.13		.25	.03	.48		.75		.06	.48	20
21	.02	.38	.01		.06	.06		—	.35		.01	.03	21
22	—	.30		.06		.03		—	1.30		.16	.83	22
23	—			.04		.07				1.17		.06	23
24	.05				.40			.04	.01	.23	.04	.15	24
25	.27			.04	.25			.28	.10	.02	.20	.03	25
26	.02		.18 S	.59		.19		.22	.05	.01	.35	.33	26
27	.41 S		.05 S	.50				.29	—			.01	27
28	—		.13 S	.04				.96	.06			.35	28
29	.30	X	.05 S	.05		.02		.15	—			.22	29
30	.01	X	.05 S	.49		.10		.01	.01		.18	.40	30
31	—	X	.37	X		X	.35	.01	X		X	.01	31
TOTAL	4.76	3.06	7.98	3.17	1.60	4.46	1.87	3.58	3.93	3.71	2.80	6.45	47.37
Days with .01 in. or more	~~25~~	~~17~~	22	20	12	~~16~~	9	17	~~15~~	9	16	~~28~~	196

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920

4345

13 JAN

Kept at Plas Penhelig, Aberdovey

in the County of Merioneth

by J. M. Howell

Lat..... Long.....

Time of Observation.....

Nearest Railway Station..... As before

Diameter of Funnel of Rain Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

" " " " Sea Level.....ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.02	.09	.08	.25		.34		.12	.09	.02	.10	1
2		.03		.35	.04		.19		.60	.08	.03	.11	2
3		.19		.03	.14		.04	.01	.38	.48			3
4			.01	.01	.05		.19	1.11	.15	.10			4
5			.20	.02	1.37		.23	.15	.02	.16		.05	5
6	.02		.41	.18	.22		.04	.01	.01	.36			6
7	.11	.15	snow .14	.09	.01		.03		.02				7
8			.02	.39	.19		.30	.30	.01		.25		8
9	.43	.32	.15	.63			.40	.01	.05				9
10	.42	.17	.23	—			.30				.05		10
11	.08	.10	.02	—	.42	.13	.05				.04	.03	11
12	.25	.12		.30		.04	.06		.08	.03	.40		12
13	.07	.03	.08	.25		.60	.34		1.15	.52	.05		13
14	.03	.07	snow .80	.21		.10	.09	.06			.55		14
15	.03	.15	snow	.29		.14	.12				.03		15
16	.05		.37	.61	.32	.49	.32	.10	1.18	.90			16
17	.20		.01	.08	.40	.03		.08	.50	.10			17
18	.40	.05	.04	.22	.20				.46				18
19	.15	.86	.01	.37	.02		.26	.11					19
20	.15	.01		.12			.22		.05			.13	20
21	.01		.01	.05			.85	.10	.38			.13	21
22	.13			.07			.50	.50					22
23	.03		.12	.19			.22						23
24	.02	.10	.97	.01		.05	.18				.03	.41	24
25	.03	.15	.12	.02	.21	.08	.77				.05	.01	25
26	.24	.04	.65	.05	.05	.03	.45				.15	.03	26
27	.14	.21	.55	.20	.15	.80	.20					.30	27
28	.62	.01	.33	.21	.05	.04	.10				.11	.13	28
29	.05	.02	.15	.03	.50	.03	1.33						29
30	.35		.90	.43	.10	.35			.83		.50	.47	30
31	.25		.33		.32		.15	.05		.32		.03	31
TOTAL	4.11	2.80	6.77	5.49	5.01	3.03	7.81	2.59	5.96	3.14	2.26	2.64	YEAR'S TOTAL 50.81
Days with .1 in. or more	24	20	26	28	20	15	26	13	16	11	14	15	228

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132.—A.&E.W.

Section A for the entry of Daily Observations

Station No. 4345

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 1920

Kept at PLAS PENTELIG, ABERDOVEY

in the County of MERIONETH

Diameter of funnel of gauge ..... in.

Height of top of gauge above ground ..... ft. ..... in.

Height of ground above sea level ..... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		·02	·09	·08	·25		·34		·12	·09	·02	·10		1
2		·03		·35	·04		·19		·60	·08	·03	·11		2
3		·19		·03	·14			·01	·38	·48				3
4			·01	·01	·05		·19	1·11	·15	·10				4
5			·20	·02	1·37		·23	·15		·16		·05		5
6	·02		·41	·18	·22		·04	·01	·01	·36				6
7	·11	·15	·14	·09	·01		·03		·02					7
8			·02	·39	·19		·30	·30	·01		·25			8
9	·43	·32	·15	·63			·40	·01	·05					9
10	·42	·17	·23				·30				·05			10
11	·08	·10	·02		·42	·13	·05				·04	·03		11
12	·25	·12		·30		·04	·06		·08	·03	·40			12
13	·07	·03	·08	·25		·60	·04		1·15		·05			13
14	·03	·07	·80	·21		·10	·09	·06		·52	·55			14
15	·03	·15	·06	·29		·14					·03			15
16	·05		·37	·61	·32	·12	·32	·10	1·18	·90				16
17	·20		·01	·18	·40	·49		·08	·50	·10				17
18	·40	·05	·04	·22	·20	·03			·45					18
19		·86	·01	·37	·02		·26	·11						19
20	·15	·01		·12			·22		·05			·13		20
21	·01		·01	·05			·85	·10	·38			·23		21
22	·13			·07			·50	·50						22
23	·03		·12	·19			·22					·40		23
24	·02	·10	·97	·01		·05	·18					·41		24
25	·03	·15	1·2	·02	·21	·08	·77				·03	·01		25
26	·24	·04	·65	·05	·05	·03	·45				·05	·03		26
27	·14	·21	·55	·20	·15	·80	·20				·15	·30		27
28	·62	·01	·33	·21	·05	·04	·10					·13		28
29	·05	·02	·15	·03	·50	·03	1·33				·11	·47		29
30	·35	×	·90	·43	·10	·35			·83		·50	·21		30
31	·25	×	·33	×	·32	×	·15	·05	×		×	·03		31
TOTAL	4·11	2·80	6·77	~~5·49~~ 5·59	5·01	3·03	7·81	2·59	5·96	~~3·14~~ 2·82	2·26	2·64	Year's Total ~~51·61~~ 51·39	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(g) on other side. †Spare column, no entries required, except year's total.

(Signed) ..... (P.T.O.)

MERIONETH.

BALA

HENBLAS

"NATIONAL SCHOOLS"

1913 – 1915

FORM A. BRITISH RAINFALL.

2 JAN 1914

REGIS[TER] Henbl[as]

Kept at ~~NATIONAL Sch~~

in the County of Meri

by W. Gordo[n]

3

3.38 W

9 AM

Bala

5 in.

bove Ground 1 ft. 0 in.

Sea Level 540 ft.

to the

arnestly

rovided

. 1, following.

May. 4. 1914

I received my records for 1913. from W. Gordon Jones Henblas Bala

Dear Sir,

who will, no doubt, be pleased to supply you with full information. My record, however, since I have been Rain Gauge at School, has always been lower than ours. This is obviously due to the fact that his instrument is in a sheltered position — not exposed by high walls in all directions, as you are right in the fact that the records up to August were entered to the date of the day of observation. Then, I changed the method in September by recording to the previous day

Date.													Date.
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11	—	·29	·25	·08	·17	1·68	·13	·10	—	·05	·29	·10	11
12	·46	·02	·11	—	·06	·04	·03	·16	·78	—	·78	·01	12
13	·73	—	—	·28	·02	·10	—	—	·20	—	·53	·01	13
14	·03	—	—	—	·03	·11	·01	—	·01	·40	·30	·01	14
15	—	—	·40	·01	—	·01	·01	·08	·10	—	·60	—	15
16	·17	·01	·61	·20	—	—	—	·07	·01	—	·38	—	16
17	·29	·01	·57	1·22	—	—	—	·01	—	—	·30	—	17
18	—	—	·24	·18	—	—	·02	·12	—	—	·29	—	18
19	·11	—	·06	·21	—	—	·07	—	·05	·22	1·31	—	19
20	·09	—	·57	·26	·01	·03	·01	—	·01	·10	·34	—	20
21	·17	—	·06	·02	·01	·18	·04	—	—	·21	·05	—	21
22	·13	—	·21	·10	·04	—	·01	—	·36	—	—	—	22
23	—	—	·29	·15	·17	—	·31	·36	·12	—	·19	—	23
24	·80	—	·76	·07	·02	·26	—	1·10	—	—	·09	·04	24
25	·17	—	·01	—	·03	·15	—	·40	·22	·02	·21	·59	25
26	·44	·01	—	·09	—	·01	—	—	·52	·01	—	1·36	26
27	·01	—	—	·33	—	—	—	—	—	·24	—	·53	27
28	—	—	—	1·45	—	—	—	—	—	·17	—	·36	28
29	—	—	—	·17	—	—	—	—	—	·67	·15	·05	29
30	·17		·08	·18	·03	—	—	—	—	·22	·12		30
31	—		·18		·08		—	·01		·09			31
Total	~~4·47~~ 5·08	~~3·30~~ 2·68	~~6·24~~ 6·43	~~5·31~~ 5·72	~~2·63~~ 2·40	~~4·24~~ 4·06	~~·94~~ ·94	~~2·56~~ 2·56	~~2·56~~ 2·56	~~4·85~~ 4·87	7·20	~~5·56~~ 5·56	YEAR'S TOTAL ~~50·07~~ 50·06
Rain Days.	24	~~15~~ 14	23	~~20~~ 21	22	~~17~~ 16	~~14~~ 14	11	14	20	23	18	~~224~~ 220

W.7,000, XI. 13

FORM A.
BRITISH RAINFALL.

REGIS

MERIONETH.

BALA

"HENBLAS"

"NATIONAL SCHOOLS"

Kept at ~~NATIONAL SCH~~ Henbl

in the County of Meri

by W. Gordo

3

3.38 W

9 AM

Bala

5 in.

2. JAN 1914

bove Ground 1 ft. 0 in.

Sea Level 540 ft.

to the
arnestly
rovided
. 1, following.

May. 4. 1914

I received my records for 1913. from W. Gordon Jones Henblas Bala

Dear Sir,

who will, no doubt, be pleased to supply you with full information. His record, however, since I have had a Rain Gauge at School, has always been lower than mine. This is obviously due to the fact that his instrument is in a sheltered position — surrounded by high walls in all directions.

You are right in the fact that the records up to August were entered to the date of the day of observation. Then, I changed the method in September by recording to the previous day

Date.													Date.
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11	—	.29	.25	.08	.17	1.68	.13	.10	—	.05	.29	.10	11
12	.46	.02	.11	—	.06	.04	.03	.16	.78	—	.78	.01	12
13	.73	—	—	.28	.02	.10	—	—	.20	—	.53	.01	13
14	.03	—	—	—	.03	.11	.01	—	.01	.40	.30	.01	14
15	—	—	.40	.01	—	.01	.01	.08	.10	—	.60	—	15
16	.17	.01	.61	.20	—	—	—	.07	.01	—	.38	—	16
17	.29	.01	.57	1.22	—	—	—	.01	—	—	.30	—	17
18	—	—	.24	.18	—	—	.02	.12	—	—	.29	—	18
19	.11	—	.06	.21	—	—	.07	—	.05	.22	1.31	—	19
20	.09	—	.57	.26	.01	.03	.01	—	.01	.10	.34	—	20
21	.17	—	.06	.02	.01	.18	.04	—	—	.21	.05	—	21
22	.13	—	.21	.10	.04	—	.01	—	.36	—	—	—	22
23	—	—	.29	.15	.17	—	.31	.36	.12	—	.19	—	23
24	.80	—	.76	.07	.02	.26	—	1.10	—	—	.09	.04	24
25	.17	—	.01	—	.03	.15	—	.40	.22	.02	.21	.59	25
26	.44	.01	—	.09	—	.01	—	—	.52	.01	—	1.36	26
27	.01	—	—	.33	—	—	—	—	—	.24	—	.53	27
28	—	—	—	1.45	—	—	—	—	—	.17	—	.36	28
29	—	—	—	.17	—	—	—	—	—	.67	.15	.05	29
30	.17		.08	.18	.03	—	—	—	—	.22	.12	—	30
31	—		.18		.08		—	.01		.09		—	31
Total	4.47 (.62)	3.30	6.24 (6.43)	5.31 (.41)	2.63 (.18)	4.24	.94	2.56	2.56	4.85 (4.87)	7.20	5.56	YEAR'S TOTAL 50.07
Rain Days.	24	15 14	23	20 21	22	16	14	11	14	20	23	18	224 220

W.7,000, XI. 13

5.08 2.68 6.43 5.72 2.40 4.06 .94 2.56 2.56 4.87 7.20 5.56 50.06

FORM A.
BRITISH RAINFALL.

REGIS[illegible] 3

Kept at ~~NATIONAL SCHOOLS~~ Henblas BALA

in the County of Merioneth

by W. Gordon Price

Lat. 52·55 N Long. 3·38 W

Time of Observation 9 AM

Nearest Railway Station Bala

Diameter of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " Sea Level 540 ft.

2 JAN 1914

pr[illegible] to the
re[illegible] arnestly
fo[illegible] rovided
th[illegible]
O[illegible]
D[illegible]

. 1, following.

— a change which I ought to have notified on the form.
The incorrections in the additions in March and October surprise me. Perhaps I did not check the records which the children supply me. I shall be more careful in the future as it is understood that my records must be correct.

I am enclosing my returns for April 1914.

If you have any literature which might be of any use in gaining the support and interest of some of our gentry. I should like to have some with a view to distribution.

Sincerely yours,
W. Gordon Price

Date.													Date.
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27	·01	—	—	·33	—	—	—	—	—	·24	—	·53	27
28	—	—	—	1·45	—	—	—	—	—	·17	—	·36	28
29	—	—	—	·17	—	—	—	—	—	·67	·15	·05	29
30	·17		·08	·18	·03	—	—	—	—	·22	·12	[illegible]	30
31	—		·18		·08		—	·01		·09		[illegible]	31
Total	~~4·47~~ ·62	~~3·30~~ —	~~6·24~~ 6·43	~~5·31~~ ·41	~~2·63~~ ·18	~~4·24~~ —	~~·94~~ —	~~2·56~~ —	~~2·56~~ —	~~4·85~~ 4·87	~~7·20~~ —	~~5·56~~ —	YEAR'S TOTAL ~~50·07~~
Rain Days.	24	~~15~~ 14	23	~~20~~ 21	22	~~16~~ 16	~~14~~	11	14	20	23	18	~~224~~ 220
	5·08	2·68	6.43	5·72	2·40	4·06	·94	2·56	2·56	4·87	7·20	5·56	50·06

W.7,000, XI. 13

FORM A.
BRITISH RAINFALL.

IAN 1914

0 in.
20 ft.
to the
arnestly
rovided
. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	·62	—	—	·41	·18	—	—	—	—	·48	—	1
2	·07	·15	·23	·15	·07	·11	—	—	—	·01	·36	·80	2
3	·04	·20	·40	·05	·07	—	—	—	·01	·02	—	·60	3
4	·01	·40	·40	·11	·03	·04	—	—	—	·06	·09	·22	4
5	·06	·20	·21	—	·26	—	—	—	—	1.40	·04	·01	5
6	·04	·12	·27	—	·11	—	—	—	—	·33	—	·38	6
7	·25	·08	—	—	·08	·60	·05	—	—	·36	·09	·05	7
8	·16	·20	·42	—	·06	·18	·10	—	·05	·28	—	·09	8
9	·04	·67	·05	—	·33	·47	·05	—	·15	—	·11	·35	9
10	·02	·32	·05	—	·54	·09	·10	·15	—	·01	·10	—	10
11	—	·29	·25	·08	·17	1.68	·13	·10	—	·05	·29	·10	11
12	·46	·02	·11	—	·06	·04	·03	·16	·78	—	·78	·01	12
13	·73	—	—	·28	·02	·10	—	—	·20	—	·53	·01	13
14	·03	—	—	—	·03	·11	·01	—	·01	·40	·30	·01	14
15	—	—	·40	·01	—	·01	·01	·08	·10	—	·60	—	15
16	·17	·01	·61	·20	—	—	—	·07	·01	—	·38	—	16
17	·29	·01	·57	1.22	—	—	—	·01	—	—	·30	—	17
18	—	—	·24	·18	—	—	·02	·12	—	—	·29	—	18
19	·11	—	·06	·21	—	—	·07	—	·05	·22	1.31	—	19
20	·09	—	·57	·26	·01	·03	·01	—	·01	·10	·34	—	20
21	·17	—	·06	·02	·01	·18	·04	—	—	·21	·05	—	21
22	·13	—	·21	·10	·04	—	·01	—	·36	—	—	—	22
23	—	—	·29	·15	·17	—	·31	·36	·12	—	·19	—	23
24	·80	—	·76	·07	·02	·26	—	1.10	—	—	·09	·04	24
25	·17	—	·01	—	·03	·15	—	·40	·22	·02	·21	·59	25
26	·44	·01	—	·04	—	·01	—	—	·52	·01	—	1.36	26
27	·01	—	—	·33	—	—	—	—	—	·24	—	·53	27
28	—	—	—	1.45	—	—	—	—	—	·17	—	·36	28
29	—	—	—	·17	—	—	—	—	—	·67	·15	·05	29
30	·17		·08	·18	·03	—	—	—	—	·22	·12		30
31	—		·18		·08		—	·01		·09			31
Total	4.47	3.30	6.43	5.31	2.63	4.24	·94	2.56	2.56	4.85	7.20	5.56	YEAR'S TOTAL 50.04
Rain Days.	24	14	23	21	22	16	11	11	14	20	23	18	220

5.08 2.68 6.43 5.72 2.40 4.06 ·94 2.56 2.56 4.87 7.20 5.56 50.06

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

22 JAN 1915

Kept at Bala, National Schools

in the County of Merioneth

by W. G. Price

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		✱	.17	.01		.01	.61	.39				.64	1
2			.10	.05	.06	.15	.69	.31		.01	.23	.66	2
3			.22	.06	.43		.01	.34				1.16	3
4			.29	.11	.48		.11				.44	.55	4
5			.82	.61	.32		.17	.02		.01	.30	.35	5
6			.05	.39	.18		.02				.34	.26	6
7			.52	.10	.32	.19	.28	.02			.06	.49	7
8			.01	.02	.55	.25	.06	.16			.07	.40	8
9			.04	.32	.12	.59		1.10	.09		.29	.01	9
10			.02	.09		.17		.19	.24		.03		10
11			.42		.08	.14	1.91	.02	.21		.79	.59	11
12			.20			.13	.03		.48		.93	.21	12
13			.40				.02		.25	.52	.69	.11	13
14			.15				.05		.10	.10	.29		14
15			.68						.09		.08	.09	15
16			.10						.79			.15	16
17			.26			.73	.02		.59			1.61	17
18			.13				.01		.25	.09		.30	18
19			.18				.53				.08	.18	19
20			.29			.54	.16					.25	20
21			.005			.17				.11			21
22			.04	.05	.22	.18	.05	.02					22
23			.12	.01				.22					23
24			.08	.02			.27			.01	.29		24
25					.01		.16	.22		.53	.10	.44	25
26							.02	.30		.29	.49	.60	26
27							.05	.31		.02	.69		27
28			.24		.07		.17			.12	.37	1.77	28
29			.06							.21	.80	.13	29
30			.75							.07	.81	.98	30
31			.19				.53			.08		.23	31
Total			6.535	1.84	2.84	3.25	5.93	3.62	3.09	2.17	8.17	12.16	YEAR'S TOTAL
Rain Days.			28	13	12	12	23	14	10	14	21	25	

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

Kept at Bala National Schools

in the County of Merioneth

by W. G. Price

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.55	.56											1
2	.34	.72											2
3		.24											3
4	.01	.26											4
5	.09	.49											5
6	.50	.06											6
7	.36	.38											7
8	.71	.53											8
9	.24	.61											9
10	1.16	.06											10
11	.11												11
12	.09	.06											12
13	.10	.48											13
14	.28												14
15	1.20												15
16	.31	1.30											16
17	.05	.77											17
18	.02	.65											18
19	.01												19
20	.51												20
21	.49	.15											21
22	.10												22
23		.38											23
24		—											24
25		—											25
26		—											26
27		(1.00)											27
28													28
29													29
30	.23	X											30
31	.14	X		X		X			X		X		31
Total	7.60	(8.70)											YEAR'S TOTAL
Rain Days.	23												

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL

Kept at Henblas Bala

in the County of Merioneth

by J. M. Jones

Lat. ____ Long. ____

Time of Observation 9 a.m.

Nearest Railway Station Bala

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ____ in.

" " " " Sea Level 540 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.06	.20	.10	nil	.72	nil	nil	.80	.11	.06	nil	.31	1
2	.63	.41	.55	.15	nil	.60	1.16	.15	.27	nil	.06	.39	2
3	.09	.66	.15	nil	nil	nil	.42	.87	.01	nil	nil	.50	3
4	.15	.20	nil	nil	.20	.03	nil	.18	nil	nil	nil	1.40	4
5	.06	.15	.10	nil	.20	.17	nil	nil	.02	nil	nil	.55	5
6	.10	.53	nil	.32	nil	nil	.24	nil	nil	nil	nil	.48	6
7	.36	.23	nil	.10	nil	nil	.19	.40	nil	nil	.76	.61	7
8	.43	.17	nil	.12	nil	nil	nil	.18	nil	nil	.09	nil	8
9	.64	.47	nil	.31	nil	nil	nil	nil	nil	nil	.46	.83	9
10	.18	.50	.01	.12	nil	nil	.11	.12	.02	2.8	1.64	.23	10
11	.91	.06	nil	.04	.06	nil	.04	nil	nil	nil	.13	.10	11
12	.04	nil	nil	.11	.12	nil	nil	nil	nil	.35	nil	.23	12
13	.01	.15	nil	nil	.04	nil	nil	nil	.05	.03	nil	.17	13
14	.04	.26	nil	nil	.01	nil	nil	nil	.10	nil	nil	.27	14
15	.35	.01	nil	nil	.05	nil	.51	.16	.16	nil	nil	.30	15
16	.95	nil	nil	nil	.18	nil	nil	.40	.02	nil	nil	.05	16
17	.23	1.20	nil	nil	.51	nil	nil	.75	nil	nil	nil	.03	17
18	nil	.76	.10	nil	nil	nil	.03	nil	nil	nil	nil	.20	18
19	nil	.66	nil	.18	.15	nil	nil	nil	nil	nil	nil	nil	19
20	.02	nil	nil	.03	nil	nil	.47	nil	nil	nil	nil	.08	20
21	.46	nil	nil	.11	nil	nil	.02	nil	nil	nil	nil	.04	21
22	.32	nil	.09	nil	nil	.09	.29	nil	nil	.05	nil	nil	22
23	.06	.24	nil	nil	nil	.18	.45	nil	nil	.59	nil	.41	23
24	nil	nil	nil	nil	nil	nil	.05	nil	.03	.21	nil	.73	24
25	nil	nil	nil	nil	nil	.13	.64	nil	.20	nil	nil	.12	25
26	nil	nil	nil	nil	nil	.10	.08	nil	.05	nil	nil	.75	26
27	nil	.25	nil	nil	nil	nil	.35	nil	nil	.33	nil	1.11	27
28	nil	.15	.10	nil	.02	nil	nil	nil	.14	.08	nil	.04	28
29	nil	(.50)	nil	nil	nil	nil	nil	.08	.43	nil	nil	.12	29
30	nil	X	nil	.28	nil	nil	nil	.03	nil	.30	nil	.30	30
31	.05	X	nil	X	nil	X	nil	nil	X	nil	X	.60	31
Total	.20 6.66	7.28	1.20	1.90	2.26	1.30	4.75	4.12	1.93	2.28	3.14	10.91	YEAR'S TOTAL 46.30.
Rain Days.	6.37 22	7.58 20	8	12	12	7	16	12	14	10	6	10.91 28	47.74 167

W. 8,000. X. 15.

REGIS 19

FORM A2. BRITISH RAINFALL. 3 - JAN 1912

BALA
ERY ARAN
MERIONETH
1911 - 1916

Kept at Eryl Aran

in the County of Merio

by Mrs Burto

of top 8 in.

top above Ground / ft.

" " Sea Level 600 ft.

on 9 am

Station { Name Bala G.W.R. / Distance ½ m Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.86		.05		.16	.17			.79	.91	1
2			.02		.27		.02	.11		.16	.07	.31	2
3			.09		1.39		.03	.23	.04		.66	.34	3
4			.16		.12			1.51	.06		1.09	.86	4
5	.37		.08	.04				.76		.07	.09		5
6	.23		.11					.45			.77	1.16	6
7	.07										.69		7
8	.61		.23								.30	1.40	8
9	.02		.02								.50	.67	9
10	.47	.22	.15								.08	.93	10
11	.46				.02			.02	.02		.27	.19	11
12			.73						1.76		1.10	.05	12
13			.04								.36	.26	13
14	.02	.24	.13								.31	.25	14
15		.41	.30							.04	.39	.21	15
16		.65	.02	.06		.47					.15	.19	16
17		.12				.57		.03			.76	.90	17
18		.90		.41		.21					.07	1.23	18
19		.13		.54		.13	.33		.67	.05	.16	.60	19
20		.14		.51		.03	.04	1.73	.19	.16	.02	.05	20
21		1.05		.16		.15	.23	.02	.11	.24	.03	.18	21
22	.02	.31		.22		.08				.81	.03	.37	22
23	.04	.75			.29	.46		.06	.12	.39		.31	23
24	.24	.23		.13	.03	.65		.09	.17	.23		.48	24
25	.17	.31		.60		.02		.20	.77	.43		.13	25
26		.31		.54		.02		.32	.19	.26	.06	.12	26
27	.02	1.20	.17	.74				1.10	.75		.11	.14	27
28		.46		.12		.45		.12				.18	28
29						.21	.60		.55	1.40		.22	29
30						.06	.12		.03	.74	.07		30
31			.14		.15					.16		.02	31
Total	2.74	7.43	3.25	4.07	2.32	3.51	1.43	6.94	5.43	5.14	8.93	12.09	TOTAL for year 63.25
No. of Rain Days	13	16	16	12	8	14	8	16	14	14	25	28	184

9,000, IX. '10.

REGIS[illegible] OF RAINFALL IN 191[illegible]

FORM A2 BRITISH RAINFALL

3 - JAN 1912

Kept at Eryl Aran . Bala

in the County of Merioneth

by Mrs Burton

RAIN GAUGE: Pattern ____ Diameter of top 8 in. Height of top above Ground 1 ft. " " " Sea Level 600 ft.

Time of Observation 9 am

Nearest Railway Station: Name Bala G.W.R. Distance ½ m Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.86		.05		.16	.19			.79	.31	1
2			.02		.27		.02	.11		.16	.07	.31	2
3			.09		1.39		.03	.23	.04		.66	.34	3
4			.16		.12			1.51	.06		1.09	.86	4
5	.37		.08	.04				.76		.07	.09		5
6	.23		.11					.45			.77	1.16	6
7	.07										.69		7
8	.61		.23								.30	1.40	8
9	.02		.02								.50	.67	9
10	.47	.22	.15								.08	.93	10
11	.46				.02			.02	.02		.27	.19	11
12			.73						1.76		1.10	.05	12
13			.04								.36	.26	13
14	.02	.24	.13								.31	.25	14
15		.41	.30							.04	.39	.21	15
16		.65	.02	.06		.47					.15	.19	16
17		.12				.57		.03			.76	.90	17
18		.90		.41		.21					.07	1.23	18
19		.13		.54		.13	.33		.67	.05	.16	.60	19
20		.14		.51		.03	.04	1.73	.19	.16	.02	.05	20
21		1.05		.16		.15	.23	.02	.11	.24	.03	.18	21
22	.02	.31		.22		.08				.81	.03	.37	22
23	.04	.75			.29	.46		.06	.12	.39		.34	23
24	.24	.23		.13	.03	.65		.09	.17	.23		.48	24
25	.17	.31		.60		.02		.20	.77	.43		.13	25
26		.31		.54		.02		.32	.19	.26	.06	.12	26
27	.02	1.20	.17	.74				1.10	.75		.11	.14	27
28		.46		.12		.45		.12				.18	28
29						.21	.60		.55	1.40		.22	29
30						.06	.02		.03	.74	.07		30
31			.14		.15					.16		.02	31
Total	2.74	7.43	3.25	4.07	2.32	3.51	1.43	6.94	5.43	5.14	8.93	12.09	TOTAL for year 63.28
No. of Rain Days	13	16	16	12	8	14	8	16	14	14	25	28	184

9,000, IX. '10.

63.28

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL. 2 JAN 1913

Kept at Eryl Arcau. Bala

in the County of Merioneth

by Mrs Burton

RAIN GAUGE: Pattern ____ Diameter of top 8 in. Height of top above Ground 1 ft. – in. „ „ „ Sea Level 600 ft.

Time of Observation 9 am

Nearest Railway Station: Name Bala. G.W.R. Distance ½ m. Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.53			.15	.23	.04	.04			.35	1
2	.02	.04	.75		.03	.45	.02					.09	2
3	.50		.21		.09	.33		.72	.43			.24	3
4	.68		1.79	.14	.02	.06		.97	.07		.39	.05	4
5	.26		.14		.14	.11		.08	.06		.02	.07	5
6	.43	.11			.11	.17		.44				.03	6
7		.68	.40		.09	.19	.13	.13	.10			.10	7
8	.48	.18	.32	.19	.09	.08		.09	.05			.09	8
9	.10	.16	.18	.29		.76		.03			.10	.43	9
10	.31	.03		.04		.29	.17	.24			1.15	.19	10
11	.09	.02			.05		.11				.86	.90	11
12	.09	.10	.29	.03		.07	.16	.02			.12	.27	12
13	.05		.02					.29		.49	.30	1.98	13
14	.09	.03	.55			.12		.07		.03	.02	.82	14
15	.37	.10	.13		.04	.40		.02			.02	.56	15
16	.11	.27	.54		.02	.02		.27		.40	.02	.11	16
17	.33	.59	.15		.03	1.71		.38			.31	.83	17
18	.15	.07	.19			.16		.17		.42	.14	.12	18
19		.19	.19			.04	.02	1.11		.17		.07	19
20			.56		.06	.16		.15		.72	.04	.13	20
21		.02	.24		.61			.12		.60		.20	21
22	.09	.50			.43	.03	.14	.86		.02		.17	22
23		.02	.35			.44	.05	1.20		.02	.50	.10	23
24	.05	.04	.32			.18	.07	.04			.17	.23	24
25			.58			.46	.11				.93	.63	25
26		.42	.31				.21	.46		1.90	.96	.16	26
27		.10	1.10			.60	1.58			.46	.07	.71	27
28		.30	.09			.43	.65	.18	.02	.51	.60	.04	28
29		.10					.78	.22	.74	.38		.16	29
30			.46		.03	.19	.23			.52	.04	.02	30
31	.07		.20		.06		.72	.14		.22		.21	31
Total	4.24	4.07	10.54	0.69	1.90	7.60	5.38	8.45	1.51	6.86	6.76	10.08	TOTAL for year 58.16
No. of Rain Days	19	22	26	5	16	25	17	26	8	15	20	31	230

9,000, IX. '10.

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL. 3 JAN 1914

Kept at Eryl Aran — Bala (Co. Mer.)

in the County of Merioneth

by Mrs Burton

Lat. ..... Long. .....

Time of Observation 9 am

Nearest Railway Station Bala. G.W.R.

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. 27

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.06	.22	.33	.06							.54		1
2	.03	.73	.71	.13	.06	.09				.02	.43	.27	2
3	.07	.20	.63		.43				.05	.03		.93	3
4	.35	.18	.42		.14					.09	.08	.70	4
5	.32	.10	.40		.21	.49	.06			1.36	.06	.02	5
6	.09	.27	.55		.06	.25	.14			.42		.40	6
7	.06	.88	.07		.42	.47	.05			.38	.13	.04	7
8	.03	.43	.02		.71	.15	.11	.22	.07	.32		.09	8
9	.84	.34	.60	.12	.12	2.05	.19	.07	.19	.03	.12	.24	9
10		.02	.19	.46	.09	.05	.03	.25			.11		10
11	.82				.13	.14				.07	.32	.12	11
12	.06		.02		.05	.15			1.04		.91	.03	12
13			.58				.06	.12	.25		.34		13
14	.29		.65	.34				.06	.07	.51	.33	.03	14
15	.35	.05	.71	1.80				.05	.13		.64		15
16			.30	.26				.42			.36		16
17	.17		.08	.27	.02		.14				.38		17
18	.10		.81	.40	.05	.03	.05				.30		18
19	.27		.12	.04	.06	.24	.03		.05	.33	.35		19
20	.18		.27	.15	.03		.02		.02	.17	1.55		20
21	.03		.36	.16	.23		.37	.67		.22	.02		21
22	1.25		.82		.06	.33		1.11	.44				22
23	.27		.02		.06	.20		.46	.18		.18		23
24	.54			.09		.02					.10	.13	24
25				.54					.24	.03	.24	.63	25
26				1.83					.69	.02		1.30	26
27	.20			.26						.29		.34	27
28				.24	.05					.34		.41	28
29			.10	.53	.20					.71	.16		29
30	.96		.22		.05					.19	.19		30
31	.25		.16		.13					.10			31
Total	7.59	3.42	9.14	7.58	3.36	4.66	1.25	3.43	3.42	5.63	7.84	5.68	YEAR'S TOTAL 63.10
Rain Days.	24	11	25	18	22	14	12	10	13	20	23	16	208

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 4 JAN 1915

Kept at Eryl Aran. Bala

in the County of Merioneth

by Mrs Burton

Lat. ..... Long. .....

Time of Observation 9 a.m.

Nearest Railway Station Bala. G. W. R.

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.13	.16	.02		.16	.60	.47			.02	.73	1
2		.15	.17	.05			.79	.45		.02	.20	.76	2
3	.33		.34	.04	.52			.40				1.43	3
4	1.39		.38	.26	.60		.14				.45	.64	4
5	.25		1.15	.46	.23		.16				.27	.09	5
6	.14	.12	.06	.35	.20	.04	.02	.03			.38	.71	6
7	.07	.57	.52	.08	.35	.14	.33	.26			.06	.57	7
8	1.00	.02	.06	.02	.58	.24		1.42		.03	.08	.50	8
9	.62	.17	.07	.42	.14	.67		.28	.14		.18		9
10	.02	.60	.03	.08	.07	.21		.03	.19		.07		10
11		.26	.45		.06	.13	1.64		.24		.90	.76	11
12		.88	.22		.02	.02			.60		1.04	.23	12
13		.52	.51	.02			.12		.32	.59	.80	.14	13
14		1.66	.20				.04		.12	.09	.36		14
15		.05	.93						.17		.07	.13	15
16		.09	.10						1.03			.14	16
17		.69	.35			.90	.02		.65			1.73	17
18		.02	.14				.03		.12	.09		.40	18
19			.22				.67		.27		.14	.19	19
20		.62	.40			.64	.10					.34	20
21		.31				.11				.13			21
22		.79	.05	.07	.24	.15	.06	.34					22
23		.06	.13	.02			.02						23
24	.24		.06	.02		.02	.34			.02	.34		24
25	.45	.02					.20	.44		.67	.13	.65	25
26	.09						.12	.34		.36	.66	.83	26
27	.08									.04	.79	1.52	27
28	.69	.17	.28		.07		.20			.18	.46	.45	28
29	1.10		.07		.02					.29	1.00	.12	29
30	.33		.89							.03	.94	1.24	30
31	1.20		.16		.02		.63			.09		.13	31
Total	8.00	7.90	8.10	1.85	3.13	3.43	6.23	4.46	3.85	2.62	9.34	14.43	YEAR'S TOTAL 73.33
Rain Days.	16	21	27	14	14	13	20	11	11	14	22	24	207

W.7,000, XI., 13

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL. 4305

Kept at Eryl Aran - Bala

in the County of Merioneth

by Mrs Burton

Lat. ..... Long. .....

Time of Observation 9 am

Nearest Railway Station Bala G.W.R.

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.84	.67	.12		.90			.18	.27	.25		.12	1
2	.44	.87	.76	.27			1.10	.93	.02			.04	2
3		.31	.21	.28			.23	.10				.39	3
4		.31			.23	.05			.02			1.20	4
5	.11	.62	.19	.04	.27	.13							5
6	.62	.05	.04	.26			.30	.02				.79	6
7	.42	.46		.32			.25	.44				.80	7
8	.93	.66		.10				.26		.02	.85	.81	8
9	.35	.75		.32							.14	.80	9
10	1.49	.07	.03	.26			.02	.12		.07	.07	.43	10
11	.16				.05		.16	.02			.52	.14	11
12	.10	.03	.02	.03	.14		.06	.09		.30	1.75	.32	12
13	.14	.43			.05		.02	.02	.10		.26	.20	13
14	.39	.06			.02		.02	.08	.09		.06	.31	14
15	1.60				.06		.03	.04	.22		.26	.14	15
16	.27	1.65			.20		.50	.16	.03			.10	16
17		.94	.06		.55			.94				.04	17
18	.03	.75	.07				.05						18
19	.02	.04	.12	.31	.17		.59						19
20	.70			.03			.02					.09	20
21	.46	.14		.04	.06		.38					.07	21
22	1.0	.17	.02	.12		.10	.52			.09		.30	22
23		.20	.02	.06		.17	.06		.08	.49		.26	23
24			.03	.16		.06			.09	.32		.65	24
25						.15	.64		.06		.11	.14	25
26		.37				.04	.09		.07			.73	26
27		.32				.06	.39			.43		1.85	27
28		.54	.03		.02	.02		.10	.13	.04		.02	28
29					.02	.05		.03	.66		.12	.17	29
30	.21			.41		.37			.07	.29	.03	.53	30
31	.20						.10	.14		.09		.73	31
Total	9.58	10.41	1.76	3.01	2.72	1.21	5.53	3.66	1.91	2.39	4.17	12.17	YEAR'S TOTAL 58.53
Rain Days.	21	23	14	16	13	11	21	19	14	11	11	28	201

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL. 5 JAN 17

Kept at Eyl Aran. Bala

in the County of Merioneth

by Wm Burton.

Lat. ____ Long. ____

Time of Observation 9. a.m.

Nearest Railway Station Bala G.W.Ry

Diameter of Funnel of Rain Gauge 9 in.

Height of top of Gauge above Ground ____ ft. ____ in.

" " " " Sea Level 600, ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.61	.05	.41			.46	.68			.10	.24		1
2	.85	.32	.39			.12	.02		.82	1.45	.15	.04	2
3	.05	.94		.05		.10	.30		.90	.39	.28	.50	3
4	.49	.18		.08	.65	.90	.72		.09	.42	.23		4
5	.14	.78	.04		.16	.12				1.61	.16		5
6	.74	.57	.04		.12	.02	.33			1.02	.46	.03	6
7	.16	.09	.12		.10	.05	.52			.73	.45	.28	7
8	.05	.14			.14					.06	.35	.04	8
9	.02	.15	.03		.13	.05	.09			.45	.12	.06	9
10	.15	.59	.04	.16	.02		.13		.07		.10	.06	10
11	.03	.13		.81	.05		.03		.03			.02	11
12	.15	.17	.03	.18	.38		.27	.22		.36			12
13		.45	.02	.34	.03			.40	.03	.58			13
14	.03	.36	.03	.05	.25			.66		.50			14
15		1.79	.17	.09			.02	.19	.02	.22			15
16	.02	.31		.35				.10		.08			16
17	.16	.26		.98				.05	.88	.28			17
18	.09	.75		.48				.14	.69	.16	.15	.05	18
19	.59		.55	.34				.13	.06		.37	.02	19
20	.36		.57	.05							.05	.50	20
21	.72		.13	.02							.30	.10	21
22						.09				.06	.05	.05	22
23	.13		.03	.19		.05		.16		.34	.27	.25	23
24		.20	.04	.34	1.23	.10		.17		.32	.09	.09	24
25	.05	.03	.35		.34	.20	.16	.71		.19	.70	.02	25
26	.14		.04		.09	.13			.03	1.65	.10		26
27	.03	.02			.13				.45	.54	.03		27
28	.03	.20			.11	.03				.15	.03	1.10	28
29	.02	.19				.47				.10	.07	.93	29
30		X				.14		.02		.90	.08	.50	30
31		X		X	.12	X		.12	X	1.07	X	.17	31
Total	5.80	8.67 8.67	3.03	4.51	4.05	3.03	3.27	3.07	4.07	13.42	4.87	4.81	YEAR'S TOTAL 62.60
Rain Days.	25	23	18	16	17	16	12	13	12	26	23	20	221

W. 8,000. X. 15.

4337

BLAENAU FESTINIOG,

LLECHWEDD QUARRIES

1914 – 20

78708

FORM A. BRITISH RAINFALL.

18 FEB 1975

RE

Kept at Llechwe

in the County of M.

by J. W. Greave

0 Am

Bl Festiniog L + n

5 in.

ove Ground 1 ft. – in.

Sea Level ft.

IMPORTANT N

l the result entered to the previous day. If an

versal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	Nil	.02	.38	.10	Nil	.23	2.00	.45	Nil	.03	Nil	.64	1
2	.01	.07	.23	.02	.04	Nil	.64	.19	"	.11	.11	.33	2
3	.27	.08	1.58	Nil	1.41	"	Nil	.02	"	.07	Nil	1.68	3
4	.91	Nil	.70	.26	1.01	"	.32	Nil	"	Nil	.29	.37	4
5	.26	"	1.86	.13	.68	"	.25	.06	"	"	.47	.40	5
6	.10	.03	.28	.05	.73	.05	.01	.49	"	"	.10	.16	6
7	.56	.13	.55	.16	.44	.29	.50	.44	"	.03	.59	.46	7
8	1.80	.02	Nil	.12	1.10	.39	.67	4.66	"	Nil	.85	.89	8
9	1.18	.52	.09	.39	.35	1.14	.01	.38	.04	"	.83	.01	9
10	.02	.27	.12	.24	.17	.05	Nil	Nil	.64	"	.21	Nil	10
11	Nil	.27	.55	.01	.11	.26	.04	"	.24	"	.72	.72	11
12	"	.95	.68	Nil	.16	.02	Nil	"	.81	"	1.63	.10	12
13	"	1.02	.36	.42	.02	Nil	.04	"	.90	.08	.85	.13	13
14	"	.72	.30	Nil	Nil	"	.07	"	.08	.08	.17	.03	14
15	"	Nil	.99	"	"	"	.02	"	.14	.01	.15	.38	15
16	"	.08	.17	"	"	"	.07	"	1.77	Nil	Nil	.15	16
17	.01	1.51	.22	"	"	"	.57	"	.47	"	"	2.63	17
18	Nil	.01	.42	"	"	"	.11	"	.12	.07	"	.23	18
19	"	.08	.17	"	"	"	.20	"	.22	Nil	.09	.44	19
20	"	.65	.34	"	"	.28	.03	.20	Nil	"	Nil	.20	20
21	"	Nil	.03	"	.12	.12	Nil	.24	"	.03	"	.03	21
22	"	2.11	.12	.14	.19	.36	.08	.79	"	Nil	"	Nil	22
23	"	.07	.38	.03	Nil	Nil	.35	.40	"	"	"	"	23
24	"	Nil	.01	.06	"	.09	.34	.05	"	"	.03	"	24
25	3.18	.06	Nil	Nil	"	Nil	.22	1.13	"	1.45	.48	.50	25
26	.09	.06	"	"	"	"	.85	.29	"	.57	.43	.61	26
27	.50	.10	"	"	"	"	Nil	Nil	.01	.10	1.03	1.84	27
28	.90	.82	.43	"	.10	.01	.01	.25	.04	.13	.76	.40	28
29	2.24	X	.06	"	.03	.01	Nil	.35	Nil	.14	.75	.13	29
30	.17	X	2.00	"	Nil	Nil	"	.04	"	.01	.49	.80	30
31	.99	X	.80	X	"	X	1.32	Nil	X	.04	X	.06	31
Total	13.19	9.65	13.82	2.13	6.66	3.30	8.72	10.43	5.48	2.95	11.03	14.32	YEAR'S TOTAL 101.68
Rain Days.	18	23	27	14	16	14	24	18	13	16	21	27	237

W. 8,000. X. 14.

RE[illegible] RAINFALL IN 19[illegible]

FORM A. BRITISH RAINFALL. 18 FEB 1915

Kept at Llechwedd Quarry

in the County of Merionethshire

by J. W. Greaves & Sons Ltd

Lat. ____ Long. ____

Time of Observation 9 a.m.

Nearest Railway Station Bl Festiniog L & N W

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level ____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	Nil	.02	.38	.10	Nil	.23	2.00	.45	Nil	.03	Nil	.64	1
2	.01	.07	.23	.02	.04	Nil	.64	.19	"	.11	.11	.33	2
3	.27	.08	1.58	Nil	1.41	"	Nil	.02	"	.07	Nil	1.68	3
4	.91	Nil	.70	.26	1.01	"	.32	Nil	"	Nil	.29	.37	4
5	.26	"	1.86	.13	.68	"	.25	.06	"	"	.47	.40	5
6	.10	.03	.28	.05	.73	.05	.01	.49	"	"	.10	.16	6
7	.56	.13	.55	.16	.44	.29	.50	.44	"	.03	.59	.46	7
8	1.80	.02	Nil	.12	1.10	.39	.67	4.66	"	Nil	.85	.89	8
9	1.18	.52	.09	.39	.35	1.14	.01	.38	.04	"	.83	.01	9
10	.02	.27	.12	.24	.17	.05	Nil	Nil	.64	"	.21	Nil	10
11	Nil	.27	.55	.01	.11	.26	.04	"	.24	"	.72	.72	11
12	"	.95	.68	Nil	.16	.02	Nil	"	.81	"	1.63	.10	12
13	"	1.02	.36	.42	.02	Nil	.04	"	.90	.08	.85	.13	13
14	"	.72	.30	Nil	Nil	"	.07	"	.08	.08	.17	.03	14
15	"	Nil	.99	"	"	"	.02	"	.14	.01	.15	.38	15
16	"	.08	.17	"	"	"	.07	"	1.77	Nil	Nil	.15	16
17	.01	1.51	.22	"	"	"	.57	"	.47	"	"	2.63	17
18	Nil	.01	.42	"	"	"	.11	"	.12	.07	"	.23	18
19	"	.08	.17	"	"	"	.20	"	.22	Nil	.09	.44	19
20	"	.65	.34	"	"	.28	.03	.20	Nil	"	Nil	.20	20
21	"	Nil	.03	"	.12	.12	Nil	.24	"	.03	"	.03	21
22	"	2.11	.12	.14	.19	.36	.08	.79	"	Nil	"	Nil	22
23	"	.07	.38	.03	Nil	Nil	.35	.40	"	"	"	"	23
24	"	Nil	.01	.06	"	.09	.34	.05	"	"	.03	"	24
25	3.18	.06	Nil	Nil	"	Nil	.22	1.13	"	1.45	.48	.50	25
26	.09	.06	"	"	"	"	.85	.29	"	.57	.43	.61	26
27	.50	.10	"	"	"	"	Nil	Nil	.01	.10	1.03	1.84	27
28	.90	.82	.43	"	.10	.01	.01	.25	.04	.13	.76	.40	28
29	2.24	X	.06	"	.03	.01	Nil	.35	Nil	.14	.75	.13	29
30	.17	X	2.00	"	Nil	Nil	"	.04	"	.01	.49	.80	30
31	.99	X	.80	X	"	X	1.32	Nil	X	.04	X	.06	31
Total	13.19	9.65	13.82	2.13	6.66	3.30	8.72	10.43	5.48	2.95	11.03	14.32	YEAR'S TOTAL 101.68
Rain Days.	18	23	27	14	16	14	24	18	13	16	21	27	237

W. 8,000. X. 14.

rec'd 18.III.16

4311

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL. 4-JAN 1916

Kept at Messrs Greaves Slate Quarries Be. Festiniog

in the County of Merioneth 3

by M. H. Dauncey

Lat. ____ Long. ____

Time of Observation 9 a.m.

Nearest Railway Station L. & N. W. Rly

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level about 770 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.71	1.40	.13	Nil	1.68	Nil	.08	—	.63	.36	Nil	.06	1
2	.57	1.39	1.66	1.07	Nil	.37	2.46	1.18	.08	.01	"	.02	2
3	Nil	.09	1.76	.57	"	Nil	.22	.04	—	Nil	.01	.61	3
4	.07	.08	.21	Nil	.31	.53	.01	Nil	.02	"	Nil	1.45	4
5	.26	.50	1.07	.02	.33	.26	.18	.53	.01	"	"	.91	5
6	1.85	.03	.18	.52	Nil	.01	.20	.50	.01	"	.06	.88	6
7	1.06	.93	—	.15	"	Nil	.35	1.10	Nil	.01	.06	.66	7
8	.95	.47	"	.10	"	"	Nil	.49	"	.10	2.27	.02	8
9	—	1.02	"	.73	"	"	.12	.11	"	Nil	.48	1.50	9
10	2.85	.07	.20	Nil	"	"	.24	.49	"	.09	.17	.26	10
11	.03	Nil	.03	.21	.19	"	.46	.65	"	.03	.97	—	11
12	.50	.01	Nil	.28	.04	"	.02	.84	"	.26	2.16	.50	12
13	.26	.24	"	Nil	Nil	"	Nil	.27	.10	.19	.12	.29	13
14	1.96	.11	"	.15	.05	"	.06	—	.50	.02	.13	.76	14
15	1.95	.07	"	.06	.07	"	—	.15	.65	Nil	.25	.37	15
16	.12	1.17	"	.08	.40	"	.83	.32	.21	"	Nil	.32	16
17	.03	1.04	.10	Nil	.70	"	Nil	.01	Nil	"	"	.03	17
18	.04	.73	.29	"	Nil	"	1.06	Nil	"	"	"	Nil	18
19	.10	.06	.64	1.39	.28	"	1.62	+.06	"	"	"	"	19
20	1.78	.03	.08	.05	.01	"	.01	+.04 .62	"	"	"	.78	20
21	.49	.32	Nil	.06	.06	"	1.79	.00	"	.01	"	.47	21
22	.48	.18	.07	.04	Nil	.27	.37	+.79	.02	.07	"	.67	22
23	.03	.27	.47	.01	"	.42	.20	"	.14	.37	"	.45	23
24	Nil	Nil	.05	.06	"	Nil	Nil	"	.13	.12	"	1.87	24
25	"	"	Nil	Nil	"	.14	.95	"	.30	Nil	.14	.39	25
26	"	.80	"	"	"	.51	.26	"	.26	"	Nil	1.40	26
27	"	.21	"	"	"	.73	.49	"	Nil	.45	"	1.39	27
28	"	.52	.01	"	"	.09	.01	.01	.13	.10	"	Nil	28
29	"	X	Nil	"	.12	.01	.04	.11	.40	.01	.33	.06	29
30	.45	X	"	1.12	Nil	Nil	Nil	.01	.04	Nil	.30	.45	30
31	.43	X	"	X	"	X	.20	1.21	X	.16	X	.72	31
Total	16.97	11.74	6.95	6.67	4.24	3.34	12.23	8.06	3.63	2.36	7.45	17.29	YEAR'S TOTAL 100.93
Rain Days.	24	25	16	19	13	11	25	19	17	17	14	27	227

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

Kept at Messrs. J. W. Greaves' & Sons Slate Quarries. Bl. Festiniog
in the County of Merionethshire
by M. H. Dauncey

Lat. — Long. —
Time of Observation 9 a.m.
Nearest Railway Station L. & N.W. Bl. Festiniog
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 - ft. - in.
" " " " Sea Level about 760 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date 16	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.19	.52	.19	Nil	Nil	1.71	.56	Nil	.01	.10	.65	.01	1
2	.98	.87	.45	"	"	.04	.43	"	"	2.17	.40	"	2
3	.19	.68	.01	.08	.06	.54	.56	"	1.22	.74	.74	.25	3
4	1.05	.28	.03	.06	.44	2.12	Nil	"	.35	.42	.20	Nil	4
5	.53	1.76	.08	Nil	.15	.10	.11	"	Nil	3.25	.41	"	5
6	1.65	.58	.02	"	.50	.03	.31	"	"	1.05	.49	.06	6
7	.09	.05	.08	"	.10	.08	.15	"	"	.81	1.07	.45	7
8	.08	.10	.08	"	.33	.08	Nil	"	"	.12	.73	.05	8
9	.16	.06	Nil	.01	.13	.13	.07	"	"	Nil	.27	—	9
10	.22	.62	.01	.49	.30	.07	.29	"	"	.65	.47	.15	10
11	.18	.30	.03	1.40	.44	.01	.08	"	.32	.01	Nil	.01	11
12	.30	.76	.05	.41	.56	Nil	1.41	.25	.15	.62	.12	Nil	12
13	.02	.62	.09	.45	"	"	Nil	.59	.02	2.60	.01	"	13
14	.18	.48	.01	Nil	1.20	"	.05	.58	.08	.57	Nil	.09	14
15	.02	1.48	.31	"	.14	"	.15	.45	.21	.62	"	Nil	15
16	.30	.07	Nil	1.30	.08	"	Nil	.45	.10	.25	"	"	16
17	.56	.37	"	1.84	Nil	"	"	Nil	3.23	.26	"	"	17
18	.07	1.94	.01	2.03	"	"	"	.08	1.30	.19	.20	"	18
19	1.33	.01	.20	.43	"	"	"	.29	.03	.03	.22	.98	19
20	1.48	Nil	.30	.08	"	"	"	Nil	Nil	Nil	.17	.14	20
21	1.11	"	.18	.02	.04	.05	"	"	"	"	.30	.02	21
22	.09	"	Nil	.06	Nil	.32	"	"	"	.14	.75	.06	22
23	.29	"	.06	.22	"	.18	"	.46	"	1.16	.86	.46	23
24	Nil	.16	.01	.48	1.00	.37	"	.66	"	.12	.28	.08	24
25	1.59	.03	.25	Nil	.91	.09	"	1.48	.01	.19	.69	.07	25
26	1.70	.05	.14	"	.01	.07	"	.53	.10	.10	.13	Nil	26
27	.06	.03	.01	"	.06	.02	"	.59	.55	1.32	.23	"	27
28	.16	.18	.02	"	.01	.25	"	Nil	Nil	.48	1.56	2.94	28
29	.24	.33	.01	"	Nil	"	"	"	"	.27	1.08	1.57	29
30	.08	X	Nil	"	.12	.23	.05	.17	"	.32	.18	.45	30
31	Nil	X	,	X	.95	X	.01	1.50	X	1.01	X	.40	31
99 Total	14.90	12.33	2.63	9.36	7.53	6.49	4.23	8.08	7.68	19.57	12.21	8.24	YEAR'S TOTAL 113.25
Rain Days.	29	25	25	16	21	20	14	14	15	28	25	19	251

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1917

FORM A
BRITISH RAINFALL Org.

Kept at Greaves' Slate Quarries

in the County of Merionnith

by M. H. Dauncey.

Lat. — Long. —
Time of Observation 9.0 AM
Nearest Railway Station Bl. Festiniog L. & N. W. Ry.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1' ft. — in.
" " " " Sea Level 700 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.04	Nil	.08	—	Nil	.03	Nil	.09	.50	Nil	.32	.14	1
2	1.08	—	Nil	.14	—	.04	—	Nil	.01	.52	.22	.06	2
3	.13	.12	—	.01	—	1.37	—	—	.05	2.66	Nil	.10	3
4	.01	.13	.04	.05	—	Nil	—	—	.01	1.28	.04	.03	4
5	.92	Nil	.06	.32	—	—	—	.06	.12	.54	2.18	2.79	5
6	.04	—	.13	.05	—	.12	—	Nil	.02	—	.92	.04	6
7	1.32	—	Nil	Nil	—	.02	—	.05	Nil	1.09	.34	—	7
8	.39	—	—	1.14	—	.26	—	1.22	.37	2.24	1.48	x.70	8
9	Nil	—	.13	.44	.07	Nil	—	1.63	.02	.38	1.94	.01	9
10	.63	—	.93	.59	.01	—	—	.34	Nil	.42	—	Nil	10
11	.25	—	.01	.08	Nil	—	—	1.11	—	1.92	x.39	—	11
12	.27	—	.11	.31	.82	.45	—	.01	.15	.43	.01	.10	12
13	.10	—	Nil	.74	.01	.18	—	.29	2.21	.27	.22	.51	13
14	.10	—	—	.17	.10	Nil	.01	.33	Nil	.28	Nil	.06	14
15	.04	—	—	.38	.02	—	.02	.10	.73	.81	—	.09	15
16	.01	.05	—	.88	Nil	—	.02	1.42	.75	.65	.27	.58	16
17	.01	.20	.68	1.35	—	—	.87	2.46	.23	.40	.09	.03	17
18	.03	.01	.38	.22	.12	—	1.80	.15	.63	.13	Nil	Nil	18
19	Nil	1.16	.81	.01	Nil	.03	.01	.06	.16	Nil	.06	.08	19
20	—	.58	Nil	.02	.12	.81	.03	1.46	.19	.03	1.15	.01	20
21	—	.01	.11	Nil	.07	Nil	Nil	.06	.01	.68	.15	Nil	21
22	—	.10	.01	—	.01	.02	—	.98	.90	.92	.21	—	22
23	—	.78	Nil	—	.29	.90	.01	.29	.12	.26	.07	.25	23
24	—	.02	.05	—	.01	.39	.26	.46	.25	1.86	.32	.24	24
25	—	.35	.23	—	Nil	.35	.15	.49	1.03	.17	.51	Nil	25
26	—	.01	Nil	—	.32	.24	1.63	.35	1.12	.36	2.18	—	26
27	Nil	Nil	.20	—	.82	.11	1.44	.56	Nil	.19	.46	.03	27
28	—	.16	.42	—	Nil	Nil	.06	1.49	—	.46	.54	Nil	28
29	—	X	.16	—	—	—	.01	.52	—	1.00	.71	.05	29
30	—	X	.20	—	—	—	Nil	.54	—	.23	.93	Nil	30
31	—	X	.04	X	.66	X	—	2.13	X	.01	X	.01	31
Total	5.37	3.68	4.78	6.90	3.45	5.32	6.32	18.65	9.58	20.19	15.71	5.[illegible]	YEAR'S TOTAL 105.86
Rain Days.	17	14	20	18	15	16	14	27	22	28	25	21	237

W. 8 000, IX. 17.

REGISTER OF RAINFALL IN 19

Cor. by obsr.

FORM A. BRITISH RAINFALL

Kept at Messrs J. W. Greaves & Sons Slate Quarries

in the County of Merioneth

by M. H. Dauncey

Lat. — Long. —

Time of Observation 9. 0 Am

Nearest Railway Station Bl. Festiniog 2 m W.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 700 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly re
fo
th
Organiz

Telegrams: "GREAVES, BLAENAU-FESTINIOG."

BLECHWEDD SLATE QUARRIES,

Dr. H. R. MILL, 62, Camden Square, [illegible], N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
18													
1	Frit	.49	.01	.47	.04	Frit	Frit	.12	1.57	.09	.36	.36	1
2	.04	.23	Frit	.05	Frit	—	—	.12	.23	1.87	.23	2.67	2
3	Frit	.08	—	Frit	.33	—	—	Frit	.50	1.59	.03	.31	3
4	.03	.18	—	—	.01	—	—	—	.50	2.23	.72	.17	4
5	Frit	.12	.02	.55	.30	—	—	.80	.15	2.78	Frit	.02	5
6	.05	2.97	Frit	.86	.01	.85	—	.02	Frit	.45	—	.10	6
7	.04	.96	—	.36	.17	Frit	—	.28	2.24	.01	.33	.12	7
8	.68	.61	—	Frit	Frit	.20	.47	.02	.60	.47	.09	.01	8
9	.09	.90	.01	.25	—	2.22	.21	.01	.83	3.50	.19	.14	9
10	.14	2.58	.36	.01	—	.01	.62	Frit	.45	.47	2.35	.31	10
11	.20	.84	.20	Frit	.15	Frit	.42	.10	1.14	.06	Frit	1.52	11
12	Frit	1.57	.01	—	.83	.12	.32	Frit	.28	Frit	—	.40	12
13	.01	.02	Frit	.01	.15	.12	Frit	—	.80	.20	—	.20	13
14	1.55	.01	—	Frit	.02	.11	.85	.25	—	.07	—	.93	14
15	.17	Frit	—	—	Frit	.01	58	Frit	4.52	.10	—	1.56	15
16	.01	.03	—	—	—	.03	.42	.07	.58	.47	—	.49	16
17	.51	Frit	—	—	.01	.10	.40	.31	.26	.28	—	.66	17
18	1.50	.23	.73	—	Frit	.34	.32	.01	.16	.05	—	.63	18
19	.21	.63	.21	.19	—	Frit	.51	.12	.20	.01	—	.80	19
20	.97	.73	.05	.14	.54	.53	.09	.47	.42	Frit	—	.06	20
21	.30	2.09	Frit	.13	Frit	.26	1.15	Frit	3.43	—	—	.26	21
22	.24	.50	—	Frit	.87	.04	.49	.27	.70	—	—	1.23	22
23	1.21	.03	—	—	1.50	.03	.18	Frit	.49	.09	.09	.13	23
24	.46	.43	—	—	Frit	Frit	.04	1.43	1.08	.05	.56	.32	24
25	Frit	Frit	—	—	.31	.02	.83	1.31	1.19	.38	.15	.04	25
26	.30	.29	—	—	.01	Frit	.27	.13	1.85	1.13	.26	1.26	26
27	.06	.39	1.66	—	Frit	.33	Frit	1.86	.20	.16	.93	1.32	27
28	Frit	.32	.94	—	—	.02	—	.01	.06	.02	1.06	1.56	28
29	—		.37	—	—	Frit	—	.02	.67	Frit	Frit	.55	29
30	—		.29	—	—	—	—	.45	.12	.26	.35	.62	30
31	—		.73		—		—	.03		.31		.16	31
99 Total	8.77	17.23	5.59	3.02	5.25	5.34	8.17	8.21	25.22	17.10 Frit	7.70	18.91	130.51 ~~129.51~~
Rain Days.	22	25	14	11	16	18	18	23	29	26	15	31	248

130.51

W. 8,000, IX. 17.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 19 19

21 JAN 20

Kept at Llechwedd Quarry

in the County of Merioneth

by W. H. Dauncey

Lat. — Long. —

Time of Observation 9. 0 a.m.

Nearest Railway Station L. & N. W. R. Bl. Festiniog

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 700 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
19	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.82	Nil	.09	.03	1.01	Nil	.30	.12	2.16	.55	.01	.30	1
2	.17	—	1.03	.05	.01	—	.01	.25	.11	.09	.04	1.10	2
3	.09	—	Nil	.09	.69	.14	.12	Nil	Nil	Nil	.03	.30	3
4	.03	.12	.27	.01	.71	.04	.33	.48	.25	—	Nil	.92	4
5	.18	.09	Nil	.03	.06	Nil	Nil	Nil	.26	.01	.02	1.23	5
6	.01	Nil	2.40	.05	.01	—	—	—	.24	Nil	Nil	.58	6
7	.01	—	.90	.36	Nil	.26	—	—	Nil	—	.07	.10	7
8	.33	—	.45	.01	—	.38	—	—	.10	—	Nil	.01	8
9	1.60	—	.39	.36	—	Nil	—	—	Nil	—	.03	.03	9
10	.08	—	3.12	.27	.03	.03	—	—	—	.13	.12	.41	10
11	.31	—	1.10	.65	.12	.02	.10	—	—	.06	Nil	.42	11
12	.03	—	.27	.16	.25	1.93	.02	—	—	.18	.37	Nil	12
13	1.03	.01	Nil	.20	Nil	Nil	.13	—	—	.65	Nil	.36	13
14	.93	Nil	—	1.30	—	—	.14	.08	—	.22	—	.03	14
15	.88	.04	—	.65	.08	Nil	Nil	.01	—	.75	—	.58	15
16	.31	.25	.02	.01	Nil	.48	.04	.01	—	Nil	1.00	.50	16
17	.07	.26	.02	.17	—	.27	.13	2.30	.12	—	1.87	.20	17
18	.04	Nil	1.72	Nil	—	Nil	.58	.90	.94	—	.62	1.10	18
19	.23	.43	.49	—	—	1.58	Nil	.17	.47	—	.32	.35	19
20	.51	.11	.12	—	.07	.23	—	Nil	1.19	.02	.15	1.59	20
21	.06	.60	.01	—	Nil	Nil	.42	—	1.08	Nil	.17	.28	21
22	Nil	.35	Nil	—	—	1.68	.03	.04	1.87	.12	.15	4.34	22
23	—	Nil	—	.04	—	.22	Nil	Nil	Nil	1.48	.56	.21	23
24	.09	—	—	.08	.27	.01	—	.01	1.20	.77	.59	.25	24
25	1.21	—	—	.27	.03	.04	—	1.18	.81	.04	.45	.05	25
26	.25	.11	2.07	.48	Nil	.07	—	1.28	.06	.05	.18	.68	26
27	1.04	.01	.10	.73	—	.02	—	.08	.19	Nil	.24	.05	27
28	.01	Nil	.06	.07	—	.02	—	.98	.04	.07	Nil	1.28	28
29	.05	X	.06	.12	—	.01	—	.27	.14	.16	.01	.42	29
30	Nil	X	.10	.51	—	.30	—	Nil	Nil	.01	.32	1.11	30
31	.01	X	.46	X	—	X	.92	.14	X	.03	X	.16	31
99 TOTAL	10.38	2.38	15.25	6.70	3.34	7.73	3.27	8.30	11.23	5.39	7.32	18.94	YEAR'S TOTAL 100.23
Days with .01 in. or more	28	12	22	25	13	20	14	17	18	19	22	30	239 240

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Llechwedd Quarries Bl. Festiniog
in the County of Merioneth
by M. H. Dauncey

Lat. — Long. —
Time of Observation 9 a.m.
Nearest Railway Station L. & N. W. R. Bl. Festiniog
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 700 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
20	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.96	.14	.20	.67	.01	1.62	.20	.20	.61	Nil	.28	1
2	Nil	2.04	.01	.12	.05	Nil	.55	.05	.61	.14	"	.59	2
3	—	.28	.03	.04	.03	—	.85	.23	.58	1.26	—	.05	3
4	.01	Nil	.02	.01	.28	—	.02	2.87	.47	.30	.01	Nil	4
5	Nil	—	.43	.02	4.84	—	.08	.39	1.93	.21	Nil	—	5
6	.02	—	.51	.33	1.39	—	.07	.04	.06	.27	.03	.01	6
7	1.66	.30	.06	.04	.01	.01	.12	.09	.13	Nil	.38	Nil	7
8	1.03	.10	.03	.42	.92	Nil	.23	.82	.13	—	.05	—	8
9	1.43	3.68	.15	.67	Nil	—	.80	.11	.09	—	.40	.01	9
10	2.18	1.26	.68	.01	—	.08	.46	Nil	Nil	—	Nil	.01	10
11	.65	.08	.12	.17	.37	.03	.12	.06	—	—	.13	Nil	11
12	.67	1.17	.13	.20	.06	.24	.45	Nil	.03	05	.65	.01	12
13	.21	.60	.08	1.01	.05	.36	Nil	—	Nil	Nil	.81	Nil	13
14	.65	.19	.81	1.10	.04	.09	.64	—	2.88	.48	3.14	—	14
15	44	.37	.16	2.12	Nil	.04	.01	—	.04	.10	Nil	—	15
16	1.31	.02	1.16	.87	.34	.24	1.00	—	.30	.28	.02	—	16
17	1.49	Nil	.40	.06	.60	.33	.73	1.94	1.47	Nil	Nil	—	17
18	1.00	.05	Nil	.23	1.32	.67	.09	.38	.22	—	—	—	18
19	.05	1.14	.03	.21	1.69	.28	.93	.07	.03	—	—	—	19
20	.57	.03	Nil	.63	Nil	.03	.41	Nil	.37	.02	—	.49	20
21	.05	Nil	—	.07	.01	Nil	1.01	.05	.01	.04	—	.78	21
22	.73	—	—	.41	Nil	.19	1.74	.44	Nil	.01	—	Nil	22
23	.09	—	.47	.18	—	Nil	.59	Nil	—	Nil	—	.67	23
24	.00	.01	1.45	.44	—	.08	.05	.01	—	—	.01	1.74	24
25	.13	.17	.26	.46	.04	.08	2.00	Nil	.04	—	Nil	.03	25
26	.33	.91	1.48	1.22	.06	.10	.40	—	.38	—	.07	.04	26
27	.38	.18	.77	.51	.20	.79	.65	—	.02	—	.05	.11	27
28	.31	.55	.31	.24	.03	.49	.51	—	Nil	—	Nil	.50	28
29	.21	.28	.03	.05	.74	.26	2.00	—	—	—	.31	1.36	29
30	1.22	X	.78	.37	.14	.53	Nil	—	.37	.01	.53	.61	30
31	.74	X	.25	X	.19	X	.01	.02	X	.22	X	.32	31
99 TOTAL	17.65	14.37	10.75	12.41	14.07	4.93	18.14	7.77	10.36	4.01	6.59	7.61	YEAR'S TOTAL 128.65
Days with .01 in. or more	28	22	27	30	24	21	29	17	22	15	15	18	268
Days with .04 in. or more	25	19	21	27	20	17	26	15	18	12	11	13	224

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A.2. BRITISH RAINFALL.

26 JAN 1912

REC[illegible] IN 1911

BLAENAU FESTINIOG
=
OAKLEY QUARRIES
MERIONETH
1911 - 1920

Kept at Rhiwbryfd

in the County of Merion

by Owen Jones

[illegible]ern

[illegible]heter of top ____ in.

[illegible]ht of top above Ground ____ ft. ____ in.

" " Sea Level ____ ft.

[illegible]vation

[illegible]ay Station { Name ____ Distance ____ Direction ____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.91					.55			1.42	.69	1
2			.35		.47		.18	.04		.17	.02		2
3			.45		1.41		.09	.11	.07		1.13	1.13	3
4				.03	.23		.01	2.37				.21	4
5	.06		.75								1.28	.01	5
6	.15		.10							.01	.82	.29	6
7								2.73			.39	.03	7
8	1.49		1.06								.57	.41	8
9	.06		.04								1.25		9
10	1.54		.72								.02	2.07	10
11	.97											.22	11
12		.41	.97						.85		1.50	.05	12
13		.22	.03			.01		.02	.01		.38	.11	13
14		1.60	.07		.20						.92	.11	14
15	.11	.93	.20			.02					.95	.30	15
16	.21	.76		.09		.69					.26		16
17	.10	.16	.03	.02				.12			.73	.91	17
18				.19		1.11				.14		.86	18
19		.81		.82		.19	.16		.93	.07	.60	.81	19
20		.43		1.61		.18	.09	.61	.11	.19	.03	.27	20
21		2.37	.03	.69			1.21	.02	.07		.03	.12	21
22	.08	.29		1.17		.55			.04	1.91	.07	.43	22
23	.16	.48			1.24	.07		.24		1.27			23
24	.11	.71		.76	.29		.01	.08	1.07	.95			24
25	.14			2.40		1.00	.05	.04	1.60	.22		.84	25
26	.14	.87		1.13		.05				.22	.20	.32	26
27	.06	2.48		.92			.18	3.00	1.14		.56	.40	27
28		.80		.52		.10	.05		.02		.03	.35	28
29						.60			1.44	2.68		.59	29
30				.16		.11	.60		.12	.58	.24		30
31			.13				.11			.11		.30	31
Total	5.38	13.52	5.84	10.51	3.84	4.68	2.74	9.93	7.47	8.52	13.40	11.83	97.66
No. of Rain Days	16	18	16	15	7	16	13	16	14	14	25	30	200

9,000, IX. '10.

87

RECORD OF RAINFALL IN 1911

517

FORM A 2.
BRITISH RAINFALL.

26 JAN 1912

Kept at Rhiwbryfdir, Oakley Quarries

in the County of Merioneth 3

by Owen Jones

RAIN GAUGE { Pattern ____ Diameter of top ____ in. Height of top above Ground ____ ft. ____ in. „ „ „ Sea Level ____ ft.

Time of Observation ____

Nearest Railway Station { Name ____ Distance ____ Direction ____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.91					.55			1.42	.69	1
2			.35		.47		.18	.04		.17	.02		2
3			.45		1.41		.09	.11	.07		1.13	1.13	3
4				.03	.23		.01	2.37				.21	4
5	.06		.75								1.28	.01	5
6	.15		.10							.01	.82	.29	6
7								2.73			.39	.03	7
8	1.49		1.06								.57	.41	8
9	.06		.04								1.25		9
10	1.54		.72								.02	2.07	10
11	.97											.22	11
12		.41	.97						.85		1.50	.05	12
13		.22	.03			.01		.02	.01		.38	.11	13
14		1.60	.07		.20						.92	.11	14
15	.11	.93	.20			.02					.95	.30	15
16	.21	.76		.09		.69					.26		16
17	.10	.16	.03	.02				.12			.73	.91	17
18				.19		1.11				.14		.86	18
19		.81		.82		.19	.16		.93	.07	.60	.81	19
20		.43		1.61		.18	.09	.61	.11	.19	.03	.27	20
21		2.37	.03	.69			1.21	.02	.07		.03	.12	21
22	.08	.49		1.17		.55			.04	1.91	.07	.43	22
23	.16	.48			1.24	.07		.24		1.27			23
24	.11	.71		.76	.29		.01	.08	1.07	.95			24
25	.14			2.40		1.00	.05	.04	1.60	.22		.84	25
26	.14	.87		1.13		.05				.22	.20	.32	26
27	.06	2.48		.92			.18	3.00	1.14		.56	.40	27
28		.80		.52		.10	.05		.02		.03	.35	28
29						.60			1.44	2.68		.59	29
30				.16		.11	.60		.12	.58	.24		30
31			.13				.11			.11		.30	31
Total	5.38	13.52	5.84	10.51	3.84	4.68	2.74	9.93	7.47	8.52	13.40	11.83	97.66
No. of Rain Days	16	18	16	15	7	16	13	16	14	14	25	30	200

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL. 25 JAN 1913

Kept at Rhwbryddir

in the County of Merioneth 3

by Owen Jones

RAIN GAUGE { Pattern ; Diameter of top ... in. ; Height of top above Ground ... ft. ... in. ; " " " Sea Level ... ft.

Time of Observation ...

Nearest Railway Station { Name ... ; Distance ... Direction ...

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.22		.62		.04	-	.36	.23	.10			.58	1
2	.15	.08	-	.16	.26	.29	.02		.01		-	-	2
3	.85		.90	.04	.13	.23	.02	-	1.00		.13	1.08	3
4	1.35		1.88	.44	-	.16		-	.16		1.78	.20	4
5	.36		.35	.03	-			1.58	.07	-		.12	5
6	.80	.18	.03		.86		-	.37	-	.28	.07	.05	6
7	-	.25	.08		.48	.12	.62	.26	-		.14	-	7
8	.60		.08	.31	.19	-	.09	.10	.57		.17	.27	8
9	.05	.22		.33		.52	.04	.10			-	.81	9
10	.20	.50		.07		.23	1.42	.28			1.52	.32	10
11	.24				.10		.59				1.08	2.05	11
12	.24	.17	1.70	.04		.08	.31	.10		-	-	.53	12
13	-		.40			.27		.45		1.20	.08	3.10	13
14	.64	.15	.89			.12		.52		.02		-	14
15	.43	.36	.21		.02	.50		.37		.25	.03	1.30	15
16	.23	.17	-		.03			1.26		.97	-	.08	16
17	.13	-	1.14			4.35		-		-	.47	.68	17
18	.15	.85	.12			.46		1.35		1.26	.20	-	18
19		.36	.38		.12	.19		1.00		-	-	-	19
20	-	.45	.25		.35	.12		.11		-	-	1.20	20
21	-	1.26	.22		.75	.11		.19		1.73	.25	-	21
22	.11				.16	-	.02	2.35		-	.35	1.00	22
23			-			.71	.08	2.70		.11	-	.04	23
24		-	.84			.34	.02				2.81	-	24
25		.26	1.08			.70	.20				1.55	.60	25
26		.45	.74			.02	.16	.45		-	.52	.25	26
27	-	.66	1.43			1.28	-			4.55	.07	-	27
28	-	.09				.57	3.20	.50	-	.71	1.10	-	28
29	-	.14	.02			-	1.69	.26	.30	.53		1.08	29
30			-		.11	.37	.28		.01	.87	-	.24	30
31	.03		1.14		.55		2.28	.68		.05	.08	.85	31
Total	6.75	6.60	14.50	1.42	4.15	11.64	11.40	15.21	2.22	12.53	12.32 / 12.90	16.43 / 15.85	TOTAL for year 115.20
No. of Rain Days.	20 / 19	20	26	8	16	26	19	25	11	19	24 / 26	30 / 28	244

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL. 31 JAN 1914 572

Kept at Rhiwbryfdir

in the County of Merioneth 3

by R. H. Jones

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.04			.20									1
2	.13	1.25	.15	.04		.71				.02	.62	.43	2
3		.25	1.58							.05			3
4		.37	.38			.14					.12	1.60	4
5		.13			1.31	.48				1.19	.32	.02	5
6		.80	.53		.13	1.21	.61						6
7	1.46	.12	.06		.27	.59	.05			.23		.80	7
8					.14		.08	.35		.10		.30	8
9		2.00	1.22	.12	.05	4.13	.20		.22		.15	.81	9
10		.06	1.04	.14		.03	.07	1.18		.05	.26		10
11				.90		.23			.18	.05	.19	.65	11
12	.95		.12		.33	.22		.23	2.73		1.45	.04	12
13			2.40	.03	.28		.97	.16		.12	.73		13
14	.06		.16	.37				.03	.83	1.93	.30	.25	14
15	.75			2.03				.04	.21			.58	15
16			.50	.24				.45			.76		16
17			.18	.51			.42				1.44		17
18			.37	.75		.04	.12				.57		18
19	.36		.04		.52	.43			.25		1.38		19
20	.25		.11	.45			.04		.06	.96	2.85		20
21			.22	.18	.64		.55	1.55		.95	.07		21
22	1.95				.42	.40		1.88	1.22			.02	22
23	.78		.66		.21	.06			.96		.15	.04	23
24	.95	.04		.34	.02	.05					.38		24
25				.23					.29		.51		25
26		.03				.10			.75	.05			26
27	.12			1.73						.07	.01		27
28	.78		.25	.13	.20					.29	.04		28
29	.18		.11	.83	.10					.96		2.77	29
30	.96				.14					.46	.47		30
31	.05		.08							.31			31
Total	9.77	5.05	10.16	9.22	4.76	8.82	3.11	6.07	7.70	7.79	12.97	8.31	YEAR'S TOTAL 93.73
Rain Days.	22	12	25	20	23	17	14	11	12	22	25	21	(224)

W. 7,500, XI. 12

accumulation distributed 27.IV.15 = 24.00

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 22 JAN 1915 497

Kept at Rhiwbryfdir

in the County of Merioneth 3

by R. H. Jones

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.06	(.30)	.10		.26				—		.56	1
2	.02	.09	.22				3.26					.33	2
3		.02	1.85	.03				.74		.52		1.59	3
4	1.04		.83		2.40								4
5			1.93	.43	.64		.61	.11					5
6		.02	.29	.05	.69		.03	.58				.63	6
7	.70		.25	.27	.43	.29	.55	.66					7
8	1.54		—	.06	1.11	.28	.69				2.18	1.10	8
9	1.14	.72	.25	.41			.03	5.48			.63		9
10		.28	.25	.37	5.55	1.00					.57	.06	10
11			.50		.05	.29	.04				.12	.76	11
12				—	.16						2.00		12
13				.37	.03		.07		2.53	.13	.65		13
14		3.62					.10						14
15							.02		.25		.30	.37	15
16		.07	2.56				.07					.17	16
17		1.44	.17				.50		2.66			2.93	17
18			.45							.16			18
19		.13	.25				.32		.06		.05		19
20		.68	.37				.03	.19				.73	20
21						.44							21
22		1.50		.12	.26	.36				.04			22
23		.09	.52	.04		.05	.45	1.35			.15		23
24			.34	.11			.31	.05			.63		24
25	3.22	.03						1.67		1.70			25
26		.12					1.11			.65	1.38		26
27	.63	.17					.01	—		.15			27
28	1.00	(.46)			.09	.04	.01					3.67	28
29	2.20	(including 1st March)	.30							.23	2.50		29
30	.23		2.11					1.09			.46		30
31	1.09		.63				1.53			.06		1.50	31
Total	12.81	9.44 ~~9.74~~	14.39 ~~14.09~~	2.36	6.41	3.00	9.74	11.92	5.50	3.64	11.52	14.40	YEAR'S TOTAL 105.13
Rain Days.	15 ~~17~~	21 ~~23~~	27 ~~26~~	14 ~~13~~	13	12	24 ~~25~~	18 ~~17~~	9	11	19 ~~20~~	23	(208)

W.7,000, XI. 13

accumulation apportioned by Mackwood 18.III.16

4310
4475

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Rhiwbryfdir

in the County of Merioneth

by R. H. Jones

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.12	1.63	.08						.71				1
2		1.50	1.84			.30			.05				2
3			1.41										3
4			.20		1.45		2.30		.02				4
5	.90	.74	.88		.41		.24						5
6				2.00		.58	.21						6
7	3.00	1.09	.07	.11			.37	(3.71)					7
8	.21	.38		.06									8
9		.90		.68				.06					9
10	3.12		.22	.23				.10					10
11					.18		.75	1.34					11
12	.54			.12			.03	1.28					12
13	.30				.04			.32	.11				13
14	1.50	.20		.23			.04		.50				14
15	1.40			.10			.06		.44				15
16		1.30			.59			.45	.11				16
17		1.10			.69				.10				17
18	.15	.89	.13				1.75						18
19			.56	1.16			1.27						19
20	1.68			.03			.02						20
21		.06		.03			1.65	.03	.04				21
22			.09			.29			.02				22
23	.10	.29				.47			.18				23
24			.50										24
25													25
26									.77				26
27						1.38							27
28		1.31				.04		.11	.11				28
29					.55	.04			.34				29
30		X		1.45			(2.45)		.20				30
31	1.72	X		X		X		1.18	X		X		31
Total	14.74	11.39	5.98	6.20	3.91	3.10	11.14 ~~14.85~~	8.58 ~~8.87~~	3.70				YEAR'S TOTAL
Rain Days.	25	16	12	14	11 9	11	19 ?	11	17				

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL. 20 JAN 1917

Kept at Pwllycrochan Gatekeeper's Quarters

in the County of Pembroke

by R. H. Jones

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1					–	.96				.10	.69		1
2	1.26	1.45			.05	.01	.95			2.13	.36		2
3	.30			.07			.43		1.35	.83	.54		3
4	.77	.92		.05	.44	2.40			.38	.37			4
5					.14	.10	.09			3.07	.36		5
6	1.45	2.42					.47			.37	.64	.03	6
7		.04			.65	.06	.09				1.19	.50	7
8				.18	.25	.08				.95	1.36	.05	8
9					.31	.13	.02				.30		9
10				.30	.33		.24			.49	.40	.09	10
11				1.35	.45		.08		.21				11
12				.36	.63		1.26		.11	.57	.10		12
13				.41				.94	.12	2.89		.20	13
14					1.00			.54					14
15		4.55			.12			.42					15
16		.03		1.12			.49	.49		1.32			16
17		.10		1.48					3.01	.30			17
18		2.27		1.61				.41	1.02	.20		.61	18
19	3.58		(1.62) 2.27	.46					.02	.03	.57	.26	19
20				.08							.20	.10	20
21	2.18			.01	.02	.06					.10		21
22											1.05		22
23	.27							.62		.17	.50		23
24		.65		.84	1.20	.05		.73		1.29	.40		24
25	.84				.95	.45		1.60		.13			25
26	1.21				.03	.15			.09		1.23	.05	26
27						.06		1.12	.53		1.00	.10	27
28	.31				.09					1.79	1.06	3.20	28
29					.13	.27					.80	1.20	29
30	.27					.26	.05	.20		.76	.20		30
31			.57		.60			1.42		1.00		.75	31
Total	12.44	12.43 11.78	2.19 2.84	8.32	7.39	5.04	4.17	8.49	6.84	18.76	13.05	7.14	YEAR'S TOTAL 106.26
Rain Days.	27	16	24	15	22	15	12	13	10	23	23	15	225

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

Kept at Rhiwbryfdir

in the County of Merioneth

by D. H. Jones J. R. Davies

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.80		.08					.07			.30		1
2	.20			.10					.53	.42	.26	.05	2
3	.09			.10		1.20				2.23		.16	3
4			.05	.20						1.28		.30	4
5	.20		.05	.10					.23	.50	2.15	1.05	5
6	.75										.83	2.20	6
7	.32					.05		.24		1.05	.36		7
8	.90							1.21		2.00	1.22		8
9				1.45				1.31	.23	.42	1.71	.20	9
10	.55							.31		.26			10
11	.20		1.02		.02			.30		2.03	.42		11
12			.10						.15	.47	.17	.10	12
13					.91	1.00		1.05	1.81			.44	13
14	.42							.42					14
15				.55			.02			1.60			15
16		.35						1.53	1.30	.53	.26		16
17							1.00	2.47	.25	.31		.44	17
18		.23		1.40	.04		1.52		.35	.10	.08		18
19		1.26	.98	.10				.15	.20		.03		19
20			.57		.20	.73		1.57	.15		1.03	.10	20
21								1.13	.15	.67	.25		21
22		.08						.32		.50	.05		22
23		1.26			.30			1.02	.50	.16	.05		23
24						1.30	.31	.41	.20	1.63			24
25		.32				.30	.15		1.10	.11	.71	.55	25
26						.10	1.03	.94	1.25	.31	2.00		26
27			.47			.11		.47			.40	.06	27
28		.20	.35		1.16			2.10		.79	.50		28
29			.12				1.17	.45		.93	.42		29
30		X						.53		.23	.42		30
31		X		X	.75	X		1.95	X		X		31
Total	4.43	3.70	3.79	4.00	3.38 2.38	4.79	5.20 4.20	19.95	8.40	18.53	13.62	5.65	YEAR'S TOTAL 95.44 93.44
Rain Days.	10	8	12	13	8	11	8	25	17	27	23	13	189

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL. 23.1.19

Kept at Rhiwbryfdir *in the County of* Merioneth *by* R. H. Jones

Lat. ..... Long. .....
Time of Observation .....
Nearest Railway Station .....
Diameter of Funnel of Rain Gauge ..... in.
Height of top of Gauge above Ground ..... ft. ..... in.
" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.72		.55	.04			.16	.22	.11			1
2									1.05	1.75	.65	2.65	2
3		.36			.42				.47	1.67		.30	3
4		.64							.16		.75	.25	4
5		.93						1.46				.02	5
6		1.57			.62	.70				5.04		.10	6
7		.84						.25	5.37	.05	.30		7
8	.61	.54		1.82			.45		1.36	1.00	.15	.20	8
9				.32		2.10	.20		.46	3.55		.16	9
10		3.03	1.27	.75			1.28		2.19	.53	1.85	.33	10
11		.85					1.12		.37	.06		.27	11
12		1.57			1.25	.14	.20	.11					12
13	.04				.25	.30			1.26	.25			13
14	1.79				.07					.09			14
15							3.12		4.75	.11		2.75	15
16						.14	.41		.70	.50			16
17	.71	.04	.83				.40		.27	.25		.46	17
18	1.50	.10	.23			.45	.31	.43	.15	.05		.70	18
19		1.23						.11	.20			.40	19
20	1.30	2.33			.65	.43	3.35	.20	.23			.75	20
21	.31				1.12		.28					.83	21
22	.52							.15	4.25				22
23	1.30					.28			.42				23
24	.35	.40			1.10				.67		.65		24
25	.37							5.36	1.02	.13	.17		25
26	.18				.59			.08	1.65		.15		26
27			1.52			.34	2.41	3.17	.15	1.20	.90		27
28			.83					.01			1.06		28
29			.41					.07	.75	.15		6.15	29
30		X						.38	.20	.25	.53	.45	30
31		X	1.05	X		X		3.05	X	.25	X	.20	31
Total	8.98	15.15	6.14	3.44	6.11	4.88	13.53	14.99	28.32	16.99	7.15	16.97	YEAR'S TOTAL 142.65
Rain Days.	13	16	8	6	13	9	19	14	30	24	14	26	202

W. 8,000, IX. 17.

3862

Register of Rainfall in 1919

Kept at The Oakeley Slate Quarries Bl. Festiniog *by* R. H. Jones Esq. Manager

in the County of Merioneth Shire *Time of Observation* 9 a.m. Daily

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., if possible, and the result entered to the previous day.

Date	Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·65				1·01		·29		2·10	·59		·32	1
2									·10		·07	·83	2
3						·17	·15					·28	3
4								·80	·29			·77	4
5	·26				1·21							1·03	5
6													6
7			·40	1·45					·42			·53	7
8	·35					·56							8
9	·90								·10		·09	·04	9
10			7·25			·05					·11	·40	10
11					·17							·39	11
12	·50				·25	1·73				·36	·27		12
13	1·06			2·67						·56			13
14	·85			1·09			·65			·21		·35	14
15	·80			·58						·63		·66	15
16	·24					·32					·80	·58	16
17	·45			·17		·30	·20	2·13			1·57	·17	17
18	·65				·05		·56	1·			·50	·82	18
19						1·38		·20	1·20		·27	·32	19
20			2·69		·05						·11		20
21		3·25					·47		2·06		·11	1·67	21
22						1·40			1·85	·12		4·04	22
23				·04		·20				1·50	·65	·25	23
24			1·65	·05					·80				24
25				·32	·32			1·23	·73		·78		25
26	1·35							1·07			·19		26
27										·06			27
28				·69				·94				2·10	28
29				·13		·11			·36				29
30				·48		·30					·34	1·53	30
31							·75	·40		·15		·15	31
Total	8·06	3·25	11·99	7·67	3·06	6·52	3·07	7·77	10·01	4·18	5·86	17·23	TOTAL for year 88·67
No. of Rain Days	14	4	7	16	8	11	7	14	17	14	19	29	(160)

Published by HOWARD WILSON, Rain Gauge Manufacturer, ~~GARSTANG.~~ Sedbergh.

PRICE TWOPENCE.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at The Oakeley Quarry

in the County of Merioneth

by Messrs The Oakeley Slate Quarries Co. Ltd

Lat. ..... Long. .....

Time of Observation 9 a.m.

Nearest Railway Station L & N.W.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 10 ft. — in.

" " " " Sea Level 1100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		(·80)	·15	✓	✓		1·76		·24	✓		·38	1
2		1·88		✓·33	✓		·49	·05	·50	✓		·63	2
3		·24	·01	·04	✓·85		·72	·24	✓	✓1·92		·06	3
4	·01		·03		·23			3·32	✓	·34			4
5			·45		4·10		·09	·39	3·10	·19			5
6	·02		✓		1·15		·08	✓	·06	·28	✓		6
7	1·11	✓	✓65	·04			·17	✓	·12		✓·20		7
8	·79	✓·43	·03	·48	·80		✓	1·00	·20		·05		8
9	1·20	2·99	·09	·72			✓	·10			·35		9
10	✓	1·16	·55	×	✓	·07	✓						10
11	2·33	·06	·09	✓·18	✓·41	×	1·40	·05			·16		11
12	·53	1·15	✓	·19	✓	✓	·37		·15	·35		·03	12
13	·16	·45	✓	·95	✓·09	✓66					✓		13
14	·48		✓	1·01		✓	·73		2·48		✓·20		14
15	·24	·49	✓·97	2·17		✓13			·04				15
16	1·03	·02	1·06	✓	·41	✓	1·10		·33	·55			16
17	✓	—		✓	·57	✓	✓	1·59	1·57				17
18	✓·75	✓·07		1·05	1·03	1·40	✓·74	·34	✓				18
19	·10	1·18	·03	·19	1·18	✓	·58	·06	·25				19
20	·65			·58		×·37	·35		·39			✓	20
21	·05			·09	·02		1·00			✓		1·13	21
22	·71			·49		·15	1·55	·54		×·12			22
23	✓		·46	·19			·35					·67	23
24	✓	·03	+·43	✓		·07					·08	✓	24
25	✓·31	·17	·26	✓·72	·03	·08	2·13		✓			×	25
26	·31	·86	1·37	1·14	·02	✓	·38		✓·47			✓1·40	26
27	·29	·17	✓	·37	·20	✓·82	·54				·12		27
28	·23	✓	1·06	·20	×	·83	·38					·58	28
29	·19	✓·62	·04	·04	✓	·22	1·95				✓	1·38	29
30	1·20		·67	·38	✓·79	·48	—		·41	×	✓·92	·75	30
31 (1st Feb.)	(·63)		·24		·17		✓·20			✓·20		·20	31
TOTAL	14·32 15·12	12·77 11·97	9·64	11·55	12·05	5·28	17·06	7·71	10·31	3·40	6·08	7·21	YEAR'S TOTAL 117·38
Days with ·01 in. or more	27	20	25	27	22	19	24	13	19	11	11	13	(233)
Days with ·04 in. or more	25	18	21 19	22	17	17	26	13	18	9	10	12	(213)

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

4328 FORM A2. BRITISH RAINFALL. 18 JUN 1912

CORWEN
RUG GARDENS
MERIONEITH
1911

RE … IN 19 11.

Kept at Rug …

in the County of Merio…

by Mr Holden

…ttern …

…ameter of top … in.

…ight of to… above Ground … ft. … in.

… „ „ Sea Level … ft.

…servation …

…ilway Station { Name … / Distance … Direction …

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	N.	NE.	S.W. 23	E.	W.		—	·13	=	—	·29	·6	1
2	W.	E.	N.	NE.	S.W.		·25	·14	=	·24	—	·14	2
3	N.W.	W.	SW. 6	N.E.	S.W. 66			·5	·5		·19	·11	3
4	N.	N.W.	W. —	N.	S.W. 10			· =	· 4.		·54	·34	4
5	E. 18	N.	W. 6	N	NE.			1·14			·2		5
6	W. 29	N.E.	W. 13	N.W.	NE			·2		·10	·54	·44	6
7	N.E. —	E.	S.W.	N. —	W.			·25			·19		7
8	NE. 30	N	W. 15	N.W.	W.						·44	·68	8
9	E. —	NE	N.W. 8	N. 4	N.						·60		9
10	N. 11	S.W. 6	S. 4	N.	N.E. 6				—		—	·51	10
11	S.W. —	N. —	W	N.E	N.E				·4		·38	·4	11
12	E —	N. 4	N.W. 36	E		—	—	—	1·90		·44	·	12
13	N.E. 35	N.	N.W.	E		·10		·34	·2		·4	·34	13
14	E.	N.E. 9	N. 13	N.		=			—		·11	·14	14
15	N.E.	N 18	N.E.	W		=	·9		—	·5	·1	·3	15
16	N.E.	N.E. 21	E	S.W. 4		·13			—	·2	·11	·3	16
17	E.	N.W.	N.E.	S.W.		·65			—	—		·13	17
18	N.W.	S.W. 56	E	S.W.		·12			—	—	·2	·54	18
19	E	W. 5	W	W.		·58			·40	·1	·21	·3	19
20	E	N.W. 15	N.W.	S.W. 85		·3	·5	1·12	—		·1	·14	20
21	E	N.W. 32	E. 11	N. 2		·8	·10	·15	·14	·36		·4	21
22	S.W.	W. 43	E.	N.		—			—	·46		·44	22
23	S.W. 2	S. 10	N.	N. 9		—			11	·18		·9	23
24	S.W. 6	N.W.	N.E.	N.W. 3		·60		·7	—	·25		·14	24
25	S.W.	S.W.	E	N.W. 22		·9			·40	·31		·9	25
26	S.	S.W. 43	E —	W		—		·10	—	·10	·16	·3	26
27	S.W.	S.W. 32	N.E. 17	N. 70		·3		·06	·39	—	·2	·3	27
28	N.W.	S. 15	N.E.	N.E.		·20		·12	—			·2	28
29	N.	—	N. —	N.		·05	·85	—	·26	·18		·9	29
30	W.	—	N. —	W.		—	·20	·5	—	·16		—	30
31	N.	—	N. 13	—	N.E. 30	—			—	·5		—	31
Total	1·11	3·82	1·65	2·07	1·12	2·76	1·48	4·37	3·71			6·99	TOTAL for year 36·84
No. of Rain Days	4	15	12	9	4	12	6	14	11	14		26	149

9,000, IX. '10.

9·44

6·99

REGISTER OF RAINFALL IN 1911.

4326 FORM A2. BRITISH RAINFALL. 18 JUN 1912

Kept at Rug Gardens

in the County of Monmouth

by Mr Holden

RAIN GAUGE — Pattern ____ Diameter of top ____ in. Height of top above Ground ____ ft. ____ in. " " " Sea Level ____ ft.

Time of Observation ____

Nearest Railway Station — Name ____ Distance ____ Direction ____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	N.	NE.	S.W. 23	E.	W.			.13	=	—	.29	.6	1
2	W.	E.	N.	NE.	S.W.		.25	.14	=	.24	—	.14	2
3	N.W.	N	SW. 6	N.E.	S.W. 66			.5	.5		.19	.11	3
4	N.	N.W.	W. —	N	S.W. 10			.=	.4.		.54	.34	4
5	E. 18	N.	W. 6	N	NE.			1.14			.2		5
6	W. 29	N.E.	W. 13	N.E.	NE			.2		.10	.54	.74	6
7	N.E. —	E.	SW.	N —	W.			.25.			.40	—	7
8	N.E. 30	N	N. 15	N.W.	W.	/					.42	.58	8
9	E. —	NE	N.W. 8	N. 4	N.				—		.60		9
10	N.W. 11	S.W. 6	S. 4	N.	N.E. 16	—			—		—	.50	10
11	S.W. —	N. —	W	N.E	N.E	—			.4		.38	.4	11
12	E —	N. 4	N.W. 36	E		—			1.90		.71	.	12
13	N.E. 35	N.	N.W.	E		.10		.34.	.2		.4	.34	13
14	E.	N.E. 9	N. 13	N.		=			—		.14	.16	14
15	N.E.	N 18	N.E.	W		=	.9		—	.5	.7	.3	15
16	N.E.	N.E. 21	E	S.W. 4		.13			—	.2	.14	.9	16
17	E.	N.W.	N.E.	S.W.		.65			—	—		.13	17
18	N.W.	S.W. 56	E	S.W.		.12.			—	—	.2	.54	18
19	E.	W. 35	W	W.		.58.			.40	.1	.21	.36	19
20	E	N.W. 15	N.W.	S.W. 85		.3.	.5	1.12	—		.1	.19	20
21	E.	N.W. 42	E. 11	N. 2		.8	.10.	.15	.14	.36		.4	21
22	S.W.	W. 43	E.	N.		—			—	.46		.41	22
23	S.W. 2	S. 10	N	N. 9		—			.11	.28		.9	23
24	S.W. 6	N.W. 9	N.E.	N.W. 3		.60.		.7	—	.25		.41	24
25	S.W. 5	S.W.	E	N.W. 22		.9.			.40	.31		.9	25
26	S.	S.W. 43	E —	W		—		.10	—	.70	.16	.3	26
27	S.W.	S.W. 39	N.E. 17	N. 70		.3.		.66	.39	—	.2	.3	27
28	N.W.	S.S.W. 30	N.E.	N.N.		.20		.12	—			.14	28
29	N.	—	N. —	N.		.15	.85	=	.26.	.48		.9	29
30	N.	—	N. —	N.W.		—	.20	.5	—	.16		—	30
31	N.	—	N.W. 13	—	N.E. 30	—			—	.5		—	31
Total	1.11	3.82	1.65	2.07	1.12	2.76	1.48	4.37	3.75	3.84	5.25	6.99	TOTAL for year 36.84
No. of Rain Days	4	15	12	9	4	12	6	14	11	14	14	26	149

9,000, IX. '10.

9.54

6.99

FORM A2.
BRITISH RAINFALL.

9 FEB 1912

DOLGELLY
BRYNTIRION
MERIONETH.
1911. - 1920

REGI... 9 11

Kept at Bryntirion,

in the County of Merioneth

by Charles [illegible]

...top 5 in.

...above Ground 1 ft. 5 in.

„ Sea Level 50 ft.

9 a.m.

...ion { Name Penmaen Pool
Distance 1¾ m. Direction east

IMPORTANT NOTE.— [illegible] and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0	0	.16	0	.20	0	0	.47	0	0	1.19	.33	1
2	0	0	.16	0	.34	0	0	.09	0	.12	.05	.23	2
3	0	0	.13	0	.68	0	0	.03	0	0	.35	.35	3
4	0	0	.44	.02	0	0	0	1.30	0	0	.37	.36	4
5	.53	0	.39	0	0	0	0	.85	0	.12	0	0	5
6	.18	0	.14	0	0	0	0	.55	0	0	.18	.88	6
7	.13	0	0	0	0	0	0	0	0	0	.68	.~~14~~ 0	7
8	.80	0	.75	0	0	0	0	0	0	0	.31	7.86	8
9	.01	0	.02	0	0	0	0	0	0	0	.43	1.~~14~~ 0	9
10	.22	.47	.39	0	0	0	0	0	.01	0	0	1.14	10
11	.27	0	0	0	.20	0	0	0	.02	0	.07	.16	11
12	0	0	1.0	0	0	0	0	0	1.15	0	1.99	0	12
13	0	.01	0	0	.16	0	0	0	0	0	.19	.20	13
14	.04	.36	.04	0	.12	0	0	0	0	0	.17	.40	14
15	0	.26	.03	0	0	0	0	0	0	0	.44	0	15
16	.14	.17	0	0	0	.35	0	0	0	0	.25	.43	16
17	.04	.02	0	0	0	.56	0	.23	0	0	.90	.10	17
18	0	.27	0	.15	0	.17	0	0	0	0	.18	.77	18
19	0	.08	0	.72	0	.06	.02	0	.84	.20	.03	.49	19
20	0	.07	0	.47	0	.07	.04	1.40	.04	.20	0	0	20
21	0	.57	0	.07	0	.08	.45	0	.06	.57	0	.30	21
22	0	.24	0	.15	0	.05	0	0	0	.49	0	.60	22
23	.04	.10	0	0	.56	0	0	.22	.45	.66	0	.35	23
24	.08	.33	0	.34	0	.74	0	.04	.10	.26	0	.15	24
25	.02	.02	0	.81	0	.50	0	0	.82	.36	0	.14	25
26	.15	.43	0	.39	0	.06	0	.52	0	.34	.02	0	26
27	0	.87	.03	.41	0	0	0	1.46	.95	0	.15	.45	27
28	0	.30	0	.14	0	.12	0	.03	0	0	0	.39	28
29	0		0	0	0	.30	.22	0	.68	.65	0	.37	29
30	0		0	0	0	.10	.02	0	0	.66	.06	0	30
31	0		.10		.05		.12	0		.07		.27	31
Total	2.65	4.57	3.78	3.67	2.30	3.20	.87	7.19	5.12	4.64	8.01	10.70	TOTAL for year
No. of Rain Days	14	17	14	11	8	13	6	13	11	13	20	24	56.70

9,000, IX. '10.

REGISTER OF RAINFALL IN 1911

FORM A2. BRITISH RAINFALL. 9 FEB 1912

Kept at Brynhirion, Dolgelley

in the County of Merioneth

by Charles L. Beale

RAIN GAUGE: Pattern ____ Diameter of top 5 in. Height of top above Ground 1 ft. ____ in. " " " Sea Level 50 ft.

Time of Observation 9 a.m.

Nearest Railway Station: Name Penmaen Pool Distance 1/4 m. Direction east

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0	0	.16	0	.20	0	0	.47	0	0	1.19	.33	1
2	0	0	.16	0	.34	0	0	.09	0	.12	.05	.23	2
3	0	0	.13	0	.68	0	0	.03	0	0	.35	.35	3
4	0	0	.44	.02	0	0	0	1.30	0	0	.37	.34	4
5	.53	0	.39	0	0	0	0	.85	0	.12	0	0	5
6	.18	0	.14	0	0	0	0	.55	0	0	.18	.88	6
7	.13	0	0	0	0	0	0	0	0	0	.68	.56	7
8	.80	0	.75	0	0	0	0	0	0	0	.31	7.56	8
9	.01	0	.02	0	0	0	0	0	0	0	.43	1.04	9
10	.22	.47	.39	0	0	0	0	0	.01	0	0	1.14	10
11	.27	0	0	0	.20	0	0	0	.02	0	.07	.16	11
12	0	0	1.0	0	0	0	0	0	1.15	0	1.99	0	12
13	0	.01	0	0	.16	0	0	0	0	0	.19	.20	13
14	.04	.36	.04	0	.12	0	0	0	0	0	.17	.40	14
15	0	.26	.03	0	0	0	0	0	0	0	.44	0	15
16	.14	.17	0	0	0	.35	0	0	0	0	.25	.43	16
17	.04	.02	0	0	0	.56	0	.23	0	0	.90	.10	17
18	0	.27	0	.15	0	.17	0	0	0	0	.18	.77	18
19	0	.08	0	.72	0	.06	.02	0	.84	.20	.03	.79	19
20	0	.07	0	.47	0	.07	.04	1.40	.04	.20	0	0	20
21	0	.57	0	.07	0	.08	.45	0	.06	.57	0	.30	21
22	0	.24	0	.15	0	.05	0	0	0	.49	0	.60	22
23	.04	.10	0	0	.56	0	0	.22	.45	.66	0	.35	23
24	.08	.33	0	.34	0	.74	0	.04	.10	.26	0	.16	24
25	.02	.02	0	.81	0	.50	0	0	.82	.36	0	.14	25
26	.15	.43	0	.39	0	.06	0	.52	0	.34	.02	0	26
27	0	.87	.03	.41	0	0	0	1.46	.95	0	.15	.45	27
28	0	.30	0	.14	0	.12	0	.03	0	0	0	.39	28
29	0		0	0	0	.30	.22	0	.68	.65	0	.37	29
30	0		0	0	0	.10	.02	0	0	.66	.06	0	30
31	0		.10		.05		.12	0		.07		.27	31
Total	2.65	4.57	3.78	3.67	2.30	3.20	.87	7.19	5.12	4.64	8.01	10.70	TOTAL for year
No. of Rain Days	14	17	14	11	8	13	6	13	11	13	20	24	56.70

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL.

25 JAN 1913

Kept at Dolgelly, Bryntirion

in the County of Merioneth — 4

by C. G. Beale, E. P. Beale

RAIN GAUGE: Pattern ____ Diameter of top ____ in. Height of top above Ground ____ ft. ____ in. " " " Sea Level ____ ft.

Time of Observation ____

Nearest Railway Station: Name ____ Distance ____ Direction ____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ____

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.15		.42		.03	.15	.13	.15	.12			.20	1
2		.13	1.01	.38	.28	.34			.04				2
3	1.16		.14	.10		.14		.41	.39			.24	3
4	1.09		1.77	.14				1.07	.06		1.10		4
5	.30		.81		.07			.04	.22	.02		.12	5
6	.39	.10			.09			.37	.04		.06		6
7		.22	.25	.05	.31	.35	.18		.44		.36	.12	7
8	.47	.15	.29	.04	.24	.22		.41	.14		.12		8
9	.21	.23	.15	.35		.30		.17			.13	.23	9
10	.25					.33	.26	.11			.54		10
11	.07				.06		.12				.77	.94	11
12	.04		.54	.09			.11				.15	.20	12
13	.17		.07					.16		.24	.10	1.11	13
14	.20	.02	.73			.28		.66				.33	14
15	.22	.04	.25		.02	.44		.07				.08	15
16	.15	.18	.35					.14		.34		.04	16
17	.35	.70	.18			2.75		.55			.72	.17	17
18	.08	.05	.09					.12		.70	.23	.15	18
19		.25	.07		.03			.93		.18	.08	.09	19
20		.05	.33		.09			.11		.58	.68	.10	20
21		.04	.07	.02	.18			.11		.82	.10	.68	21
22	.03	.43	.01		.10	.15	.10	1.71		.06	.03	.17	22
23			.30			.48	.05	2.89		.09	.62	.13	23
24		.04	.50		.05	.31					.03	.38	24
25			.37			.43	.05	.11			.20	.74	25
26		.17	.30				.14	.37		1.55	.65	.14	26
27		.04	2.26			.67	1.67			.30		.53	27
28		.28	.01			.44	.47	.26	.06	.35	.86		28
29		.10	.10				.75	.16	.21	.53		.02	29
30			.28	.01		.14	.34			.28	.02		30
31			.28		.40		1.06	.44		.10		.17	31
Total	5.33	3.22	11.93	1.18	1.95	7.92	5.43	11.52	1.72	6.14	7.55	7.05	TOTAL for year 70.99
No. of Rain Days	17	19	28	9	14	17	14 +3	24	10	15	21	24	212

9,000, IX. '10

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL. 1/55

28 JAN 1914

Kept at Dolgelly, Bryntirion

in the County of Merioneth

by C. G. Beale

Lat. ____ Long. ____

Time of Observation ____

Nearest Railway Station ____

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ____ ft. 10 in.

" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.26	.45	.04							.22		1
2	.15	.27	.19	.09	.20	.20					.25	.21	2
3	.07		.25		.65					.04		.48	3
4	.30	.07	.09								.02	.31	4
5	.33	.09	.11		.20	.71	.19			1.54	.27	.04	5
6	.07	.20	.26		.19	.34	.04			.04		.32	6
7	.09	.56	.08		.30	.64				.11	.11	.03	7
8	.02	.27	.19		.38	.02	.09	.15	.04			.23	8
9		.37	.33	.07	.17	2.03		.25	.18		.26	.46	9
10	.71		.16	.10	.15	.11		.40	.12	.12	.22		10
11	.75			.89	.07	.04	.09	.11		.08	.38	.35	11
12			.05		.07	.25	.19	.17	1.48		1.71		12
13			.94	.08	.10		.05	.12	.60	.08	.55		13
14	.24		.46	.11				.04	.04	.85	.18	.49	14
15	.30		.32	1.37					.07		.01	.20	15
16	.12		.60	.17			.20				.18		16
17	.35		.23	.08		.02	.65				.18		17
18	.04		.23	.16			.35				.10		18
19	.36		.07	.13	.26	.53	.07		.12	.50	.78		19
20	.34		.20	.08	.04				.21	.10	1.24		20
21	.03		.23	.08	.08	.02	.42	.52		.42	.05		21
22	.80		.91		.22	.26		1.83	.47			.05	22
23	.11			.02	.12	.04			.26		.34	.15	23
24	.55	.16	.01	.29		.02						.12	24
25				.51					.35		.19	.10	25
26		.10		1.35		.18			.97			.60	26
27	.04	.07		.21						.23	.03	.07	27
28	.36		.12	.16	.25					.44	.10	.26	28
29			.10	.88	.28			.05		.60	.30		29
30	.67				.03					.19	.21		30
31	.09		.11		.05					.09			31
Total	6.89	2.42	6.69	6.87	3.81	5.41	2.34	3.64	4.91	5.43	7.88	4.47	YEAR'S TOTAL 60.76
Rain Days.	24	11	25	21	20	16	11	10	13	16	24	18	208

W. 7,500, XI. 12

209

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 2/55

23 JAN 1915

Kept at Dolgelly Bryntirion

in the County of Merioneth

by E. P. Beale

4

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Rain Gauge 5" in.

Height of top of Gauge above Ground ..... ft. 10 in.

" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.30			.13	1.35	.29		.01		.74	1
2	.10		.08		.08		.64	.02		.14	.08	.61	2
3	.32		1.15	.02	.76					.20		.82	3
4	.58		.59	.20	.44		.44				.24	.52	4
5			1.08	.09	.57			.08			.39	.16	5
6	.44	.06	.08	.03	.27	.04					.25	.09	6
7	.30	.23	.52	.05	.31	.20	.54	.18		.03	.11	.63	7
8			.02	.09	1.31	.05	.15	1.15			.05	.27	8
9	1.08	.14	.02	.44	.45	.35		.37	.09		.35		9
10	1.70	.44	.06	.15	.29			.05	.41				10
11	.05	.33	.50		.10	.05	.36		.03		.53	.54	11
12		.73	.36		.10				.60		1.12		12
13		.36	.53	.09	.06		.05		.27	.09	.26	.12	13
14		.61	.25				.13		.13		.22		14
15			.48						.06			.16	15
16		.07	.12				.13		1.44			.15	16
17		.76	.48						.19			1.10	17
18			.24				.09					.42	18
19		.21	.13				.41		.25		.14	.27	19
20		.64				1.07	.05					.19	20
21		.17			.02	.16				.16			21
22		.67		.22	.03	.14		.56					22
23		.05	.34				.16	.04					23
24	.15		.24	.04	.03	.13	.29				.39		24
25	.27						.16	.60		.50	.13	.45	25
26			.14				.91	.09		.17	.69	.29	26
27	.66	.03								.16	.48	1.40	27
28	.92	.38	.68		.15		.15	.18			.17	.80	28
29	.26		.08		.04			.50		.06	.50	.11	29
30	.03		.57					.08			.25	.48	30
31	.30		.22		.09		.15			.06		.11	31
Total	7.16	5.88	9.26	1.42	5.10	2.32	6.16	4.19	3.47	1.58	6.35	10.43	YEAR'S TOTAL 63.32
Rain Days.	15	17	26	11	18	10	18	14	10	11	19	23	192

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

Kept at Dolgelly

in the County of Merioneth

by E. P. Beale

Lat. ____ Long. ____

Time of Observation ____

Nearest Railway Station ____

Diameter of Rain Gauge ____ in.

Height of top of Gauge above Ground ____ ft. ____ in.

" " " " Sea Level ____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.33	.15	.03		1.31			.24	.40	.30		.17	1
2	.54	.94	1.10	.62			.72	.34	.12			.05	2
3		.05	.45	.43			.25	.32				.18	3
4	.21	.15			.14							1.08	4
5		.70	.42	.14	.25	.35		.15				1.24	5
6	1.00	.05	.25	.34			.25	.30				.42	6
7	.83	.73	.04	.12		.01	.24	.24			.05	.72	7
8	.26	.62		.11				.38		.08	.94		8
9	.25	.75		.81			.05	.07			.20	.66	9
10	1.15	.07	.42	.20			.12	.13		.07	.15	.16	10
11					.08			.11			1.33		11
12	.41			.11				.28		.05	1.11	.08	12
13	.02	.26						.04	.21	.12	.15	.10	13
14	.17	.04		.05	.15			.04			.23	.40	14
15	.41			.08	.08		.07	.02	.21		.10	.26	15
16	.10	1.09		.13	.18		.99	.18	.04			.07	16
17	.08	.80			.33								17
18	.06	.44	.32				.07					1.44	18
19	.03	.05	.36	.32			.55						19
20	1.15		.09	.11				.05				1.24	20
21	.60	.14		.04	.25		.51			.15		1.23	21
22	.13	.09	.09	.11		.13	.40		.04	.05		.58	22
23		.18	.12	.04		.50				.58		.26	23
24			.10						.23	.13		.51	24
25						.29	.05		.30		.10	.04	25
26		.62					.21		.30			.68	26
27		.14				.05	.41			.42		1.25	27
28		.25				.26	.11	.14	.10		.25		28
29						.25	.04		.29			.20	29
30	.30	X		.71						.39		.43	30
31	.06	X		X		X	.24	.27	X	.11	X	.51	31
Total	8.09	8.31	3.79	4.47	2.77	1.84	5.28	3.30	2.24	2.45	4.61	13.96	YEAR'S TOTAL 61.11
Rain Days.	21	22	13	18	9	8	16	18	11	12	11	26	187

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL. 30 JAN 1917

Kept at Dolgelly

in the County of Merioneth

by E. P. Beale

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.15	.08	.21				.14			.11	.23		1
2	.33	.30	.17				.15		.74	1.05	.16		2
3		.81		.10	.07	.48	.22		1.03	.35	.10	.09	3
4	.33	.22	.03	.08	.31	.92			.23	.02	.38		4
5	.13	.61	.07		.08	.06				1.08	.16		5
6	.49	.11			.38		.22			.28	.77		6
7	.02	.03	.03		.23	.11	.13			.45	.43	.40	7
8	.10				.20	.08	.04			.03	.05	.11	8
9	.22	.11			.08	.50	.02				.06	.09	9
10	.14	.39		.54	.10		.03			.16	.13		10
11	.13	.15		.93	.29		.04		.32		.22		11
12	.21	.13	.03	.12	.32		.04	.44	.13	.24	.02		12
13		.23	.07	.13	.07		.62	.26		.36			13
14	.19	.20		.14	.74			.34	.17	.16			14
15		.58	.08	.26	.03			.66	.52	.06			15
16	.04	.02		.79	.03		.35	.06		.39			16
17	.22	.36		1.60			.13		2.36	.29		.18	17
18	.03	.86	.02	2.11				.02	.83	.10	.26	.50	18
19	.28		.48	.14				.34			.37	.18	19
20	.19		.38	.03							.28		20
21	.11		.03		.09		.37					.73	21
22				.03		.22				.16	.07	.24	22
23	.12		.08	.20				.21		.28	.45	.39	23
24		.11	.05	.15	1.15			.39		.36		.09	24
25	.14	.01	.16			.24		1.48	.05	.23	.97		25
26		.01	.05			.17		.02	.14	.10	.08		26
27					.05			.13	.64	2.11	.02		27
28		.19	.06							.67	.26	.77	28
29		.04				.46				.45	.08	.33	29
30		X				.48		.20		.21	.03	.13	30
31		X		X	.21	X		.22	X	.73	X	.08	31
Total	3.57	5.55	2.00	7.35	4.43	3.72	2.50	4.77	7.16	10.43	5.58	4.31	YEAR'S TOTAL 61.37
Rain Days.	20	22	17	16	18	11	14	14	12	26	23	15	208

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

Kept at Dolgelly, Brynlirion

in the County of Merioneth

by E. P. Beale

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.15	.24		.25		.04	.75		.15	.24	1
2	.07			.37		.04				.23	.07	.02	2
3	.14	.04				.16				1.39		.12	3
4		.09	.15							1.27			4
5	1.11		.15	.34		.02			.69	.42	.28		5
6	.05		.32			.21				.28	.54	.31	6
7	.91							.04		.17	.21	.12	7
8	.32			.35		.09		1.44	.52	.77	.97	.33	8
9	.05		.15	.20	.03			1.22		.22	.82	.03	9
10	.15		1.20	.60		.05		.09	.03	.18	.05		10
11	.35			.35						.64	.17		11
12	.22		.18		.78	1.36		.08	.19	.42		.13	12
13	.04			.18				.32	1.52	.10	.38	.20	13
14	.01			.07	.11		.39	.11		.17		.11	14
15				.16			.09	.04	.02	.32		.64	15
16		.08		.17				.74	.30	.25	.08	.42	16
17		.02	.50	2.00			.96	1.73	.50	.05	.10		17
18			.35	.17			.48	.17	.76	.20			18
19		.92	.55		.23	.21					.02		19
20		.67	.03			1.32		.15	.09	.06	.71		20
21								.04		.13	.05		21
22		.05				.07		.59	1.00	.59	.25	.26	22
23		.28			.23	.56	.28	.11	.06	.31		.23	23
24		.16	.10			.06		.32		.48	.29		24
25		.51	.42				.04	.27	.19	.05	.21		25
26					.62		.32	.20	.44	.32	2.02		26
27			.21		.58	.65	.30	.57		.23	.03		27
28		.37	.07		.16		.07	1.15		.29	.04		28
29			.05					.14		.83		.15	29
30		X	.15					.52		.18	.45		30
31		X	.26	X	.34	X		1.01	X		X		31
Total	3.42	3.19	4.99	5.20	3.08	5.05	2.93	11.09	7.06	10.55	7.89	3.31	YEAR'S TOTAL 67.76
Rain Days.	12	11	18	13	9	14	9	24	15	28	22	15	190

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL. 22.1.19

Kept at Dolgelly, Bryntirion

in the County of Merioneth

by E. P. Peale

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.11		.32	.06			.05	.15	.08	.07		1
2		.09		.07				.18	.27	.05	.50	.82	2
3		.09			.37				1.47	.54	.20	.02	3
4	.10	.09							.50	1.23	.58	.17	4
5		1.00		.25	.37	.46		.55	.21	1.06			5
6	.04	1.00		.65						.49		.08	6
7	.06	.18		.22				.05	1.30	.03	.55		7
8	.23	.29				.24	.20		.92	.40	.07	.15	8
9	.08	.39		.16		1.69	.14		1.06	.91	.06	.12	9
10		.40		.05		.11	.40		.43	.44	1.63	.21	10
11		.18	.17		.25		.34		.42			.72	11
12		1.02			.43	.09	.21		.25			.07	12
13		.10			.03	.12			.31	.06		.04	13
14	1.25					.13	.20	.15	.46			.69	14
15	.11						.46		1.25			.70	15
16	.03			.02		.08	.24	.10	.23	.19		.55	16
17	.40					.05	.45	.16	.67	.10		.48	17
18	.86	.10	.10			.35			.22			.41	18
19	.17	.40	.19	.23			.42	.03	.06			.22	19
20	.64	.23		.22	.45	.52	.11	.07	.54			.01	20
21	.44	.41		.05		.25	.22		1.01			.39	21
22	.05					.05	.20	.04	.54			.55	22
23	.18				.61		.04		.27		.05	.10	23
24	.08	.40			2.37	.05		.43	.84	.05	.20	.12	24
25		.03					.22	.87	.38	.15	.22	.10	25
26		.16			.33		.17	.15	.21	.14	.04	.53	26
27		.20	1.07			.30		.77	.20	.05	1.21	.25	27
28		.08	1.08						.04		1.16	.87	28
29			.21					.10	.42			.37	29
30		X	.07					.26	.09	.10	.10	.25	30
31		X	1.35	X		X		.07	X	.11	X	.24	31
Total	4.72	6.95	4.24	2.24	5.27	4.49	4.02	4.03	14.72	6.18	6.64	9.23	YEAR'S TOTAL 72.73
Rain Days.	16	22	8	11	10	15	16	17	29	19	15	28	206

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1919

3867

FORM A.
BRITISH RAINFALL.

Kept at Dolgelly, Bryntirion

in the County of Merioneth

by E. P. Deale

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.22		.02	.05	.34		.20		.91	.40		.55	1
2	.05		.22						.05			.07	2
3	.15				.20	.15						.45	3
4		.11	.38		.04		.11	.49	.18			.55	4
5	.05	.14		.09	.12				.22			.62	5
6			1.07						.44				6
7			.40	.09		.02						.75	7
8	.48		.16			.08					.04		8
9	.42			.25	.10								9
10	.20		1.50	.09	.03	.01				.17	.10	.31	10
11	.05		1.69	.39	.17		.20			.05		.35	11
12			.08	.02		2.90	.03			.50	.08	.02	12
13	.48			.22			.34			.48		.31	13
14	.51			.34			.15	.12		.30		.06	14
15	.70			.45						.45	.04	.68	15
16	.10	.21		.05		.15	.09				1.35		16
17	.12	.27		.57		.47	.13	.76			.85	.05	17
18	.08		1.51				.13	.75	.55		.08	.13	18
19	.08	.75	.52			.59		.18	.45		.24	.70	19
20	.39	.11	.11		.09				.76		.05	1.63	20
21		.59					.81		.68		.18	.15	21
22		.61				.21		.05	2.28	1.31	.08	3.25	22
23						.26		.10		.41	.06	.21	23
24	.24				.47	.06			.20	.02	.50	.38	24
25	.35			.30		.02		.33	.19	.03	.25		25
26	.13	.02		.38		.16		.83	.03		.02	.45	26
27	.88		.57	.69		.02		.21					27
28			.30	.10		.02		.99		.03		.49	28
29			.07	.04				.03		.07	.02	.39	29
30		X	.10	.80		.25					.65	.87	30
31		X		X		X	.60	.10	X		X	.08	31
Total	5.68	2.81	8.70	4.92	1.56	5.37	2.79	4.94	6.94	4.22	4.59	13.50	YEAR'S TOTAL 66.02
Rain Days.	20	9	16	18	9	16	11	13	13	13	17	25	180
	20	18	15	17	8	11	10	12	12	10	15	24	162

Days with .04 in.

W, 6,500, VII. 18. W W C

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Dolgelly, Bryntirion

in the County of Merioneth

by E. P. Beale

Lat. ..... Long .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·05		·05	·64		·75	·01	·35	·88		·36	1
2		·08		·11			·04		1·00	·05		·16	2
3		·25		·16	·11		·18	·07	·49	1·20	·02	·11	3
4				·08	·08			1·27	·92	·18			4
5			·20		2·44		·17	·26	·71	·20			5
6	·04		·60	·20	·37					·29		·03	6
7	·18	·23	·12	·15			·07		·03		·10		7
8	·56	·02		·47	·27		·45	·31					8
9	·47	1·45	·25	·76			·30	·12	·10		·30	·02	9
10	·78	·45	·29			·17	·35	·01					10
11	·08	·05	·20	·40	·02	·73	·07	·05			·05		11
12	·27	·13	·05	·30	·20		·15			·12	·44	·04	12
13	·20	·23	·45	·57	·13	·02					·34		13
14	·05		·46	·31		·29	·25		1·60	·39	·54		14
15	·07	·23	·32	·84		·15				·02			15
16	·05	·02	·52	·49	·36	·30	·42		·98	·72	·03		16
17	·20			·10	·40	·24	·02	·49	·40				17
18	·44	·08		·18	·34	1·22		·05	·10				18
19	·20	·82		·50	·24	·10	·99						19
20	·55			·59			·32		·21			·18	20
21				·09			1·75	·05				·32	21
22	·15			·02			·59	·46					22
23	·10		·32	·37			·18					·19	23
24	·04		1·13	·19		·10		·02			·01	·81	24
25	·03	·14	·36	·29	·28	·13	·99		·05			·04	25
26	·47	·57	1·13	·69								·08	26
27	·20	·22	1·22	·41	·34	1·13	·42					·19	27
28	·55	·28	·30	·20	·06	·02	·03				·04	·63	28
29	·24	·04	·15	·02	1·27	·05	1·86				·30	·80	29
30	·37		·77	·54	·14	·37			·61		·65	·70	30
31	·35		·27		·46		·11			1·00		·13	31
TOTAL	6·64	5·28	9·11	9·08	8·15	5·02	10·46	3·17	7·55	5·05	2·82	4·79	YEAR'S TOTAL 77·12
Days with ·01 in. or more	25	19	20	28	19	15	23	13	14	11	12	17	216

(41283). Wt. 21,958—218, 7500. 10/19. Gp. 182. A.&E.W.

18 13 21 10 13 10 9 15. 196

FORM A. 2. METE[illegible] ORGANIZATION.

4335

FESTINIOG, HAFOD FAWR

1919 - 20

1919.

Kept at Hafo[illegible] Long 3·50 W

in the County of [illegible] 9 A.M.

by K. Lod[illegible] tion Festiniog

of Rain Gauge 9 in.

ge above Ground 1 ft. — in.

,, Sea Level 900 ft.

ult entered to the previous day.

781708

IMPORTANT

If an Observer prefe[illegible] requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	X	0·00	1·40	0·50	13·80	0·00	19·00	3·50	33·50	9·60	0·00	8·20	1
2	X	0·00	16·90	0·50	1·00	0·00	0·20	4·30	6·20	2·60	1·30	15·60	2
3	20·00	0·00	0·00	0·70	7·40	3·70	2·00	0·00	0·00	0·00	0·00	9·70	3
4	0·00	1·30	7·50	0·00	4·00	0·50	6·00	12·40	8·50	0·00	0·00	16·80	4
5	3·00	3·70	0·00	2·70	3·50	0·00	0·20	0·00	10·00	0·00	0·00	22·50	5
6	0·50	0·00	16·20	0·00	0·40	0·00	0·00	0·00	3·50	0·00	0·00	10·60	6
7	1·50	0·00	9·10	2·00	0·00	1·10	0·00	0·00	1·40	0·00	1·60	3·70	7
8	17·00	0·00	4·90	1·00	0·00	4·50	0·00	0·00	1·00	0·00	0·00	0·00	8
9	22·00	0·00	4·00	6·00	0·00	0·00	0·00	0·00	0·00	4·20	1·00	0·00	9
10	5·10	0·00	63·80	2·20	1·50	0·20	0·00	0·00	0·00	0·00	4·50	18·30	10
11	2·00	0·00	23·00	5·00	3·60	0·00	3·00	0·00	0·00	2·60	0·00	6·40	11
12	30·00	0·00	9·00	10·00	1·70	31·20	0·00	0·00	0·00	14·50	9·50	0·00	12
13	7·30	0·00	0·00	4·70	0·00	0·00	4·30	0·00	0·00	4·00	0·00	9·70	13
14	15·10	0·00	0·00	13·70	0·00	0·00	2·50	2·20	0·00	4·00	1·40	3·50	14
15	21·00	1·10	0·50	0·00	3·00	0·00	0·00	0·00	0·00	10·90	14·80	16·00	15
16	4·60	6·70	0·20	0·50	0·20	3·40	5·00	0·00	0·00	0·00	33·40	3·10	16
17	1·30	12·30	1·00	6·00	0·00	10·00	4·00	27·00	0·00	0·00	6·60	1·20	17
18	3·10	1·50	31·00	0·00	0·30	0·40	6·00	18·00	12·90	0·00	2·90	3·30	18
19	1·70	6·20	9·20	0·00	0·00	2·00	0·20	6·00	7·00	0·00	1·50	8·90	19
20	7·60	5·20	2·00	0·00	1·50	4·00	0·00	0·00	25·30	0·00	2·90	34·30	20
21	1·50	10·80	0·00	0·00	0·00	0·00	12·80	0·00	20·00	0·00	3·70	4·00	21
22	0·00	18·50	0·00	0·00	0·00	11·00	0·00	2·00	26·00	1·40	6·40	10·30	22
23	0·20	0·00	0·00	0·50	0·00	5·70	0·00	0·00	0·00	28·20	11·00	3·30	23
24	1·20	0·00	0·00	1·00	7·50	0·00	0·00	0·00	13·70	11·00	5·90	X	24
25	1·10	0·00	0·00	5·00	0·00	2·50	0·00	17·70	12·20	1·80	2·40	X	25
26	3·50	5·80	24·00	1·00	0·00	3·00	0·00	26·50	0·00	3·70	3·90	X	26
27	18·90	0·20	1·50	23·00	0·00	0·20	0·00	5·30	4·00	1·90	0·00	(75·00)	27
28	0·00	0·00	1·20	2·30	0·00	2·00	0·00	18·60	1·20	3·50	0·00	X	28
29	1·00		4·00	4·10	0·00	0·20	0·00	3·00	0·20	8·10	11·70	X	29
30	0·00	X	6·00	13·70	0·00	6·50	0·00	0·00	0·00	0·00		X	30
31	0·30	X	6·40	X	0·00	X	16·80	6·00	X	1·50	X	X	31
TOTAL	200·50	65·30	242·50	116·60	49·40	112·80	75·20	131·20	184·00	113·00	137·40	(387·30)	(1335·90)
Days with 0·2 mm. or more	25 27	12	22	23	14	18	14	14	16	18	19	(28)	244 (222)

(44,284). Wt. 41,958—218. 500. 10/19. Gp.132. A.&E.W.

FORM A. 2. METE[illegible] ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Hafod Faur Uchaf Festiniog

in the County of Merioneth

by K. Lodge

Lat. 52·45´ Long. 3·50´W

Time of Observation 9 A.M.

Nearest Railway Station Festiniog

Diameter of Funnel of Rain Gauge 9 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 900 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	X	0·00	1·40	0·50	13·80	0·00	12·00	3·50	33·50	9·60	0·00	8·20	1
2	X	0·00	16·90	0·50	1·00	0·00	0·20	4·50	6·20	2·60	1·30	15·60	2
3	20·00	0·00	0·00	0·70	7·40	3·70	2·00	0·00	0·00	0·00	0·00	9·70	3
4	0·00	3·30	7·50	0·00	4·00	0·50	6·00	12·40	8·50	0·00	0·00	16·80	4
5	3·00	3·70	0·00	2·70	3·50	0·00	0·20	0·00	10·00	0·00	0·00	22·50	5
6	0·50	0·00	16·20	0·00	0·40	0·00	0·00	0·00	3·50	0·00	0·00	10·50	6
7	1·50	0·00	9·10	2·00	0·00	3·00	0·00	0·00	1·00	0·00	1·60	3·70	7
8	17·00	0·00	4·90	1·00	0·00	4·50	0·00	0·00	1·00	0·00	0·00	0·00	8
9	22·00	0·00	4·00	6·00	0·00	0·00	0·00	0·00	0·00	4·20	1·00	0·00	9
10	5·00	0·00	63·80	2·20	1·50	0·20	0·00	0·00	0·00	0·00	4·50	18·30	10
11	2·00	0·00	23·00	5·00	3·60	0·00	3·00	0·00	0·00	2·60	0·00	6·40	11
12	30·00	0·00	9·00	10·00	1·70	31·20	0·00	0·00	0·00	14·50	9·50	0·00	12
13	7·30	0·00	0·00	4·70	0·00	0·00	4·50	0·00	0·00	4·00	0·00	9·70	13
14	15·10	0·00	0·00	13·70	0·00	0·00	2·50	2·20	0·00	4·00	1·40	3·50	14
15	21·00	1·00	0·50	0·00	3·00	0·00	0·00	0·00	0·00	10·90	14·50	16·00	15
16	4·60	6·70	0·20	0·50	0·20	3·40	5·00	0·00	0·00	0·00	33·40	3·10	16
17	1·30	12·30	1·00	6·00	0·00	10·00	4·00	27·00	0·00	0·00	6·60	1·20	17
18	3·10	1·50	31·00	0·00	0·30	0·40	6·00	18·00	12·90	0·00	2·90	13·30	18
19	1·70	6·20	9·20	0·00	0·00	21·00	0·20	6·00	7·00	0·00	3·50	8·90	19
20	7·60	5·20	2·00	0·00	1·50	4·00	0·00	0·00	25·30	0·00	2·90	34·30	20
21	1·50	10·80	0·00	0·00	0·00	0·00	12·80	0·00	20·00	0·00	3·70	4·00	21
22	0·00	10·50	0·00	0·00	0·00	11·00	0·00	2·00	26·00	1·40	6·40	10·30	22
23	0·20	0·00	0·00	0·50	0·00	5·70	0·00	0·00	0·00	28·20	11·00	3·30	23
24	1·20	0·00	0·00	1·00	7·50	0·00	0·00	0·00	12·70	11·00	5·90	X	24
25	11·10	0·00	0·00	3·00	0·00	2·50	0·00	17·70	12·20	1·80	2·40	X	25
26	3·50	5·80	24·00	1·00	0·00	3·00	0·00	24·0 26·50	0·00	3·70	3·90	X	26
27	18·90	0·20	1·50	23·00	0·00	0·20	0·00	5·30	4·00	1·90	0·00	(15·00)	27
28	0·00	0·00	1·20	2·30	0·00	2·00	0·00	18·60	1·20	3·50	0·00	X	28
29	1·00		4·00	4·10	0·00	0·20	0·00	3·00	0·20	8·10	11·70	X	29
30	0·00	X	6·00	13·70	0·00	6·50	0·00	0·00	0·00	0·00		(	30
31	0·30	X	6·40	X	0·00	X	16·80	6·00	X	1·50	X	X	31
TOTAL	200·50	165·30	342·50	116·60	49·40	113·80	75·20	151·20	184·00	113·00	137·40	(387·30) 39·40	(1855·9) 249·20
Days with 0·2 mm. or more	25	17	12	22	23	14	18	14	14	16	18	19	(28) 24 (225)

(44,284). Wt. 11,958—215. 500. 10/19. Gp.132. A.&E.W.

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Llapel-pauz: ucha

in the County of Merioneth

by T. Lodge

Lat. 52·45° N Long 3·50 W

Time of Observation 9 A.M.

Nearest Railway Station

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level 900 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1			1·1	·5	13·8		12·0	3·5	33·5	9·6		8·2	1
2			16·9	·5	1·0		·2	4·5	6·2	2·6	1·3	15·6	2
3	20·0			·7	7·4	3·7	2·0					2·7	3
4		2·3	7·5		4·0	·5	6·0	12·4	8·5			6·8	4
5	3·0	2·7		2·7	3·5		·2		10·0			22·5	5
6	·5		26·2		·4				3·5			10·5	6
7	1·5		9·1	2·0		2·0			1·0		1·6	3·7	7
8	17·0		4·9	1·0		4·5			1·0				8
9	22·0		4·0	6·0						4·2	1·0		9
10	5·1		53·8	2·2	1·5	·2					4·5	18·3	10
11	2·0		23·0	5·0	3·6		3·0			2·6		6·4	11
12	20·0		9·0	10·0	1·7	31·7				14·5	9·5		12
13	17·3			4·7			4·5			4·0		9·7	13
14	15·1			13·7			2·5	2·2		4·0		3·5	14
15	21·0	1·1	·5	10·0	3·0					10·9	1·4	16·0	15
16	4·6	6·7	·2	·5	·2	3·4	5·0				24·8	3·1	16
17	1·3	12·3	1·0	6·0		10·0	4·0	27·0			33·4	1·2	17
18	3·1	1·5	31·0		·3		6·0	18·0	12·9		6·6	13·3	18
19	1·7	6·2	9·2			21·0		6·0	7·0		2·9	8·9	19
20	7·6	5·2	2·0		1·5	4·0	·2		25·3		2·5	34·3	20
21	1·5	10·8					12·8		20·0		2·9	4·0	21
22		10·5				11·0		2·0	25·0	1·4	3·7	110·3	22
23	·2			·5		5·7				28·2	6·4	3·3	23
24	1·2			1·0	7·5				12·7	11·0	11·0		24
25	11·1			5·0		2·5		17·7	12·2	1·8	5·9		25
26	3·5	5·8	24·0	1·0		3·0		25·0		3·2	2·4		26
27	18·9	·2	1·5	23·0		·2		5·3	4·0	1·9	3·9		27
28			1·2	2·3		2·0		18·6	1·2	3·5		(15·09)	28
29	1·0		4·0	4·0		·2		3·0		8·1			29
30			6·0	13·7		6·5					11·7		30
31	·3		6·4				16·8	6·0		1·5			31
TOTAL	200·5	65·3	242·5	116·0	49·4	112·1	75·2	151·2	184·0	113·0	137·4	387·3	YEAR'S TOTAL
Days with 0·2 mm. or more	25	12	22	23	14	18	14	14	16	17	19	28	(222)

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Llapod Fawr, Festiniog

in the County of Merioneth

by H. Lodge

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1		10·40	3·0	4·8	17·4	6·9	7·4	1·0	5·9				1
2		14·40		2·1	1·4		28·4		14·0				2
3	(-)	6·70		2·4	2·5		14·0		11·8				3
4			·6		4·0		10·6		10·5				4
5	-		8·2		72·2		·6		45·0				5
6	2·4		8·6	6·5	10·7		10·1	(140·0)					6
7	12·0	5·6	3·0	2·9	·4		2·1		4·0				7
8	7·4	1·8	·7	9·5	8·5	·3	5·7		1·1				8
9	26·3	73·4	3·2	16·3			11·8		3·3				9
10	31·5	22·6	4·2				7·4	·6					10
11	8·1	·7	2·4	4·5	7·2	3·3	2·6	1·8					11
12	10·6	23·2		5·9	·6	·9	8·7		1·8				12
13	3·3	5·8	11·4	19·4	2·8	17·1	7·0						13
14	4·3	2·3	7·7	13·1	·7	1·8	1·0		43·5				14
15	2·4	6·9	10·8	40·0		1·2	3·0		1·4				15
16	5·7	1·8	14·0	12·6	5·9	1·1	18·2		6·1				16
17	13·0		10·0	1·8	9·6	4·5	1·8	28·2	16·3				17
18	21·4	2·1		6·2	28·4	9·9	1·7	3·9	12·1				18
19	1·0	23·2	·6	9·5	12·9	13·7	12·8	1·8	##				19
20	17·0			10·0		3·5	8·2						20
21	·7			6·0		·5	27·9	2·3					21
22	13·4			2·5			14·0	8·7					22
23	4·0		6·1	7·5	·7	1·4	7·8						23
24	6·0	·5	24·6	9·0			34·4	·4					24
25	3·4	3·6	11·0	5·5		1·6	5·3						25
26	7·8	20·0	28·1	32·8	·7	2·5							26
27	17·4	6·8	28·2	2·2	·7	·8	8·4						27
28	9·2	5·4	9·4	3·0	5·7	20·5	1·0						28
29	8·8	2·7	1·5	4·0	2·0	3·3	52·3						29
30	20·0	X	12·3	18·0	8·0								30
31	7·5	X	5·3	X	2·1	X	5·1		X		X		31
TOTAL	264·3	239·9	214·9	258·0	205·1	94·8	319·3 ~~311·3~~	188·7 188·4	-				YEAR'S TOTAL
Days with 0·2 mm. or more	26	21	24	27	23	19	29	8					

Record stopped for a while

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

Card for W.D. 24.IV.12

REGIS

MERIONETH

FESTINIOG.

MORWYNION LAKE.

1911–1916, 1920

FORM A2.
BRITISH RAINFALL.
30 JAN 1912

Kept at Morwynion o

in the County of Merione

by Festiniog Urban C

the last year

in.

Ground ft. in.

Sea Level ft.

Name Festiniog (G.W.R.)

Distance 2½ mls. Direction East

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
Jany 1st 1912
0.31

Date Dec. 31st 1910 0.00	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.80		.52	.04	.03	.01	.01	.16		.43	.07	.25	1
2			.99		.20		.13	.52		.01	1.08	.45	2
3			.32		.45		.10	.07		.16	.03	.03	3
4			.52		1.40		.02	.05			.82	.53	4
5			.20		.12		.01	1.23	.05	.02	.69	.48	5
6	.08		.25		.01			2.50		.02			6
7	.30		.15					.93			.36	.66	7
8	.30		.02					.01		.04	.59	.69	8
9	.68		.46								.47	.86	9
10			.02								.92	.92	10
11	.57	.14	.38								.05	.04	11
12	.23		.12		.01				.02		.11	.02	12
13		.04	.50						.81	.01	1.61	.02	13
14		.03	.08		.53	.04		.03	.02		.37	.17	14
15	.02	.70	.02		.06				.01		1.55	.10	15
16	.05	.48	.08		.01	.03				.01	.16	.21	16
17	.07	.93	.02	.05		.03					.38	.30	17
18	.10	.15	.01	.03		.77		.13			.33	.45	18
19		.72	.01	.38		.08		.02		.13	.27	1.04	19
20		.03		.85		.38	.21		.85	.16	.30	.81	20
21	.04	.32	.01	.95		.48	.16	.65	.91	.16	.02	.05	21
22	.01	.23	.01	1.50		.30	.65	.06	.01	.56	.03	.11	22
23	.09	.75		.31		.09		.01	.01	.82	.03	.05	23
24	.05	.09		.02	.30	.04		.02	.43	.90		.45	24
25	.07	.75		.62	.10	.09		.25	.22	.55		.04	25
26	.12	.27		1.20		.04	.06	.13	.95	.20		.15	26
27	.18	.38		.80		.60		.85		.22	.09	.26	27
28		.52		1.20		.01	.28	1.62	.97	.01	.29	.40	28
29		~~.31~~		.20		.50			.01	.01		.63	29
30				.03		.46	.21		.87	1.30		.62	30
31			.03				.13			1.65		.01	31
Total	~~.52~~ ~~.04~~ 4.22	6.53	4.72	~~.03~~ 8.18	~~.01~~ 3.02	~~.01~~ 3.85	~~.16~~ 1.94	9.23	~~.43~~ 6.14	~~.07~~ 7.14	~~.25~~ 10.50	~~.31~~ 11.28	TOTAL for year
No. of Rain Days.	3.42 ~~.16~~	7.05 ~~.18~~	4.24 22	8.17 18	3.00 12	3.85 17	2.12 12	9.07 18 ~~.19~~	6.57 16 ~~.15~~	6.81 21	10.68 24	11.34 30	76.32 221

W. 8,000, X. '11.

Cond for W.D. 29.IV.12

REGIS

FORM A2.
BRITISH RAINFALL.

30 JAN 1912

Kept at Morwynion Lake.

in the County of Merioneth 3

by Festiniog Urban District Council

RAIN GAUGE { Pattern ... Diameter of top ... in. Height of top above Ground ... in. ,, ,, ,, Sea Level ... ft.

Time of Observation 9 AM

Nearest Railway Station { Name Festiniog (G.W.R.) Distance 2½ mls. Direction East

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. Jany 1st 1912 0.31

Date Dec. 31 1910 0.00	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.80		.52	.04	.03	.01	.01	.16		.43	.07	.25	1
2			.99		.20		.13	.52		.01	1.08	.45	2
3			.32		.45		.10	.07		.16	.03	.53	3
4			.52		1.40		.02	.05			.82	.53	4
5			.20		.12		.01	1.23	.05	.02	.69	.48	5
6	.68		.25		.01			2.50		.02			6
7	.30		.15					.93			.36	.66	7
8	.30		.02					.01		.04	.59	.69	8
9	.68		.46								.47	.86	9
10			.02								.92	.92	10
11	.37	.14	.38								.08	.04	11
12	.23		.12		.01				.02		.11	.02	12
13		.04	.50						.81	.01	1.61	.02	13
14		.03	.08		.33	.04		.03	.02		.37	.17	14
15	.02	.70	.02		.06				.01		1.33	.10	15
16	.05	.48	.08		.01	.03				.01	.16	.21	16
17	.04	.93	.02	.05		.03					.38	.30	17
18	.10	.15	.01	.03		.77		.13			.33	.45	18
19		.72	.01	.38		.08		.02		.13	.27	1.04	19
20		.03		.85		.38	.21		.85	.16	.30	.81	20
21	~~.01~~	.32	.01	.95		.48	.16	.65	.91	.16	.02	.05	21
22	.01	.23	.01	1.50		.30	.65	.06	.01	.36	.03	.11	22
23	.09	.75		.31		.09		.01	.01	.82	.08	.05	23
24	.05	.09		.02	.30	.04		.02	.45	.90		.45	24
25	.07	.75		.62	.10	.09		.25	.22	.05		.04	25
26	.12	.27		1.20		.04	.06	.13	.95	.20		.15	26
27	.18	.38		.80		.60		.85		.22	.09	.25	27
28		.62		1.20		.01	.28	1.62	.97	.01	.29	.40	28
29		~~.01~~		.20		.50			.01	.01		.63	29
30				.03		.46	.21		.87	1.30		.62	30
31		.52	.03 .04	.03	.01	.01	.13 .16		.43	1.65 .07	.25	.31	31
Total	4.22	6.83	4.72	8.18	3.02	3.85	1.94	9.23	6.14	7.14	10.50	11.28	TOTAL for year
No. of Rain Days.	3.42 17 16	7.05 17 18	4.24 22	8.17 15	3.00 12	3.85 17	2.12 12	9.07 19 18	6.57 15 16	6.81 21	10.68 24	11.34 30	76.32 221

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL.

30 JAN 1913

Kept at Morwynion Lake

in the County of Merioneth 3

by E. Lewis Evans Surveyor to the Festiniog Urban District Council

RAIN GAUGE { Pattern ; Diameter of top ... in. ; Height of top above Ground ... ft. ... in. ; " " Sea Level ... ft. }

Time of Observation ...

Nearest Railway Station { Name ... Distance ... Direction ... }

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. 1913 ·63

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·31	- .	·02	·30	·05	·21	·16	·71	·41	·01	1·07	- .	1
2	·18	- .	·49	·15	·09	·11	·18	·10	·23		- .	·42	2
3	·19	- .	·80	·15	·26	·21		- .	·11		- .	·07	3
4	·81	- .	·10	·01	·04	·20		·35	·70		·11	·40	4
5	1·03	- .	1·69	·35	·03	·14		·83	·08		·90	·06	5
6	·08	- .	·27	·05	·10	·01		·17	·21		- .	·09	6
7	·45	·16	- .	·01	·22	·03		·65	·01		·10	·03	7
8	·10	·44	·30	·23	·34	·14	·37	·17	·49		·21	·07	8
9	·41	·23	·25	·11	·27	·15	- .	·08	·07		·09	- .	9
10	·05	·45	·06	·25	- .	·16	·08	·03	·01		·20	·04	10
11	·41	- .	- .	·05	- .	·16	·30	·34	- .		·85	·22	11
12	·13	- .	·18	- .	·13	·03	·26	- .	- .		·60	1·34	12
13	·18	·05	·66	·06	- .	·03	·32	·15	- .	·02	·05	·31	13
14	·10	- .	·13	- .	- .	·06		·20	·02	·66	·19	1·32	14
15	·40	·04	·30		- .	·30		·40		·05	- .	·85	15
16	·45	·16	·17		·02	·62		·09		·02	- .	·06	16
17	·15	·24	·39		·09	- .		·60		·47	·07	·06	17
18	·01	·55	·21		- .	3·50		·90		- .	·41	·39	18
19	- .	·07	·30		·02	·22		·06		·14	·23	·15	19
20	- .	·21	·19		- .	·82	·02	·78		·19	·02	·15	20
21	·02	·02	·28		·25	·20		·17		·60	·39	·26	21
22	- .	·10	·17	·06	·35	·02		·23		·67	·01	·57	22
23	- .	·91	·01		·20	·09	·03	2·13		·03	·12	·20	23
24	- .	·02	·14			·24	·08	2·71		·03	·82	·08	24
25	- .	·09	·63			·50	·37	·01		-	·07	·29	25
26	- .	- .	·62			·59	·37	·01		-	1·15	·44	26
27	- .	·26	·64			·09	·17	·55		2·78	1·13	·07	27
28	- .	·08	1·60			1·12	·86	- .		·54	·02	·62	28
29	- .	·24	- .			·33	·31	·49	·05	·33	·22	- .	29
30	- .		- .			·15	·95	·92	·30	·49	- .	·06	30
31	- .		·40		·05		·20	- .		·61		·12	31
Total	~~5·46~~ -	~~4·32~~ ·02	~~11·40~~ ·36	~~1·78~~ ·05	~~2·41~~ ·21	~~10·10~~ ·16	~~5·03~~ ·11	~~13·73~~ ·41	~~2·69~~ ·01	~~7·04~~ 1·07	~~8·94~~ -	~~9·11~~ ·63	TOTAL for year 83.30
No. of Rain Days.	5·15 ~~19~~ 18	4·34 ~~19~~ 20	11·68 27	1·53 13	2·87 17	10·41 29	5·58 14	13·43 27	2·29 13	8·70 17	7·87 ~~24~~ 23	9·77 ~~28~~ 29	83.62 250

W. 8,000, X. '11.

Ca. for WD. 30.IV.14.

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

27 JAN 1914

Kept at Morwynion Lake

in the County of Merioneth

by E. Lewis Evans Surveyor to the U.D.C.

Lat. ____ Long. ____

Time of Observation ____

Nearest Railway Station ____

Diameter of Rain Gauge ____ in.

Height of top of Gauge above Ground ____ ft. ____ in.

" " " Sea Level ____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.63	—	—	.10	—	.03	—	—	—	—	.17	.22	1
2	.01	.62	.40	.15	—	—	—	—	—	.05	.32	—	2
3	—	.24	.67	.18	.20	.32	—	—	—	.03	.41	.35	3
4	.21	.10	—	—	.40	—	—	—	.03	.01	—	.65	4
5	.44	.26	.40	—	.26	.03	—	—	—	.03	.05	.47	5
6	.26	.24	.07	—	.24	.48	.34	—	—	.99	.13	—	6
7	.39	.41	.30	—	.11	.55	.16	—	—	.06	.20	.34	7
8	.15	.80	.03	—	.29	.53	.35	—	—	.24	.02	.11	8
9	—	.30	.10	—	.15	—	.10	.23	—	.17	.06	.25	9
10	—	1.20	.65	.09	.10	1.80	.20	.67	.19	—	.18	.07	10
11	.43	—	.55	.39	.08	.01	.04	.41	.05	.05	.21	—	11
12	.34	—	—	.43	.02	.18	.06	—	—	.05	.34	.40	12
13	.07	—	.11	—	.06	.45	.49	.04	1.61	—	.81	.05	13
14	—	—	1.49	.01	.07	—	.09	.29	.05	.02	.50	.04	14
15	.21	—	.27	.17	.01	.06	—	.16	.04	.93	.38	.21	15
16	.21	.01	.30	.45	—	—	—	.09	.20	—	.39	.27	16
17	.11	—	.15	.15	—	—	.12	.09	—	—	.36	.03	17
18	.17	—	.10	.29	—	.04	.30	—	—	—	.49	—	18
19	.06	—	.50	.34	.23	—	.18	—	.01	—	.12	—	19
20	.27	—	.03	.01	.33	—	.07	—	.08	—	.65	—	20
21	.33	—	.49	.14	.33	—	.02	—	.08	.56	1.42	—	21
22	—	—	.26	.24	.26	.10	.44	1.19	—	.14	.10	—	22
23	.63	—	.39	—	.40	.28	—	1.37	.02	.66	—	—	23
24	.40	—	.04	—	.20	.11	—	.15	.27	.09	.28	.07	24
25	.80	.06	—	.20	—	.08	—	.03	—	—	.00	.14	25
26	.08	—	—	.39	—	—	—	—	.21	—	.27	.70	26
27	—	.01	—	.11	—	.11	—	—	.58	.20	—	.22	27
28	.04	—	—	.36	—	—	—	—	—	.16	.02	.01	28
29	.30		.20	.18	.20	—	—	—	—	.20	.08	—	29
30	—		.15	.66	.15	—	—	.02	—	.68	.91	—	30
31	.96		—		.06		—	—		.18		—	31
Total	7.94	4.25	7.65	5.34	4.14	5.16	2.96	4.74	4.42	5.48	8.92	5.40	66.10
Rain Days.	23 24	12	24 23	21/20	23 22	17	15	13	14	22 24	24	18 19	227 228

7.31 4.25 7.75 5.24 4.17 5.18 2.96 4.74 4.42 5.65 8.97 4.88 65.47

W. 7,500, XI. 12

Cwd for W.D. 27.IV.15

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 28 JAN 1915

Kept at Morwynion Lake

in the County of Merioneth

by Festiniog Urban District Council

Lat. ..... Long. .....

Time of Observation ..... Per Reader

Nearest Railway Station .....

Diameter of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 1915 ·09

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·91	·29	·46	—	·12	·01	1·10	—	—	·09	·41	1
2	—	·03	·21	·06	—	·10	·07	·45	—	—	·07	·37	2
3	·07	·08	·15	·01	·03	—	1·00	·12	—	·25	·18	·40	3
4	·62	·01	·97	·02	·84	—	·28	·16	—	·10	—	1·10	4
5	·28	—	·43	·04	·45	—	·12	—	—	·11	·27	·19	5
6	·01	—	1·50	·08	·33	—	·04	—	—	—	·05	·04	6
7	—	·13	·25	·02	·74	·08	·10	·23	—	·01	·17	·30	7
8	·37	·42	·48	·02	·41	·05	·60	·30	—	—	·82	·21	8
9	1·78	·01	—	·09	·75	·35	·06	2·28	·01	·03	·45	·39	9
10	1·00	·36	—	·25	·25	·81	—	·28	·17	—	·67	—	10
11	·02	·43	·08	·04	·06	·02	·10	—	·32	—	·21	—	11
12	—	·28	·66	·07	·22	·12	—	—	·39	—	·67	·40	12
13	—	·69	·46	—	·12	—	·15	—	·68	—	2·10	·02	13
14	—	·64	·49	·12	·01	—	—	—	·64	·09	·46	·13	14
15	—	1·15	·09	—	—	—	·13	—	·10	·35	·13	·03	15
16	—	·01	·52	—	—	—	·22	—	·14	·15	·09	·30	16
17	—	·05	·08	—	—	—	·03	—	·95	—	—	·15	17
18	·03	·08	·20	—	—	—	·28	—	·45	—	—	1·70	18
19	—	—	·12	—	—	—	·04	—	·40	·10	—	·09	19
20	—	·08	·35	—	—	—	—	—	·28	—	·10	·18	20
21	—	·71	·38	—	—	·43	—	—	—	—	—	·03	21
22	—	·12	·28	—	·05	·20	—	·12	—	—	—	—	22
23	—	1·03	·06	·14	·10	·12	·21	·15	—	—	—	—	23
24	—	·06	·40	·04	—	·01	·25	·10	—	—	·05	—	24
25	·75	·01	·30	·08	—	·11	·40	·05	—	—	·36	·90	25
26	·35	·02	—	—	·02	—	·33	·14	—	·83	·25	·65	26
27	·11	·05	—	—	—	—	·62	·25	—	·14	·50	·68	27
28	·40	·07	—	—	—	—	—	—	·02	·02	·45	·52	28
29	·40		·44	—	·12	·01	·05	·17	·03	·03	·37	·07	29
30	1·23		·12	—	·04	·01	—	·65	—	·19	1·22	·30	30
31	·20		1·15		—		—	·13		·12		1·02	31
	·91	·29	·46	—	·12	·01	1·10	—	—	·09	·41	·09	YEAR'S TOTAL
Total	8·12	7·43	10·40	1·54	4·54	2·54	5·79	6·72	4·30	2·52	9·63	9·81	73·54
Rain Days.	9·03	6·81	10·57	1·08	4·66	2·43	6·88	5·62	4·50	2·61	9·95	9·49	73·63
	10	25	20	10	17	13	22	17	14	15	23	20	233
	17			15	18			16		16			

W. 8,000. X. 14.

corrected for W.D. 4.IV.16.

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL. 13 JAN 1916

Kept at Morwynion Lake.

in the County of Merioneth

by Festiniog Urban District Council

Lat. ..... Long. .....

Time of Observation Previous

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. .85

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.09	.49	.10	–	.59	–	–	.25	.50	.08	–	.29	1
2	.44	.65	.04	–	1.30	–	.30	.34	.71	.30	–	.03	2
3	.12	.80	1.65	.62	–	.30	.04	.71	.03	–	–	.12	3
4	.15	.13	.50	.70	–	–	.16	–	–	–	–	.16	4
5	.07	.10	.08	–	.24	.30	–	–	–	–	–	1.10	5
6	.14	.52	1.03	.06	.20	.41	–	.35	–	–	–	1.03	6
7	.78	.08	–	.52	–	–	.26	.20	–	–	.09	.50	7
8	.72	.85	–	.12	–	–	.20	.72	–	–	–	.15	8
9	.49	.50	–	.02	–	–	–	.60	–	.02	1.02	–	9
10	.22	.32	–	.33	–	–	.05	.11	–	–	.08	.75	10
11	1.25	.26	.40	.44	–	–	.10	.30	–	.07	.16	.23	11
12	.07	–	–	–	.22	–	.25	.22	–	.02	.72	.06	12
13	.48	.02	–	.20	–	–	.12	.77	–	.25	.60	–	13
14	.12	.05	.04	–	–	–	.02	.04	.35	.23	.11	.32	14
15	.82	–	–	.10	–	–	–	.16	.22	–	–	.31	15
16	.70	–	–	.08	.10	–	.10	.05	1.30	–	.10	.30	16
17	–	1.52	–	.07	.31	–	.62	.60	.34	–	–	.12	17
18	–	.93	–	–	.42	–	–	–	–	–	–	–	18
19	.08	.35	–	–	–	–	.36	–	–	–	–	–	19
20	.10	.04	.15	.40	.25	–	1.60	–	–	–	–	–	20
21	1.20	–	.24	.02	–	–	–	–	–	–	–	.65	21
22	.11	.03	–	.19	.26	–	.61	–	–	–	–	.55	22
23	.25	.20	.03	.04	–	.25	.40	–	–	–	.11	.53	23
24	–	–	.25	.03	–	.58	.04	–	.12	.11	–	.15	24
25	–	–	–	.21	–	–	–	–	.16	.14	–	.92	25
26	–	–	–	–	–	.24	.41	–	.31	.49	–	.25	26
27	–	.65	–	–	–	.26	.27	–	.09	–	–	1.40	27
28	–	.07	–	–	–	.24	.35	–	–	–	–	1.02	28
29	–	X	–	–	–	.25	–	.30	.10	.72	–	–	29
30	–	X	–	–	.25	.03	–	–	.42	.09	.29	.23	30
31	–	X	–	X	–	X	–	–	X	.20	X	.52	31
Total	.49 8.40	.10 8.66	– 4.31	.59 4.15	– 4.14	– 2.86	.25 6.26	.50 6.62	.03 4.66	– 2.64	.29 3.28	.85 11.72	YEAR'S TOTAL 66.80
Rain Days.	8.80 21	8.17 21	4.41 12 11	4.74 18 19	3.55 11 10	2.86 10	6.51 20 21	5.87 16 16	4.18 13	2.64 13 12	3.57 10 11	12.28 25	67.58 190

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 19 16

FORM A. BRITISH RAINFALL. 6 JAN 1917

Kept at Morwynion Lake.

in the County of Merioneth

by Festiniog Urban District Council

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. ·39

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·85	–	·11	–	–	·45	·21	–	·46	–	·64	–	1
2	·48	·20	·09	–	–	·43	·63	–	–	·10	·34	–	2
3	·34	·47	–	–	–	·22	·40	–	1·16	1·35	·18	–	3
4	·10	·90	–	–	·02	·20	·08	–	·13	·50	·40		4
5	·57	·15	–	·12	·45	1·32	·03	–	·28	·12	·28	–	5
6	·40	1·07	–	–	·06	·11	·10	–	–	1·65	·18	–	6
7	·74	·07	–	–	·30	·02	·23	–	–	·50	·63	·25	7
8	·06	–	–	–	·07	·10	·32	–	–	·68	·47	·37	8
9	·08	–	–	–	·16	·11	·07	–	–	·02	·37	·03	9
10	·22	·09	–	–	·05	·08	–	–	–	–	·15	–	10
11	·23	·57	–	·36	–	·10	·33	–	–	·25	·26	–	11
12	·33	·11	–	1·35	·27	–	·14	–	·33	·02	·22	·11	12
13	·21	·30	·12	·25	·35	–	·55	·35	·07	·40	·07	–	13
14	–	·09	·03	·24	·10	–	–	·81	–	1·00	–	–	14
15	·20	·17	–	–	1·10		–	·70	·07	·45	–	–	15
16	·06	·90	·04	·57	·08		–	·85	·10	·38	–	–	16
17	·07	–	–	·73	·05		·20	·25	·09	·16	–	–	17
18	·28	·31	–	1·25	–		–	·06	1·80	·21	–	–	18
19	·09	1·60	–	·80	–		–	·22	1·01	·18	–	–	19
20	·45	–	·31	·45	–		–	–	–	–	·11	–	20
21	·38	–	·19	·05	–		–	–	–	–	·21	·80	21
22	·31	–	–	–	·12		–	–	–	·28	·28	–	22
23	·03	–	–	·10	–	·18	–	–	–	·82	·06	–	23
24	·23	–	–	·34	–	·37	–	·20	–	·26	·66	19	24
25	–	–	–	·50	1·47	·67	–	·32	–	·17	·09	–	25
26	·54	–	·30	–	·45	·10	–	·63	–	·17	·45	·07	26
27	·68	–	–	–	–	·06	–	·17	·14	1·06	–	–	27
28	·01	–	–	–	–	·05	–	·15	·51	·46	–	–	28
29	·08	–	–	–	–	–	–	–	–	·46	·14	1·86	29
30	·04	X	–	–	·15	·22	–	–	–	·44	·19	·23	30
31	–	X	–	X	–	X	–	·15	X	·30	X	·40	31
	–	·11	–	–	·45	·21	–	·46	–	·64	–	·39	YEAR'S TOTAL
Total	8·06	6·94	1·19	7·11	5·24	4·79	3·29	5·06	6·15	12·39	6·41	4·31	70·94
Rain Days.	7·21 28	7·05 13	1·05 8	7·11 14	5·99 18	4·55 18	3·08 13	5·52 15	5·69 12	13·03 28	5·23 24	4·79 19	19·48 198

W. 8,000, VIII. 16

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Llanwrin Lake Station

in the County of Merioneth

by E Lewis Evans

Lat. ..... Long. .....
Time of Observation .....
Nearest Railway Station .....
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 8 ft. 10 in.
" " " " Sea Level 1320 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2						·74							2
3						·18							3
4						·20							4
5						·19							5
6													6
7													7
8						·02							8
9						·02							9
10						·12							10
11													11
12													12
13													13
14						·17							14
15													15
16						·07							16
17													17
18													18
19													19
20													20
21						·11							21
22						·90							22
23													23
24													24
25						·80							25
26						·31							26
27						·76							27
28													28
29						25							29
30		X											30
31		X		X		X			X		X		31
TOTAL						4.84							YEAR'S TOTAL
Days with ·01 in. or more						15							
Days with ·04 in. or more						13							

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

MERIONETH.

LLANDRILLO

TYDDYSILLAN

1913

REGI… 13

FORM A. BRITISH RAINFALL.

13 MAR 1914

Kept at Tyddysillan ng. Llandrillo

in the County of Me… on Llandrillo

by Hon^ble R… ge 8 in.

e above Ground 1 ft. 6 in.

„ Sea Level 515 ft.

IMPORTANT NOT… and the result entered to the previous day. If an Observer prefers not to … universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	·20	·31	·10	.	.	.	.	.	.	·20	.	1
2	·04	·52	·27	·05	·06	.	.	.	.	·01	·19	·14	2
3	·25	·08	·36	.	·22	.	.	·01	·04	.	.	·50	3
4	·44	·15	·12	.	·10	.	·01	.	.	·08	·05	·63	4
5	·44	·09	·35	.	·21	·31	·09	·04	.	1·36	·04	·04	5
6	·14	·18	·47	.	·11	·05	·17	.	.	·50	.	·23	6
7	·10	·94	·08	.	·21	·37	·06	.	.	·46	·16	·03	7
8	·02	·21	.	·04	·73	·12	·02	·09	·05	·28	.	·05	8
9	.	·19	·17	·13	·21	1·05	·15	·10	·11	.	·12	·12	9
10	.	.	·04	.	·29	.	·02	·28	.	·09	·43	.	10
11	·53	.	.	·52	·03	·12	.	.	.	·04	·28	·03	11
12	·78	.	.	.	·17	·07	.	.	·29	.	·62	.	12
13	·03	.	·27	·02	.	·05	.	·08	·33	.	·30	.	13
14	.	.	·57	·21	.	.	.	·09	·03	·31	·20	.	14
15	·22	·05	·69	1·03	.	.	.	·10	·05	.	·55	.	15
16	·27	.	·29	·15	.	.	.	·05	.	.	·11	.	16
17	·20	.	·11	·24	.	.	·06	.	.	.	·19	.	17
18	·05	.	·66	·25	·13	.	·02	.	.	.	·16	.	18
19	·19	.	·12	.	.	·37	·02	.	·04	·31	·07	.	19
20	·20	.	·28	·02	.	.	·04	.	·06	·13	·73	.	20
21	·02	.	·33	·06	·28	.	·21	·28	.	·03	·05	.	21
22	·61	.	·73	.	.	·29	.	1·00	·34	.	.	.	22
23	·06	.	·03	.	.	·04	.	·30	·10	.	·14	·07	23
24	·28	·06	.	·16	.	·03	.	.	.	.	·03	·06	24
25	.	·01	.	·40	.	.	.	.	·23	·06	·07	·32	25
26	.	·03	.	1·71	.	.	.	.	·30	.	.	·75	26
27	.	·01	.	·18	.	.	.	.	.	·36	.	·28	27
28	·17	.	·13	·30	.	.	.	.	.	·22	.	·62	28
29	.	.	·30	·64	·24	.	.	.	.	·46	·06	.	29
30	·55	.	.	.	.	.	.	.	.	·20	·08	.	30
31	·22	.	·19	.	·02	.	.	.	.	·11	.	.	31
Total	5·84	2·72	6·87	6·21	3·01	~~2·07~~ 2·97	·87	2·42	1·97	5·00	4·83	3·87	YEAR'S TOTAL ~~46·58~~
Rain Days.		8·56	15·43	21·64	24·65	26·72	27·59	30·01	31·98	36·98	41·81	~~45·68~~	

W.7,000, XI. 13

24 14 23 19 15 12 12 12 13 18 23 15 200

REGI[STER] 13

FORM A. BRITISH RAINFALL.

13 MAR 1914

Kept at Tyddyn Llan Llandrillo

in the County of Merioneth

by Hon^ble R Henley Eden

ng.

Time of Observation 9.45 AM

Nearest Railway Station Llandrillo

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 515 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03	.20	.31	.10	.	.	.	.	.	.	.20	.	1
2	.04	.52	.27	.05	.06	.	.	.	.	.01	.19	.14	2
3	.25	.08	.36	.	.22	.	.	.01	.04	.	.	.50	3
4	.44	.15	.12	.	.10	.	.01	.	.	.08	.05	.63	4
5	.44	.09	.35	.	.21	.31	.09	.04	.	1.36	.04	.04	5
6	.14	.18	.47	.	.11	.05	.17	.	.	.50	.	.23	6
7	.10	.94	.08	.	.21	.37	.06	.	.	.45	.16	.03	7
8	.02	.21	.	.04	.73	.12	.02	.09	.05	.28	.	.05	8
9	.	.19	.17	.13	.21	1.05	.15	.10	.11	.	.12	.12	9
10	.	.	.04	.	.29	.	.02	.28	.	.09	.43	.	10
11	.53	.	.	.52	.03	.12	.	.	.	.04	.28	.03	11
12	.78	.	.	.	.17	.07	.	.	.29	.	.62	.	12
13	.03	.	.27	.02	.	.05	.	.08	.33	.	.30	.	13
14	.	.	.57	.21	.	.	.	.09	.03	.31	.20	.	14
15	.22	.05	.69	1.03	.	.	.	.10	.05	.	.55	.	15
16	.27	.	.29	.15	.	.	.	.05	.	.	.11	.	16
17	.20	.	.11	.24	.	.	.06	.	.	.	.19	.	17
18	.05	.	.66	.25	.13	.	.02	.	.	.	.16	.	18
19	.19	.	.12	.	.	.37	.02	.	.04	.31	.07	.	19
20	.20	.	.28	.02	.	.	.04	.	.06	.13	.73	.	20
21	.02	.	.33	.06	.28	.	.21	.28	.	.03	.05	.	21
22	.61	.	.73	.	.	.29	.	1.00	.34	.	.	.	22
23	.06	.	.03	.	.	.04	.	.30	.10	.	.14	.07	23
24	.28	.06	.	.16	.	.03	.	.	.	.	.03	.06	24
25	.	.01	.	.40	.	.	.	.	.23	.06	.07	.32	25
26	.	.03	.	1.71	.	.	.	.	.30	.[illegible]	.	.75	26
27	.	.01	.	.18	.	.	.	.	.	.36	.	.28	27
28	.17	.	.13	.30	.	.	.	.	.	.22	.	.62	28
29	.	.	.30	.64	.24	.	.	.	.	.46	.06	.	29
30	.55	.	.	.	.	.	.	.	.	.20	.08	.	30
31	.22	.	.19	.	.02	.	.	.	.	.11	.	.	31
Total	5.84	2.72	6.87	6.21	3.01	2.97 2.07	.87	2.42	1.97	5.00	4.83	3.87	YEAR'S TOTAL 46.58
Rain Days.		8.56	15.43	21.64	24.65	26.72	27.59	30.01	31.98	36.98	41.81	45.68	
	24	14	23	19	15	12	12	12	13	18	23	15	200

W.7,000, XI. 13

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

REC[illegible] N 1911

TAN-Y-BWICH
THE GARDENS
MERIONETH
1911 – 1920

Kept at Helyardens. [illegible]n

in the County of Meri[illegible] [illegible]ter of top 5 in.

by Jno Roberts. [illegible]t of top above Ground 1 ft. in.

[illegible] " " Sea Level about 50 ft.

[illegible]vation 9. am

[illegible]ay Station { Name Tanybwlch
Distance 1 Mile Direction N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	.30	-	.17	-	.07	.30	-	-	.79	.46	1
2	-	-	.17	-	.44	-	.10	.05	-	.19	.6	.23	2
3	-	-	.24	-	.15	-	-	-	.12	-	.59	.84	3
4	-	-	.29	.04	.03	-	-	1.79	.04	-	.36	.26	4
5	.65	-	.24	-	-	-	-	1.18	-	-	.5	-	5
6	.10	-	.17	-	-	-	-	1.17	-	-	.41	.70	6
7	.23	-	-	-	-	-	-	-	-	-	.46	.2	7
8	.46	-	.80	-	-	-	-	-	-	-	.65	.74	8
9	-	-	.4	-	-	-	-	-	-	-	.81	1.12	9
10	.63	.38	.37	-	-	-	-	-	-	-	.9	1.10	10
11	.33	.5	-	-	-	-	-	-	-	-	.10	.2	11
12	.04	.2	.94	-	-	-	-	-	.96	-	.89	.3	12
13	-	.8	.6	-	.14	-	-	-	-	-	.26	.10	13
14	.4	.62	.9	-	.11	-	-	-	-	-	.36	.25	14
15	.6	.38	.18	-	-	-	-	-	-	-	.57	.9	15
16	.4	.55	-	.3	-	.65	-	-	-	-	.34	.19	16
17	.7	-	-	-	-	.57	-	-	-	-	.42	.31	17
18	-	.19	-	.8	-	.36	-	.9	-	.8	.36	.75	18
19	-	.6	-	.76	-	.16	.14	-	.74	.12	.16	.80	19
20	-	.23	-	.90	-	.10	.10	-	.15	.12	.3	.5	20
21	-	.67	.10	.13	-	.16	.36	.69	.7	.72	.7	.9	21
22	.11	.28	-	.40	-	-	-	.1	.17	.77	.5	.38	22
23	.5	.30	-	-	1.32	-	-	-	.30	.81	-	.30	23
24	.4	.50	.2	.60	.7	.57	-	.31	.7	.62	-	.21	24
25	.2	.16	-	.75	-	.30	.7	.3	1.[illegible]	.40	-	.5	25
26	.19	.49	-	.71	-	-	-	.4	-	.20	.13	.22	26
27	-	.92	.4	.40	-	.3	.12	.65	.88	-	.58	.45	27
28	-	.22	-	.25	-	.17	.6	1.44	.1	-	.2	.30	28
29	-		-	.2	-	.27	.18	.3	.66	.90	-	.52	29
30	-		-	-	-	.6	-	-	.3	.27	.9	.1	30
31	-		.4		-		.26	-		.1		.17	31
Total	3.06	6.10	4.09	5.07	3.43	3.40	1.46	7.68	5.20	5.21	8.70	10.76	TOTAL for year 64.16
No. of Rain Days.	16	18	17	13	8	12	10	14	14	16	26	30	191

W. 8,000, X. '11.

X Melted Snow.

REGISTER OF RAINFALL IN 1911

FORM A2. BRITISH RAINFALL. 3 - JAN 1912

Kept at The Gardens, Tanybwlch, N. Wales

in the County of Merioneth 3

by Jno Roberts. (Gardener)

RAIN GAUGE: Pattern ____ Diameter of top 5 in. Height of top above Ground 1 ft. ____ in. ,, ,, ,, Sea Level about 50 ft.

Time of Observation 9 a.m.

Nearest Railway Station: Name Tanybwlch Distance 1 Mile Direction N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	'30	-	'17	-	'07	'30	-	-	'79	'46	1
2	-	-	'17	-	'44	-	'10	'05	-	'19	'06	'23	2
3	-	-	'24	-	'15	-	-	-	'12	-	'59	'84	3
4	-	-	'29	x '04	'03	-	-	1'79	'04	-	'36	'26	4
5	'65	-	'24	-	-	-	-	1'18	-	-	'05	-	5
6	'10	-	'17	-	-	-	-	1'17	-	-	'41	'70	6
7	'23	-	-	-	-	-	-	-	-	-	'46	'02	7
8	'46	-	'80	-	-	-	-	-	-	-	'65	'74	8
9	-	-	'04	-	-	-	-	-	-	-	'81	1'12	9
10	'63	'38	'37	-	-	-	-	-	-	-	'09	1'10	10
11	'33	'05	-	-	-	-	-	-	-	-	'10	'02	11
12	x '04	'02	'94	-	-	-	-	-	'96	-	'89	'03	12
13	-	'08	'06	-	'14	-	-	-	-	-	'26	'10	13
14	'04	'62	'09	-	'11	-	-	-	-	-	'36	'25	14
15	'06	'38	'18	-	-	-	-	-	-	-	'57	'09	15
16	'04	'55	-	'03	-	'65	-	-	-	-	'34	'19	16
17	'07	-	-	-	-	'57	-	-	-	-	'42	'31	17
18	-	'19	-	'08	-	'36	-	'09	-	'08	'36	'75	18
19	-	'06	-	'76	-	'16	'14	-	'74	'12	'16	'80	19
20	-	'23	-	'90	-	'10	'10	-	'15	'17	'03	'05	20
21	-	'67	'10	'13	-	'16	'36	'69	'07	'72	'07	'09	21
22	'11	'28	-	'40	-	-	-	'01	'17	'77	'05	'38	22
23	'05	'30	-	-	1'32	-	-	-	'30	'81	-	'30	23
24	'04	'50	'02	'60	'07	'57	-	'31	'07	'62	-	'21	24
25	'02	'16	-	'75	-	'30	'07	'03	1'00	'40	-	'05	25
26	'19	'49	-	'71	-	-	-	'04	-	'20	'13	'22	26
27	-	'92	'04	'40	-	'03	'12	'65	'88	-	'58	'45	27
28	-	'22	-	'25	-	'17	'06	1'44	'01	-	'02	'30	28
29	-		-	'02	-	'27	'18	'03	'66	'90	-	'52	29
30	-		-	-	-	'06	-	-	'03	'27	'09	'01	30
31	-		'04		-		'26	-		'01		'17	31
Total	3'06	6'10	4'09	5'07	3'43	3'40	1'46	7'68	5'20	5'21	8'70	10'76	TOTAL for year 64'16
No. of Rain Days.	16	18	17	13	8	12	10	14	14	16	26	30	191

W. 8,000, X. '11.

x Melted Snow.

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL. 2 - JAN 1913

Kept at The Gardens. Tanybwlch

in the County of Merioneth 3

by Jno Roberts

Lat. ..... Long. .....

Time of Observation 9. a.m

Nearest Railway Station Tanybwlch

Diameter of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. ... in.

" " " " Sea Level about 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb. (March)	March (Feby)	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.14	.42	—	—	.12	.10	.35	.„8	.10	—	—	.18	1
2	.11	.94 *	.45	.25	.12	.24	—	—	.„2	—	—	.„3	2
3	.78	.„6	—	—	.„4	.28	—	.35	.62	—	.„4	.35	3
4	.66	1.48	—	.31	.„1	—	—	.90	.„5	—	1.86	.„2	4
5	.42	.45	—	.„1	.„9	.„7	—	.10	.15	.15	—	.„5	5
6	.45	—	.„8	—	.19	—	—	.39	.„1	—	.„9	—	6
7	—	.28	.33	.10	.23	.16	.11	.23	.20	—	.35	.„5	7
8	.40	.„5	.„4	.22	.34	.18	—	.11	.„3	—	.14	.„4	8
9	.„3	.„2	.19	.15	.„2	1.„2	.„1	.12	.„1	—	.18	.36	9
10	.22	—	—	.„2	—	.19	.55	.51	—	—	.64	.11	10
11	.13	—	—	—	.„5	.„7	.25	—	—	—	1.21	1.„3	11
12	.„9	.71	.„3	.„8	—	.„3	.19	.„3	—	—	.33	.43	12
13	.27	.22	—	—	—	.11	—	.16	—	.43	.14	1.60	13
14	.17	.40	.12	—	—	.14	—	.22	.„2	.„1	—	.57	14
15	.77	.24	.11	—	.„9	.32	—	.„5	—	.„5	.„2	.„2	15
16	.20	.39	.14	—	—	—	—	.20	—	.39	.„3	.„5	16
17	.15	.23	.61	—	—	2.26	—	.48	—	—	.49	.40	17
18	× .35	.„9	.„4	—	—	.„7	—	.72	—	1.20	.20	.23	18
19	—	.10	.20	—	.„4	.10	—	.94	—	.„6	.„4	.10	19
20	× .„1	.36	—	—	.„9	.„7	—	.12	—	.72	.26	.15	20
21	—	.15	.11	—	.44	.10	—	.23	—	.75	.„4	.64	21
22	.„2	.„2	.58	—	.23	.„8	.10	2.„3	—	.„5	.26	.15	22
23	—	.30	—	—	.„2	.52	.„5	1.95	—	.„7	.73	.„9	23
24	—	.59	.„6	—	—	.25	.„5	.„1	—	—	.„5	.25	24
25	—	.40	—	—	—	.24	.„5	—	—	—	.75	.49	25
26	—	.42	.29	—	—	—	.16	.33	—	1.56	.37	.„4	26
27	—	1.35	.„7	—	—	.82	2.31	—	—	.56	.„7	.47	27
28	—	—	.15	—	—	.65	.37	.24	.„1	.24	.99	—	28
29	—	—	.10	—	—	.13	.83	.36	.19	.65	—	.„4	29
30	.„3	.47		—	.13	.21	.22	—	.„1	.65	× .„6	.63	30
31	—	.42			.24		1.93	.33		.13		.„4	31
Total	5.40	10.56	3.70	1.14	2.49	8.41	7.53	11.19	1.42	7.67	9.34	8.61	YEAR'S TOTAL 77.46
Rain Days.	20	Mar. 26	Feb 19	8	18	26	16	26	13	17	25	29	243

W. 7,500, XI. 12

× Melted Snow.

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL. 19 JAN 1914

Kept at The Gardens, Tanybwlch.

in the County of Merioneth

by Jno. Roberts.

Lat. ..... Long. .....

Time of Observation 9 a.m.

Nearest Railway Station Tanybwlch

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ... in.

" " " " Sea Level about 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.06	.31	.27	.17	—	—	—	—	—	—	.28	.03	1
2	.11	.30	.33	.07	.23	.43	—	—	—	—	.35	.37	2
3	.18	.04	.28	—	.85	—	—	—	—	.03	.18	.64	3
4	.34	.13	.10	—	.07	.23	—	—	—	.02	.07	.65	4
5	.39	.09	.10	—	.23	.40	.25	—	—	.88	.09	—	5
6	.14	.21	.30	—	.16	.53	.14	—	—	.02	.32	.46	6
7	.03	.60	.13	—	.33	.20	.02	—	—	.23	.07	.09	7
8	.08	.34	.19	—	.18	.13	.07	.29	.18	.02	.04	.23	8
9	—	.44	.30	.15	.10	2.22	.15	.13	.02	—	—	.42	9
10	.69	—	.35	.13	.12	—	.10	.33	.05	.06	.27	—	10
11	.80	—	—	.62	—	.10	.03	.02	.02	.05	.25	.40	11
12	—	—	.09	—	.02	.30	.36	.15	2.13	—	1.45	.03	12
13	—	—	1.11	.02	.58	—	.17	.17	.67	.10	.64	—	13
14	.33	.02	.49	.09	—	—	—	.07	.20	1.17	.37	.18	14
15	.26	—	.18	1.61	—	—	—	—	.07	—	.34	.30	15
16	.04	—	x .27	.12	—	—	.20	—	—	—	.23	—	16
17	.28	—	+ .13	.23	.04	.02	.36	—	—	—	.64	—	17
18	.04	—	.36	.29	.02	.01	.25	—	—	—	.13	—	18
19	.35	—	x .04	.01	.13	.35	.02	—	.15	.88	.81	—	19
20	.34	—	.30	.10	.16	—	—	—	—	.17	1.10	—	20
21	—	—	.24	.23	.23	.04	.74	.83	—	.83	.04	—	21
22	1.33	—	.50	—	.47	.31	—	1.84	.60	.02	—	—	22
23	.21	—	.02	—	.12	.05	—	.03	.27	—	.30	.11	23
24	.50	.04	—	.37	.02	.03	—	—	—	—	.17	.20	24
25	—	—	—	.30	—	—	—	—	.30	.01	.19	.34	25
26	—	—	—	1.26	—	.07	—	—	.70	—	—	.68	26
27	.07	.05	—	.28	—	—	—	—	—	.08	—	.13	27
28	.25	—	.25	.17	.25	—	—	—	—	.35	.05	x .58	28
29	—	~~.01~~	.10	1.16	.13	—	—	.03	—	1.24	.22	x .03	29
30	.70		—	—	.15	—	—	—	—	.34	.12	—	30
31	.06		.15		—		—	—		20		—	31
Total	7.58	2.57	6.58	7.38	4.59	5.42	2.86	3.89	5.36	6.70	8.72	5.87	YEAR'S TOTAL 67.52
Rain Days.	24	12	25	20	22	17	14	11.	13	20	26	19	223

3.89

W.7,000, XI. 13

x Melted Snow.

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 2 JAN 1915

Kept at Shelgardens. Tanybwlch. S.O. 3

in the County of Merioneth

by John Roberts

Lat. ____ Long. ____

Time of Observation 9. a.m.

Nearest Railway Station Tanybwlch

Diameter of Rain Gauge 5" in.

Height of top of Gauge above Ground 1' ft. ____ in.

" " " " Sea Level about 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.3	.35	.2	—	.20	1.90	.44	—	.4	—	.41	1
2	.3	.1	.6	.4	.8	—	.56	.10	—	.18	.3	.38	2
3	.12	—	.98	.2	.82	—	—	.2	—	.7	—	1.36	3
4	.19	—	.20	.22	.28	—	.31	—	—	—	.8	.31	4
5	.21	—	1.27	.5	.24	—	.11	.17	—	—	.18	.2	5
6	.8	—	.10	—	.22	.5	—	.4	—	—	.23	.24	6
7	.12	.18	.58	.3	.47	.16	.54	.18	—	.7	.17	.19	7
8	1.42	.3	—	.2	1.14	.42	.17	2.44	.5	.3	.32	.44	8
9	1.72	.31	x .8	.30	.42	.82	—	.34	.12	—	.38	—	9
10	.1	.37	x .13	.10	.11	.2	—	—	.50	—	.37	—	10
11	—	.35	.47	.1	.20	.20	.8	—	.18	—	.44	.40	11
12	—	.92	.40	—	.13	—	—	—	.58	—	.96	.1	12
13	—	.41	.37	.6	.1	—	.4	—	.29	.4	.35	.10	13
14	—	.40	.13	—	—	—	.8	—	.15	—	.26	—	14
15	—	—	.55	—	—	—	—	—	.11	—	.4	.40	15
16	—	.5	.15	—	—	—	.4	—	1.30	—	—	.10	16
17	—	.81	.32	—	—	—	.45	—	.22	—	—	1.64	17
18	—	—	.2	—	—	—	.5	—	.34	.6	—	.18	18
19	—	.8	.5	—	—	—	.38	—	.29	—	.18	.21	19
20	—	.61	.37	—	—	.50	.2	.17	—	—	—	.38	20
21	—	.5	.4	—	.6	.43	—	—	—	.8	—	—	21
22	—	1.20	.1	.15	.8	.13	.8	.56	—	—	—	—	22
23	—	.8	—	.2	—	—	.27	.18	—	—	.4	.2	23
24	.50	—	—	.8	—	.6	.23	—	—	—	.35	—	24
25	.19	.4	.30	—	.7	—	.20	.58	—	.71	.23	.47	25
26	.12	.2	.10	—	—	—	.25	.22	—	.47	.50	.31	26
27	.43	.1	.63	—	—	—	—	—	—	.2	.38	1.31	27
28	.71	.36	.24	—	.8	—	—	.26	—	.13	.33	.44	28
29	.55		.29	—	.4	—	—	.91	—	.10	.56	.5	29
30	.3		.12	—	—	—	—	.8	—	—	.40	.71	30
31	.45		.32		.6		1.4	—		—		.10	31
Total	6.88	6.32	8.63	1.12	4.51	2.99	6.75	6.29	4.13	2.00	6.78	10.18	YEAR'S TOTAL 66.58
Rain Days.	17	21	28	14	18	11	20	16	12	13	22	25	217

W. 8,000. X. 14

x melted snow

cwbpa auth 18.III.16

4308

FORM A. BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Helgardens, Tanybwlch, 56

in the County of Merioneth 3

by John Roberts

Lat. ..... Long. .....

Time of Observation 9. a.m.

Nearest Railway Station Tanybwlch

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ..... in.

" " " " Sea Level (about) 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.74	.33	.3	—	1.5	—	.15	.18	.53	.40	—	.11	1
2	.60	.96	1.66	.62	—	.9	2.61	.45	.26	—	.2	.3	2
3	—	.9	.52	.52	—	—	.25	—	—	—	—	.30	3
4	.15	.7	.2	—	.33	.17	.5	—	—	—	—	.96	4
5	.7	.99	.48	.7	.20	.15	—	.36	.2	—	—	.92	5
6	.64	.12	.8	.32	—	.1	.21	.23	—	—	.5	.54	6
7	.78	.62	.2	.5	—	—	.35	.42	—	—	.5	.27	7
8	.26	.81	—	.7	—	—	—	.57	—	—	.84	.4	8
9	.29	.90	—	.31	—	—	.2	.10	—	.18	.23	.93	9
10	1.43	.10	.28	.30	—	—	—	.42	—	—	.17	1.14	10
11	.5	—	—	—	.15	—	.35	.36	—	.5	1.18	.11	11
12	.56	—	—	.20	.6	—	.2	.4	—	—	2.07	.8	12
13	.2	.14	—	—	.2	—	—	—	.15	.19	"	.12	13
14	.63	.3	—	.6	—	—	.1	.6	.37	.17	.19	.41	14
15	.60	.6	—	.7	.9	—	.2	—	.29	—	.13	.38	15
16	.17	.98	—	.10	.43	—	.77	.31	.10	—	—	.32	16
17	.20	.88	.5	—	.77	—	—	—	—	—	—	.3	17
18	.3	.38	+.40	—	—	—	.32	—	—	—	—	—	18
19	.3	.2	.27	.32	.28	—	.66	—	—	—	—	—	19
20	.95	—	.1	.7	.1	—	.59	—	—	—	—	.88	20
21	.49	x.43	—	.18	.13	—	—	—	—	—	—	.63	21
22	.41	x.14	.7	.5	—	.38	.35	—	.4	.3	.4	.52	22
23	.1	x.15	.22	.2	—	.39	.2	—	.8	.5	—	.18	23
24	—	x.2	.4	.3	—	—	—	—	.57	.58	—	1.3	24
25	—	—	—	—	—	.16	.4	—	.6	.23	.14	.13	25
26	—	.66	—	—	—	.62	.19	—	.12	—	—	.85	26
27	—	.13	—	—	—	.65	.47	—	—	—	—	.73	27
28	—	.20	—	—	—	.13	—	.19	.16	.49	—	—	28
29	—		—	—	.14	.3	.6	—	.49	.15	.24	.13	29
30	x.39	X	—	.55	—	—	—	—	.2	.5	.28	.40	30
31	.8	X	—	X	—	X	.24	.54	X	.6	X	.84	31
Total	9.61	9.21	4.15	3.91	3.66	2.78	7.75	4.23	3.26	2.63	5.74	12.01	YEAR'S TOTAL 68.94
Rain Days.	24	24	15	19	13	11	22	14	15	13	15	28	68.94 213

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

4228

FORM A. BRITISH RAINFALL. 2 JAN 1917

Kept at Shelpadens. Tamplewick S6

in the County of Merioneth

by John Roberts

Lat. ..... Long. .....

Time of Observation 9 a.m

Nearest Railway Station Tamplewick

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ... in.

" " " " Sea Level (about) 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.20	.25	.11	—	—	.50	.30	.11	—	.15	.39	—	1
2	.20	.50	.12	—	—	.04	.18	—	.93	1.99	.23	—	2
3	.05	.78	.02	.10	.04	.31	.25	—	1.26	.30	.42	.13	3
4	.27	.38	x .07	—	.51	1.33	—	—	.50	.03	.26	.02	4
5	.33	.55	x .12	—	.13	.09	.05	—	—	1.39	.23	—	5
6	.45	.26	x .03	—	.52	—	.11	—	—	.54	.54	.05	6
7	.07	.02	x .03	.04	.11	.09	.08	—	—	.37	.48	.38	7
8	.15	.02	x .06	—	.16	.16	—	—	—	.01	.20	.06	8
9	.17	.14	—	—	.08	.92	.04	—	—	—	.05	.07	9
10	.12	.64	—	.31	.18	.55	.11	—	—	.12	.16	.03	10
11	.10	.23	—	1.10	.36	.02	.01	—	.26	.03	.18	—	11
12	.18	.20	.03	.16	.63	—	.45	.21	.11	.24	.03	—	12
13	.03	.26	.04	.24	.05	—	—	.44	.02	.57	—	—	13
14	.14	.18	—	—	.96	—	—	.26	.04	.17	—	.12	14
15	.03	.76	.05	.31	.07	—	.04	.50	.23	.28	—	—	15
16	.02	.08	—	.66	—	—	.21	.22	.04	.17	—	—	16
17	.26	.75	—	.84	—	—	—	—	2.33	.43	—	.06	17
18	.04	.78	—	.75	—	—	—	.05	1.00	.11	.06	x .23	18
19	.36	—	.19	.16	—	—	—	.16	.05	.02	.09	.14	19
20	.33	—	.16	.08	—	—	—	—	—	—	.18	.19	20
21	.10	—	.04	—	.07	—	—	—	—	—	.19	.08	21
22	—	—	—	—	—	.20	—	—	—	.11	.12	.10	22
23	.14	—	x .11	.26	—	.30	—	.23	—	1.19	.47	.32	23
24	—	x .70	x .03	.24	1.85	.17	—	.32	—	.26	.02	.07	24
25	.64	x .03	.13	—	.65	.14	—	1.05	—	.17	.45	.04	25
26	.38	x .01	.06	—	—	.04	—	.06	.11	.10	.04	—	26
27	.02	.08	—	—	.08	.05	—	.02	.22	2.00	.11	.01	27
28	.04	.21	x .02	—	—	—	—	—	—	.37	.43	.98	28
29	.02	.08	—	—	.05	.24	—	.01	—	.40	.17	.68	29
30	.02	X	—	—	—	.10	—	.26	—	.13	.05	.06	30
31	—	X	—	X	.29	X	—	.44	X	.75	X	.11	31
Total	4.86	7.29	1.42	5.25	6.79	4.78	1.83	4.24	7.32	12.34	5.55	3.93	YEAR'S TOTAL 65.60
Rain Days.	28	24	19	14	19	18	12	16	14	28	25	22	239

W. 8,000, VIII. 16

x melted Snow -

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL. 2 JAN 1918

Kept at Helpardeus. Llanbrynmair. SO

in the County of Montgomeryshire

by John Roberts

Lat. ..... Long. .....

Time of Observation 9. am

Nearest Railway Station Llanbrynmair

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ..... in.

" " " " Sea Level About 550 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.1	—	.7	x .9	—	.2	—	.3	.51	—	.27	.15	1
2	.57	—	—	x .2	—	.3	—	—	—	.20	.9	x .16	2
3	.8	x .21	—	.4	—	.45	—	—	—	.92	—	+ .14	3
4	.1	+ .15	—	—	—	—	—	—	—	.98	—	.5	4
5	.57	—	+ .12	.19	—	—	—	.9	.25	.35	.45	.4	5
6	.6	—	x .9	—	—	.21	—	—	—	.22	.41	.60	6
7	1.3	—	—	—	—	.3	—	.3	—	.27	.18	.3	7
8	.62	—	—	x .26	—	.10	—	1.57	.32	.92	.86	.53	8
9	—	—	.14	x .26	.8	—	—	1.57	.2	.47	.70	.3	9
10	.30	—	.83	x .70	.2	—	—	.10	—	.38	—	—	10
11	.35	—	—	x .11	—	—	—	.45	—	.89	.28	—	11
12	x .43	—	.15	x .16	1.17	.29	—	.1	.19	.36	—	.12	12
13	x .8	—	—	+ .7	.2	.9	—	.38	1.49	.25	.24	.20	13
14	x .6	—	—	x .7	.9	—	.2	.18	—	.27	—	.5	14
15	x .1	—	—	.26	—	—	.5	.9	.21	.45	—	.44	15
16	—	.9	—	.20	.7	—	—	.83	.70	.53	.12	x .62	16
17	—	.3	.44	1.44	—	—	.92	2.20	.32	.41	.6	x .4	17
18	x .3	—	.17	.35	.1	—	.38	.7	.47	917	—	—	18
19	—	.81	.52	.1	—	.7	—	—	.9	—	.2	.3	19
20	—	.85	—	.1	.14	1.23	.7	.45	.16	—	.55	—	20
21	—	.2	.15	—	.1	—	—	.7	—	.24	.7	—	21
22	—	.5	—	—	—	.2	—	.82	.37	.47	.20	—	22
23	—	.34	—	—	.22	.68	—	.17	.7	.27	—	.40	23
24	—	.10	.5	—	—	.40	.9	.31	.10	.90	.13	.18	24
25	—	.22	.19	—	—	1.22	.4	.21	.36	.8	.61	—	25
26	—	—	—	—	.77	.25	.58	.30	.72	.43	2.10	.3	26
27	—	—	.12	—	.44	.23	.62	.74	—	.27	.1	—	27
28	—	.18	.8	—	—	—	.10	1.26	—	.30	—	—	28
29	—		.4	—	—	—	—	.33	—	.73	.7	.7	29
30	—	X	.29	—	—	—	—	.56	—	.14	.38	—	30
31	—	X	.3	X	.56	X	—	1.11	X	—	X	—	31
Total	4.21	3.5	3.48	4.24	3.93	5.32	2.87	13.93	6.35	11.87	7.80	3.91	YEAR'S TOTAL 70.96
Rain Days.	15	12	17	17	13	16	10	26	17	27	21	20	211

W. 8,000, IX. 17.

X Melted Snow.

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

Kept at Pelydrau. Tanybwlch. 86

in the County of Merioneth

by John Roberts.

Lat. ..... Long. .....

Time of Observation 9.0 a.m.

Nearest Railway Station Tanybwlch

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ... in.

" " " " Sea Level about 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	'11	—	'33	'07	—	—	'78	'38	'05	'70	'05	1
2	—	'08	—	'05	—	—	—	'12	'07	'81	'18	1'23	2
3	—	'06	—	—	'29	—	—	—	'75	'78	'07	'11	3
4	'05	'16	—	—	—	—	—	—	'39	1'06	'54	'07	4
5	—	'06	'2	'17	'34	—	—	'50	'16	1'36	—	—	5
X 6	'02	1'11	—	'64	—	'50	—	'01	—	'34	—	'06	6
X 7	'15	'30	—	'18	'24	—	—	'07	1'96	—	'34	'10	7
+ 8	'95	'34	—	—	—	'12	'42	—	'38	'45	'17	~~'09~~	8
9	'01	'55	—	'07	—	1'60	'17	—	'74	1'49	'08	'09	9
10	'02	'75	'4	—	—	—	'47	—	'42	'25	1'25	'11	10
11	'05	'30	'13	—	'06	—	'40	'02	'30	'03	—	'94	11
12	—	'78	—	—	'53	'03	'35	—	'16	—	—	1'02	12
13	—	'02	—	—	'10	'08	—	—	'46	'05	—	'01	13
14	1'33	—	—	—	—	'09	'37	'04	'25	—	—	'65	14
X 15	'09	—	—	—	—	'16	'45	—	2'98	'10	—	'74	15
+ 16	'02	'08	—	—	—	'08	'34	'13	'20	'38	—	'91	16
17	'35	—	—	—	—	'10	'37	'07	'20	'13	—	'64	17
X 18	'79	'19	'13	~~—~~	—	'34	'12	—	'16	'02	—	'24	18
19	'23	'43	'07	X'26	—	—	'48	—	'03	—	—	'40	19
20	'85	'68	—	X'53	'62	'54	'06	'13	'38	—	—	'07	20
21	'35	'72	—	'05	—	'23	'18	—	1'29	—	—	'25	21
22	'07	'03	—	—	'78	'03	'30	'02	'65	—	—	'85	22
23	'37	—	—	—	1'76	—	'11	—	'53	—	'10	'08	23
24	'15	'24	—	—	—	—	'03	'66	'55	—	'43	'14	24
25	—	—	—	—	'34	—	'40	1'54	'52	'02	'14	'02	25
26	'08	'07	—	—	—	—	'39	'05	'56	'18	'19	'54	26
X 27	—	X'29	1'35	—	—	'16	—	'95	'11	'16	'80	'66	27
X 28	—	X'27	'35	—	—	—	—	—	'02	'02	'73	'91	28
29	—		31	—	—	—	—	—	'41	—	—	'18	29
30	—	X	'08	—	—	—	—	'15	'08	'10	'53	'28	30
31	—	X	'61	X	—	X	—	'02	X	'19	X	'35	31
Total	5'93	7'62	3'09	2'08	5'13	4'06	5'41	5'26	15'09	7'97	6'25	10'70	YEAR'S TOTAL 78'59
Rain Days.	19	23	10	9	11	14	18	17	29	21	15	29	215

X melted Snow.

W. 6,500, VII. 18. W W & S

Dec 22 interpolated from Dolgwod

3860

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at The Gardens, Talybolch 50

in the County of Merioneth, N. Wales

by John Roberts.

Lat. ..... Long. .....

Time of Observation 9 a.m.

Nearest Railway Station Talybolch

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ... in.

" " " " Sea Level about 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.25	—	.3	—	.38	—	.33	—	1.11	.31	—	.36	1
2	.09	—	.13	.5	—	—	—	.3	.18	—	—	.29	2
3	.12	—	[illegible]	.09	.24	.36	.8	—	—	—	.2	.13	3
4	—	.7	.28	—	.25	.5	.50	.49	.21	—	—	.57	4
5	.17	.09	—	.11	.10	—	—	—	.09	—	—	.73	5
6	—	—	.96	—	—	—	—	—	.25	—	—	.43	6
7	—	—	.30	.09	—	.10	—	—	.02	—	.10	.23	7
8	.49	—	.20	—	—	.12	—	—	.3	—	—	—	8
9	.49	—	.12	.17	—	—	—	—	—	—	.2	—	9
10	.09	—	1.26	.11	.4	.5	—	—	—	.16	x .12	.32	10
11	—	—	1.34	.27	.11	—	.20	—	—	.3	—	.34	11
12	—	—	.11	.11	.4	1.56	.3	—	—	.23	x .25	—	12
13	.53	—	—	.18	—	—	.13	—	—	.94	—	.38	13
14	.66	—	—	.50	—	—	.21	.5	—	.19	—	.11	14
15	.77	.02	.2	.69	.6	—	—	—	—	.54	x .11	.63	15
16	.17	.13	.6	—	—	.8	.5	—	—	—	.86	.5	16
17	.1	.52	.3	.28	—	.54	.33	.75	—	—	1.8	.4	17
18	.8	—	1.43	—	.1	—	.43	.87	.39	—	.22	.42	18
19	.6	.50	.42	—	—	.87	.2	.15	.21	—	.10	.56	19
20	.38	.23	.4	—	.10	.11	—	—	1.25	—	.18	1.12	20
21	.3	.47	—	—	—	.3	.48	—	.52	—	.19	.10	21
22	—	.23	—	—	—	.49	.3	—	1.3	—	.5	(3.25)	22
23	—	—	—	.4	—	.16	—	—	—	1.50	.7	.9	23
24	.3	—	—	.3	.47	.3	—	—	.17	.15	.47	.19	24
25	.58	—	—	.17	.4	.2	—	.58	.19	—	.27	.7	25
26	.9	.8	.64	.39	—	.12	—	.69	.3	.14	.7	.31	26
27	x .78	—	.7	x .25	—	—	—	.15	.7	—	.20	—	27
28	x .3	—	x .5	x .4	—	—	—	.73	—	.7	—	.38	28
29	—		x .12	.7	—	.7	—	.17	.2	.20	x .2	.38	29
30	—		x .10	.52	—	.30	—	—	—	—	.45	.96	30
31	—		x .64		—		.57	.9		.2		.7	31
TOTAL	5.90	2.34	8.95	4.16	1.84	5.6	3.39	4.73	5.64	4.48	4.85	(12.57)	YEAR'S TOTAL (68.85)
Days with .01 in. or more	21	10	22	20	12	18	14	12	17	13	20	27	206

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

x Melted Snow.

3754

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

21 JUN 1921

Kept at Shelgardens, Tanybwlch

in the County of Merioneth

by John Roberts (Gardener)

Lat. ..... Long. .....

Time of Observation 9 am

Nearest Railway Station 1 Mile

Diameter of Funnel of Rain Gauge 6" in.

Height of top of Gauge above Ground 1 ft. ... in.

" " " " Sea Level about 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·23	·16	·09	·78	·01	·76	·03	·25	·61	—	·36	1
2	—	·20	—	·10	·03	—	·58	·03	·50	·07	—	·44	2
3	—	·18	—	—	·05	—	·27	·33	·46	1·07	—	·02	3
4	—	—	·02	·02	·07	—	·02	1·36	·53	·29	·03	—	4
5	—	—	·26	—	3·60	—	·16	·18	·77	·12	—	—	5
6	·03	—	·43	·31	·85	—	·11	·01	·01	·23	·03	—	6
7	·42	·29	X ·18	·15	·01	—	·05	—	·14	—	·07	—	7
8	·37	—	X ·05	·50	·33	—	·20	·36	·04	—	—	—	8
9	·77	2·20	·19	·68	—	—	·20	·06	·04	—	·18	—	9
10	·68	·60	·28	—	—	·17	·26	—	—	—	—	—	10
11	·30	·02	·16	·40	·38	·06	·11	·07	—	—	·05	—	11
12	·43	·22	—	·40	·01	·55	·12	—	·07	·04	·40	X ·02	12
13	·18	·35	·30	·26	·01	·03	—	—	—	—	·36	—	13
14	·15	·12	X ·38	·58	·04	·05	·28	—	1·93	·27	·97	—	14
15	·14	·35	·16	·62	—	·43	—	—	·11	·11	—	—	15
16	·09	·02	·76	·83	·53	·35	·73	—	·22	·23	—	—	16
17	·42	—	·12	·04	·48	·95	·08	·60	·92	·02	—	—	17
18	·66	·08	—	·14	·38	·49	·07	·26	·23	—	—	—	18
19	·04	1·04	·02	·47	·33	·10	·88	·04	·20	—	—	—	19
20	·65	—	—	·49	—	·04	·46	—	·15	·02	—	·25	20
21	—	—	—	·07	—	—	1·39	·11	—	·09	—	·14	21
22	·33	—	—	·15	—	—	·74	·44	—	—	—	·13	22
23	·19	—	·31	·36	—	—	·47	—	—	—	—	·30	23
24	·05	·02	1·05	·32	—	·08	·03	·02	—	—	·02	·87	24
25	·18	·10	·45	·21	—	·03	1·20	—	—	—	—	·02	25
26	·41	·40	1·59	·76	—	·03	·03	—	·06	—	·05	·04	26
27	·20	·15	·84	·56	·30	·90	·48	—	—	—	·04	—	27
28	·17	·27	·26	·13	·08	·17	·12	—	—	—	—	·43	28
29	·16	·10	·02	·35	·65	·02	1·80	—	—	—	·16	·82	29
30	·42		·58	·59	·07	·45	—	—	·45	·03	·36	·36	30
31	·41		·25		·34		·25	—		·39		·06	31
TOTAL	7·85	6·94	8·82	9·58	9·24	4·91	11·35	3·90	7·08	3·59	2·72	4·26	YEAR'S TOTAL 80·24
Days with ·01 in. or more	25	20	24	27	21	19	28	15	19	15	13	15	241
Days with ·04 in. or more	24	17	21	26	17	14	25	11	16	12	10	12	207

X Melted snow

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

14338

TOWYN, YNYS-Y-MAENGWYN

1915-20

FORM A.
BRITISH RAINFALL.
4. APR. 1916

Kept at Guys

in the County of

by L. A

13-

ng. 4 W

7 a.m.

on Towyn

Rain Gauge 5- in.

above Ground 1 ft. — in.

„ Sea Level — ft.

IMPORTANT and the result entered to the previous day. If universal rule, he is earnestly requested to add the reading at 9 a.m. year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								.62	.16	.31	.—	.20	1
2								.36	.05-	.04	.—	.04	2
3								.25	.—	.—	.—	.12	3
4								.—	.—	.—	.—	.60	4
5								.04	.—	.—	.—	.73	5
6								.16	.—	.—	.01	.45-	6
7								.15-	.—	.35-	.—	.21	7
8								.59	.—	.09	.63	.—	8
9								.16	.—	.—	.03	.65-	9
10								.04	.—	.06	.—	.07	10
11								.06	.—	.—	1.39	.13	11
12								.04	.—	.18	.61	.12	12
13								.02	.—	.13	.04	.12	13
14								.06	.12	.—	.22	.43	14
15								.—	.09	.—	.03	.26	15
16								.73	.14	.—	.—	.18	16
17								.—	.02	.—	.—	.05-	17
18								.—	.—	.—	.—	.—	18
19								.—	.—	.—	.—	.01	19
20								.01	.—	.14	.—	.58	20
21								.—	.—	.13	.—	.77	21
22								.—	.05-	.07	.—	.25-	22
23								.—	.04	.66	.—	.18	23
24								.—	.21	.16	.—	.35-	24
25								.—	.—	.—	.19	.02	25
26								.—	.32	.—	.—	.53	26
27								.—	.03	.51	.—	.79	27
28								.11	.06	.08	.—	.02	28
29								.—	.27	.—	.11	.15-	29
30		X						.—	.—	.—	.—	.23	30
31		X		X		X		.14	X	.—	X	.31	31
Total								3.60	1.56	2.91	3.26	8.55	YEAR'S TOTAL 19.78
Rain Days.								14	18	14	10	29	83

W. 8,000. X. 15.

FORM A.
BRITISH RAINFALL.
4. APR. 1916

Kept at Guys-y-Maengwyn
in the County of Merioneth
by D. Jones.

Lat. 52.6 N Long. 4 W
Time of Observation 9 a.m.
Nearest Railway Station Towyn
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level — ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								.62	.16	.31	.—	.20	1
2								.36	.05	.04	.—	.04	2
3								.25	.—	.—	.—	.12	3
4								.—	.—	.—	.—	.60	4
5								.04	.—	.—	.—	.73	5
6								.16	.—	.—	.01	.45	6
7								.18	.—	.35	.—	.21	7
8								.59	.—	.09	.63	.—	8
9								.16	.—	.—	.03	.65	9
10								.04	.—	.06	.—	.07	10
11								.06	.—	.—	1.39	.13	11
12								.07	.—	.18	.61	.12	12
13								.02	.—	.13	.04	.12	13
14								.06	.12	.—	.22	.43	14
15								.—	.09	.—	.03	.26	15
16								.73	.14	.—	.—	.18	16
17								.—	.02	.—	.—	.05	17
18								.—	.—	.—	.—	.—	18
19								.—	.—	.—	.—	.01	19
20								.01	.—	.14	.—	.58	20
21								.—	.—	.13	.—	.77	21
22								.—	.05	.07	.—	.23	22
23								.—	.04	.66	.—	.18	23
24								.—	.21	.16	.—	.35	24
25								.—	.—	.—	.19	.02	25
26								.—	.32	.—	.—	.53	26
27								.—	.03	.51	.—	.79	27
28								.11	.06	.08	.—	.02	28
29								.—	.27	.—	.11	.15	29
30		X						.—	.—	.—	.—	.23	30
31		X		X		X		.14	X	.—	X	.31	31
Total								3.60	1.56	2.91	3.16	8.55	YEAR'S TOTAL 19.78
Rain Days.								14	13	14	10	29	83

3.26

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL. 5 JAN 1917

Kept at Ynys-y-Maengwyn Gardens
in the County of Merioneth
by J. Jones

Lat. 52½ Long. 4
Time of Observation 9. a.m.
Nearest Railway Station Towyn
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level about 14 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.25	.08	.09	—	—	.22	.20	—	—	.08	.49	—	1
2	.15	.25	.05	—	—	.04	.07	—	.61	.84	.11	—	2
3	—	.23	.03	.12	.04	.66	.26	—	1.20	.34	.10	.12	3
4	.25	.33	.14	.05	.29	.34	—	—	.42	.01	.09	—	4
5	—	.47	—	—	.08	—	.02	—	—	1.29	.08	—	5
6	.15	.24	.01	—	.52	—	.15	—	—	.35	.57	—	6
7	.02	.01	—	—	.30	—	—	—	—	.20	.38	.38	7
8	.07	.02	—	—	.17	.08	—	—	—	.22	.02	.38	8
9	.15	.10	—	—	.08	.11	—	—	—	—	.03	.13	9
10	.07	.55	—	.16	.04	.08	—	—	—	.08	.10	—	10
11	.06	.04	—	.29	.25	—	.03	—	.06	—	.11	—	11
12	.04	.08	.01	.03	.50	—	.26	.30	.08	.03	—	—	12
13	.03	.30	.21	.03	.03	—	.02	.25	.02	.08	—	—	13
14	.05	.48	.06	—	.24	—	—	.17	—	.09	—	—	14
15	.01	.51	.16	.26	.20	—	.03	.35	.04	.10	—	—	15
16	—	—	.01	.35	.03	—	.05	.88	—	.10	—	—	16
17	.24	.20	—	.17	—	—	—	—	1.22	.26	—	.10	17
18	.02	.17	.09	.43	—	—	—	.03	.17	.11	.10	.20	18
19	.16	.01	.35	.13	—	—	—	.08	.01	—	.19	.54	19
20	.17	.03	.30	.06	—	—	—	—	—	—	.25	.34	20
21	.14	—	.20	—	.12	.03	.01	—	—	—	.02	.12	21
22	—	—	—	—	—	.25	—	—	—	.07	—	.38	22
23	.08	—	.04	.11	—	.04	—	.21	—	.13	.20	.27	23
24	—	—	.07	.10	1.25	.05	—	.32	—	.12	—	.09	24
25	.04	—	.16	—	.37	.10	—	.25	.07	.08	.50	—	25
26	.11	—	.03	—	—	.13	—	.12	.10	.02	.05	—	26
27	.01	—	.03	—	.07	—	—	—	.30	1.25	—	—	27
28	—	.17	.01	—	—	.01	—	—	—	.47	.18	.60	28
29	—	.01	—	—	—	.18	—	—	—	.15	.08	.04	29
30	—	X	—	—	—	.18	—	—	—	.12	—	.13	30
31	—	X	—	X	.13	X	—	.25	X	.65	X	.03	31
Total	2.27	4.28	2.05	2.29	4.76	2.45	1.10	2.66	4.30	4.24	3.63	3.75	YEAR'S TOTAL 40.78
Rain Days.	22	21	20	14	19	16	11	12	13	26	20	16	210

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL. R. JAN 1918

Kept at Ynys-y-Maengwyn

in the County of Merioneth

by D. Jones.

Lat. 52½ Long. 4

Time of Observation 9 a.m.

Nearest Railway Station Towyn

Diameter of Funnel of Rain Gauge 3" in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 14 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03	—	.10	.10	—	—	—	.01	.15	—	.21	.28	1
2	—	—	—	.35	—	.09	—	—	—	—	.09	—	2
3	.12	—	—	—	—	.17	—	—	—	—	—	—	3
4	—	.17	.15	.02	—	—	—	—	.01	.71	—	.18	4
5	.46	—	—	.25	—	—	—	—	.43	.48	.38	—	5
6	.03	—	—	—	—	.18	—	—	—	.72	.43	.29	6
7	.65	—	.18	—	—	.06	.07	.06	—	.25	.10	—	7
8	.13	—	1.22	.15	—	.09	.07	1.73	.18	.13	.75	—	8
9	—	—	—	.13	—	—	—	.48	—	.55	.65	.65	9
10	.27	—	—	.26	—	—	—	.16	—	.55	—	—	10
11	.09	—	.16	.45	—	—	—	.08	—	.28	.18	—	11
12	.23	—	—	.23	.70	—	—	—	.01	.52	—	—	12
13	—	—	—	.05	—	.03	—	.43	.75	.55	.23	—	13
14	—	—	—	.05	.27	—	—	—	—	.20	—	—	14
15	—	.13	—	.08	.01	—	.14	—	—	.25	—	.25	15
16	—	.01	—	.07	—	—	—	.39	.33	.21	.12	.62	16
17	—	—	.20	.47	.05	—	.69	1.90	.18	.25	—	.29	17
18	—	—	.11	.20	.05	—	.38	.32	.84	.01	.09	—	18
19	—	.71	.08	.02	—	.17	—	—	—	—	—	—	19
20	—	.40	—	—	.25	1.05	—	.01	—	.26	.12	—	20
21	—	—	.05	—	—	.03	—	.03	—	—	—	—	21
22	—	.10	—	—	—	—	—	.56	.34	.30	.12	—	22
23	—	.22	—	—	.22	.25	.07	.04	—	.13	—	—	23
24	—	—	.11	—	—	.07	—	.04	.09	.54	—	—	24
25	—	—	.13	—	—	—	.02	.40	.23	.16	.14	—	25
26	—	.18	—	—	.44	.03	.80	.27	.43	.30	.70	—	26
27	—	.20	.16	—	.67	.49	.34	.75	—	—	—	—	27
28	—	.10	.17	—	.24	—	.09	.60	—	.01	—	—	28
29	—		.02	—	—	—	—	.14	—	.60	—	—	29
30	—	X	.05	—	—	—	—	.40	—	—	—	—	30
31	—	X	.16	X	.23	X	—	.70	X	—	X	.30	31
Total	2.01	2.22	3.05	2.88	3.13	2.71	1.97	9.50	4.08	7.76	4.31	2.76	YEAR'S TOTAL 46.33
Rain Days.	9	10	16	16	11	13	10	22	13	23	15	8	166

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL. 8.1.19

Kept at Ynys-y-Mengwyn
in the County of Merioneth
by D. Jones

Lat. 52½ Long. 4
Time of Observation 9. a.m.
Nearest Railway Station Towyn
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 14 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	.01	.11	—	—	.14	.02	.02	.24	—	1
2	—	.14	—	.09	—	—	—	.11	.03	.01	.13	.96	2
3	—	.08	—	—	.41	—	—	.11	—	.47	.04	.01	3
4	—	.11	—	—	—	—	—	.02	1.06	.73	.42	.19	4
5	—	.06	—	.25	.79	—	—	.14	1.11	.77	.07	.01	5
6	—	.48	—	.06	—	.31	—	.03	.05	.40	—	.03	6
7	—	.12	—	.08	.20	—	.07	—	.05	.03	.26	.12	7
8	—	.24	—	—	—	.30	(.13)	—	.94	.34	.05	—	8
9	.13	.24	—	.05	—	—	.18	—	.12	.30	.05	.12	9
10	.09	.18	.04	—	—	.40	.30	—	.68	.13	.67	.29	10
11	—	.07	.13	—	.11	—	.12	.02	.18	—	—	.33	11
12	—	.20	—	—	.35	—	—	—	.28	—	—	.02	12
13	—	—	—	—	.14	—	—	—	.02	.06	—	.04	13
14	.94	—	—	—	.06	—	.24	.02	.22	.23	—	.50	14
15	.10	—	—	—	—	—	.41	—	.85	.07	—	.76	15
16	—	—	—	—	—	.10	.27	.04	.76	.05	—	.12	16
17	.34	—	—	—	—	.19	.64	—	.28	—	—	.28	17
18	.65	.12	.09	—	—	.25	—	—	.19	—	—	.31	18
19	.10	.28	.11	.27	—	—	.40	.03	.21	—	—	.40	19
20	.23	.13	—	.19	.36	.14	.01	—	.02	—	—	—	20
21	.30	(.26)	—	.05	—	.09	.31	.02	.38	—	—	.50	21
22	.04	—	—	—	1.38	—	.22	—	1.10	.07	.04	.21	22
23	.24	.26	—	—	1.34	.09	.10	.34	.44	—	.42	.02	23
24	.04	—	—	—	—	.01	—	1.42	.08	.01	(.04)	.13	24
25	—	—	—	—	.19	—	.33	.03	.54	.03	.03	.34	25
26	.11	.13	—	.03	—	—	—	.63	.22	.05	.40	.03	26
27	—	.16	—	—	—	.08	—	—	.21	.01	.38	.32	27
28	—	—	.79	—	—	—	—	—	.17	.05	—	.09	28
29	—		.44	—	—	—	—	—	.35	.02	—	(.86)	29
30	—	X	.50	—	—	—	—	.16	.02	.04	.17	.24	30
31	—	X	.29	X	—	X	—	—	X	.17	X	—	31
Total	3.33	3.32	2.41	1.08	6.64	1.96	3.73	3.32	10.58	4.26	3.44	6.51	YEAR'S TOTAL 49.61
Rain Days.	13	18	8	10	12	11	15	16	29	23	16	27	198

W. 8,000, IX. 17.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Ynys-y-Maengwyn

in the County of Merioneth

by J. Jones

Lat. 52½ Long. 4

Time of Observation 9 a.m.

Nearest Railway Station Towyn

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.49		.05	—	.04	—	.19	—	.82	.49	—	.43	1
2	.28	—	—	—	—	—	.03	.01	—	.02	—	.03	2
3	.24	—	—	—	.22	.08	—	—	—	—	—	.13	3
4	.02	.03	.28	—	—	.06	.25	.33	.11	—	—	.34	4
5	.08	.19	—	.06	.21	—	—	—	.09	—	—	.43	5
6	—	.18	.46	—	—	—	—	—	.30	—	.03	.18	6
7	.04	.02	.10	.20	—	—	—	—	.01	—	.01	—	7
8	.14	—	.17	—	—	.03	—	—	.02	—	—	—	8
9	.45	—	.03	.13	—	—	—	—	—	—	—	—	9
10	.16	—	.84	.03	.06	—	—	—	—	.22	.03	.20	10
11	.04	—	2.25	(.08)	.13	—	.17	—	—	.12	—	.41	11
12	.04	—	.07	.01	—	2.05	—	—	—	.10	.19	—	12
13	.45	—	—	.12	—	—	.25	—	—	.34	—	.11	13
14	.56	—	.06	.31	—	—	.27	.04	—	.22	—	.02	14
15	.27	.04	—	.08	—	—	—	—	—	.12	—	.66	15
16	.12	.27	.01	.01	—	.09	.11	—	—	—	.65	.01	16
17	—	.32	(.10) 1.20	.31	—	.67	.08	.47	—	—	.53	.03	17
18	.10	.11	.49	.02	—	—	.21	.57	(.15)	—	.09	.24	18
19	.10	.47	.04	—	—	.34	—	.15	.22	—	.04	.26	19
20	.41	.17	—	—	.22	—	—	—	.53	—	—	.37	20
21	—	.67	—	—	.03	—	.43	—	.28	—	.10	.04	21
22	—	.27	—	—	—	.06	—	—	1.11	—	—	.40	22
23	—	—	—	.06	—	.03	—	.05	—	.68	.02	.14	23
24	(.03)	—	—	.02	.59	.08	—	—	.01	.25	.12	.06	24
25	.30	—	.17	.03	—	—	—	.25	.16	.02	.16	.01	25
26	.04	—	.07	.53	—	.16	—	(.28)	—	—	—	.37	26
27	.63	—	.06	.10	—	—	—	.22	—	—	—	.01	27
28	—	—	.03	—	—	—	—	.81	—	—	—	.46	28
29	—		—	.07	—	.04	—	.11	—	—	.05	.60	29
30	—		.04	.38		.08	—	—	—	—	.29	.41	30
31	—		.30		—		.25	.03				—	31
TOTAL	4.99	2.74	6.82	2.54	1.53	3.49	2.24	3.32	3.81	2.59	2.31	6.65	YEAR'S TOTAL 43.36
Days with .01 in. or more	22	12	21	19	8	13	11	13	13	11	14	24	183

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Ynys-y-Maengwyn

in the County of Merioneth.

by J. Jones

Lat. 52.½ Long. 4

Time of Observation 9 a.m.

Nearest Railway Station 1½ Miles

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 14 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.12	.07	.53	—	.59	—	.35	.27	—	.19	1
2	—	.05	—	.41	.01	—	.13	—	.45	.08	—	.18	2
3	—	.21	—	.08	.01	—	.29	.04	.31	.32	—	.03	3
4	—	—	—	.04	.09	—	—	1.50	.13	.17	—	—	4
5	—	—	.16	.05	1.61	—	.22	.15	.01	.21	—	—	5
6	.03	—	.35	.21	.30	—	.08	—	—	.42	.03	—	6
7	.13	.23	.18	.12	.03	—	.08	.07	.03	—	—	—	7
8	.13	.02	.01	.47	.27	—	.20	.17	—	—	—	—	8
9	.37	.32	.22	.52	—	—	.24	—	.06	—	.13	—	9
10	.50	.18	.19	—	—	.22	.52	—	—	—	.03	—	10
11	.02	.04	.15	.12	.26	.02	.07	.04	—	—	—	—	11
12	.28	.18	—	.15	—	.88	.16	.11	.14	.03	.56	.03	12
13	.06	.02	.51	1.03	—	(.10)	—	—	—	.03	.60	—	13
14	.07	.04	.64	.30	—	.06	.16	—	1.36	.45	.49	—	14
15	.02	.25	.04	.51	—	.24	—	—	—	.08	.03	—	15
16	.03	—	.36	.36	.27	.64	.30	.02	.53	.43	—	—	16
17	.26	—	.03	.04	.42	.01	—	.25	1.02	.03	—	—	17
18	.48	.12	—	.14	.29	.20	—	.06	.77	—	—	—	18
19	.03	.83	.02	.43	.06	.08	.32	.04	.02	—	—	—	19
20	.16	—	—	.18	—	—	.27	—	.20	—	—	.11	20
21	—	—	—	.10	—	—	.96	—	—	—	—	.17	21
22	.12	—	—	.04	—	—	.60	.50	—	—	—	—	22
23	.05	—	.19	.28	—	—	.13	—	—	—	—	.58	23
24	.08	—	.92	—	—	.03	—	.02	—	—	—	.33	24
25	.02	.11	.19	.04	—	.08	1.00	—	—	—	—	—	25
26	.20	.18	.86	.14	—	—	.09	—	.01	—	.04	.09	26
27	.08	.02	.42	.13	.30	.78	.37	—	—	—	.16	.30	27
28	.34	(.28)	.30	.07	.08	.02	.18	—	—	—	.06	.17	28
29	.11	.02	.10	.13	.49	.02	1.24	—	—	—	.12	.44	29
30	.34		.96	.35	—	.40	.01	—	.97	—	.43	.26	30
31	.15		.40		.40		.14	.02		.47		.03	31
TOTAL	4.08	2.96	7.32	6.47	5.42	3.80	8.23	2.99	6.38	3.14	2.68	3.13	YEAR'S TOTAL 56.62
Days with .01 in. or more	25	18	28	28	17	16	25	14	16	13	12	14	221
Days with .04 in. or more	21	14	21	28	14	12	24	11	12	9	9	12	187

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A2.
BRITISH RAINFALL.

4 - JAN 1912

REGIS[TER] 19 11

TOWYN
PENIARTH
MERIONETH
1911 - 1920

Kept at Peniarth,

in the County of Merion[eth]

by Mrs Wyn[n]

top 9 in.

p above Ground 1 ft. — in.

„ Sea Level 25 ft.

9 A.M.

tion { Name Towyn
Distance 4 miles Direction S.S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					.18	.48	~~.94~~	.94			.66	.36	1
2			.08	.04	.24		~~.79~~	.19		.43	.03	.12	2
3			.12		.76						.34	.14	3
4			.09				~~1.44~~	1.14	.02		.36	.24	4
5	.36		.29	.04			~~.82~~	.92		.09		.04	5
6	.13		.12				~~.71~~	.11			.29	.51	6
7	.25		.13								.50		7
8	.43		.02								.64	.28	8
9	.14		.65								.42	.35	9
10	.21	.41	.50								.02	.92	10
11	.21								.02		.11	.13	11
12		.01	.84						1.16	.03	1.18		12
13	.02		.04		.54						.08	.12	13
14	.02	.28			.08						.10	.16	14
15	.05	.30	.06			.06					.42	.09	15
16	.03	.04				.64					.33	.22	16
17	.03					.74	~~.72~~	.12			.80	.15	17
18		.13		.08		.24				.09	.45	.59	18
19		.05		.30			.01		.48	.18	.08	1.06	19
20		.12		.43		.02	.02	2.24	.40	.24		.08	20
21		.24	.06	.06		.24	.53		.15	.50			21
22	.04	.08		.20		.02				.54		.45	22
23	.02	.22			.12			.24	.69	.42		.25	23
24	.09	.26		.28	.03	.93		.05	.34	.63		.24	24
25	.02	.04		.68		.28			.50	.41		.19	25
26	.04	.19		.34		.04		.21		.25		.14	26
27	.01	.60	.04	.08	.02			1.58	.95		.22	.24	27
28		.34		.13		.09		.23			.08	.07	28
29						.20	.52		.45	.80		.25	29
30						.11				.35		.02	30
31			.12				.24			.09		.24	31
Total	2.13	3.31	3.19	2.66	2.00	4.09	1.32	8.03	5.16	5.05	4.11	8.01	TOTAL for year 52.06
No. of Rain Days	18	16	15	12	8	14	5	12	11	15	20	28	52-06 174

9,000, IX. '10.

Cwd for arith

REGISTER OF RAINFALL IN 1911

FORM A 2.
BRITISH RAINFALL.
4 - JAN 1912

Kept at Penarth, Towyn

in the County of Merioneth, N. Wales

by Mrs Wynne

RAIN GAUGE
Pattern
Diameter of top 9 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 25 ft.

Time of Observation 9 A.M.

Nearest Railway Station
Name Towyn
Distance 4 miles Direction S.S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					.18	.48	~~.97~~	.94			.66	.36	1
2			.08	.04	.24		~~.79~~	.19		.43	.03	.12	2
3			.12		.76						.34	.14	3
4			.09				~~1.44~~	1.17	.02		.36	.24	4
5	.36		.29	.04			~~.82~~	.92		.09		.04	5
6	.13		.12				~~.71~~	.11			.29	.51	6
7	.25		.13								.50		7
8	.43		.02								.64	.28	8
9	.14		.65								.42	.35	9
10	.21	.41	.50								.02	.92	10
11	.21								.02		.11	.13	11
12		.01	.84						1.16	.03	1.18		12
13	.02		.04		.54						.08	.12	13
14	.02	.28			.08						.10	.16	14
15	.05	.30	.06			.06					.42	.09	15
16	.03	.04				.64					.33	.22	16
17	.03					.74	~~.72~~	.12			.80	.15	17
18		.13		.08		.24				.09	.45	.59	18
19		.05		.30			.01		.48	.18	.08	1.06	19
20		.12		.43		.02	.02	2.24	.40	.24		.08	20
21		.24	.06	.06		.24	.53		.15	.50			21
22	.04	.08		.20		.02				.54		.45	22
23	.02	.22			.12			.24	.69	.42		.25	23
24	.09	.26		.28	.03	.93		.05	.34	.63		.24	24
25	.02	.04		.68		.28			.50	.41		.19	25
26	.04	.19		.34		.04		.21		.25		.14	26
27	.01	.60	.04	.08	.02			1.58	.95		.22	.24	27
28		.34		.13		.09		.23			.08	.07	28
29						.20	.52		.45	.80		.25	29
30						.11				.35		.02	30
31			.12				.24			.09		.24	31
Total	2.13	3.31	3.19	2.66	2.00	4.09	1.32	8.03	5.16	5.05	4.11	8.01	TOTAL for year 52.06
No. of Rain Days	18	16	15	12	8	14	5	12	11	15	20	28	52.06 174

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL. 3 - JAN 1913

Kept at Penarth, Towyn

in the County of Merioneth N. Wales

by G. Evans for Mrs Wynne

Lat. ____ Long. ____

Time of Observation 9 A.M.

Nearest Railway Station Towyn

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 25 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.06	.07	.14	—	.09	.32	.07	.14	.02	—	—	.25	1
2	.03	—	.76	.10	.02	.42	—	—	.01	—	—	—	2
3	.39	—	.20	.04	—	.15	—	.53	.23	—	.03	.21	3
4	.44	—	1.03	.05	—	—	—	.62	.06	—	—	.08	4
5	.38	.05	.80	—	.10	.02	—	.11	.04	.11	—	—	5
6	.12	.08	—	—	.23	—	—	.08	—	—	.08	.03	6
7	—	.14	.04	.03	.23	.90	.05	.06	.09	—	.22	.18	7
8	.41	.12	.13	.10	.18	.24	—	.36	.04	—	.14	—	8
9	.08	.10	.23	.09	—	.22	.04	.20	—	—	.05	.29	9
10	.32	—	—	—	—	.35	.30	.36	—	—	.12	.06	10
11	.02	—	—	—	.02	—	.22	.12	—	—	.49	.84	11
12	.03	—	.85	.15	—	—	.21	—	—	—	.30	.04	12
13	.16	—	.08	—	—	.02	—	.34	—	.30	—	.59	13
14	.08	.12	.44	—	—	.03	—	.60	.09	—	.03	.23	14
15	—	—	.04	—	—	—	—	.06	—	—	.02	.16	15
16	.12	.20	.61	—	—	.38	—	.33	—	.24	—	.01	16
17	Snow	.46	.25	—	—	1.00	—	.44	—	.01	.48	.20	17
18	.38	.04	.11	—	—	.05	—	.04	—	.31	.22	.10	18
19	—	.19	.02	—	.08	—	—	.81	—	.13	—	.06	19
20	—	—	.36	—	.23	—	—	.19	—	.48	.38	.11	20
21	—	.11	.46	.06	.23	—	.02	.31	—	.56	.05	.66	21
22	.09	.46	.02	—	.04	.09	.08	1.45	—	.04	.04	.12	22
23	.04	—	.26	—	—	.36	.01	1.35	—	.12	.53	.16	23
24	—	.04	.45	—	—	.26	—	—	—	.02	—	.14	24
25	—	—	.24	—	—	.44	—	.16	—	—	.44	.59	25
26	—	.21	.14	—	—	.62	.12	.36	—	1.60	.24	.12	26
27	—	.04	.89	—	—	.79	1.03	—	—	.38	—	.48	27
28	—	.06	—	—	—	—	.44	.19	.02	.45	.90	—	28
29	—	.08	.05	—	—	.04	.29	.30	.28	.68	—	.01	29
30	—		.18	.04	.10	.04	.09	—	.08	.49	—	—	30
31	.02		.20		.25		1.08	.24		—		.08	31
Total	3.14	2.93	9.34 (9.34)	.66	1.80	7.43	4.11	10.10 (10.11)	.99	5.95	4.79	5.86	YEAR'S TOTAL 57.57 (57.14)
Rain Days.	18	18	24	9	13	21	15	26	11	16	19	26	219

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1913

FORM A2. BRITISH RAINFALL. 7 JAN 1914

Kept at Penarth, Towyn

in the County of Merioneth

by Mrs Wynne

RAIN GAUGE: Pattern ; Diameter of top 8 in. ; Height of top above Ground 1 ft. 0 in. ; " " " Sea Level 25 ft.

Time of Observation 9 A.M.

Nearest Railway Station: Name Towyn ; Distance 4 m. Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m.; and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.06	.18	.30	.22		.12			.01		.22		1
2	.03	.30	.23	.10	.25	.24				.05	.14	.11	2
3	.04		.15		.49					.22		.31	3
4	.30	.04	.04		.05	.32			.14	.25	.03	.35	4
5	.43	.05	.03		.32	.95	.20			130	.43	.02	5
6	.11	.20	.15		.10	.42	.04			.04	.22	.14	6
7	.01	.40	.04		.32	.40				.12	.14	.03	7
8	.05	.24	.		.10		.05	.34		.06		.14	8
9		.39	.20	.11	.03	124	.03	.10	.23		.20	.23	9
10	.89	.02	.10	.05	.06		.04	.45	.24	.03	.18		10
11	.72			.45	.22		.04	.10		.15	.33	.22	11
12			.03		.51	.04	.21	.05	180		.90	.34	12
13	.06		.64	.03	.44		.06	.04	.48		.38		13
14	.05		.44	.05				.11	.14	.84	.06	.19	14
15	.26		.36	.95				.14	.12		.05	.15	15
16	.25		.40	.23			.21				.14	.02	16
17	.66		.18	.15			.50				.13		17
18	.03		.25	.13			.25				.10		18
19	.45				.03	.60	.10		.21	.50	.46		19
20	.50		.12	.12	.04					.15	1.50		20
21			.19	.22	.25			.41		.21	.03		21
22	.64		.75		.14	.20		1.46	.63			.10	22
23	.06					.01		.02	.26		.34	.05	23
24	.43	.03		.48		.03					.14	.05	24
25				.33					.35	.02	.06	.02	25
26				1.00		.14			.45	.03			26
27	.14	.04		.32						.09			27
28	.31		.11	.12	.25					.13	.04	.20	28
29	.34		.08	.88	.52			.36		.50	.10		29
30	.34				.05					.39	.23		30
31	.25		.11		.05					.31			31
Total	4.16	1.95	4.99	5.94	4.22	5.04	1.43	3.88	5.39	5.42	6.64	2.70	TOTAL for year 55.12
No. of Rain Days.	25	11	22	19	20	13	12	12	13	20	25	18	210

W. 8,000, X. '11.

Cont for with 27.IV.15

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 2 JAN 1915

Kept at Penarth, Towyn

in the County of Merioneth, N. Wales

by Mrs Wynne

Lat. ..... Long. .....

Time of Observation 9 A.M.

Nearest Railway Station Towyn

Diameter of Rain Gauge 9 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level about 25 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.24	.02		.28	1.00	.40		.03		.34	1
2	.03				.14		.53	.02			.08	.50	2
3	.05		.27		.82					.04		.96	3
4	.34		.25	.15	.15		.75				.18	.36	4
5	.20		.53	.10	.25		.04	.03			.50	.03	5
6	.10	.07	.08	.13	.19	.09		.10			.30	.73	6
7	.11	.25	.43	.10	.13	.05	.59	.24		.03	.04	.49	7
8	.73	.02		.07	.52	.05	.22	1.30	.05		.05	.33	8
9	.93	.20	.11	.20	.62	.19		.21	.07		.19		9
10	.13	.16	.04	.14		.14			.53				10
11		.30	.54	.03	.09	.10	.42		.08		.76	.76	11
12			.26		.01				.78		.65	.01	12
13		.52	.51	.03	.02		.03		.36	.03	.24	.12	13
14		.60	.10				.05				.18		14
15			.19						.34	.02	.01	.36	15
16		.11	.10				.22		.51			.05	16
17		.60	.47				.28		.31			1.00	17
18			.14				.07		.11			.49	18
19		.14	.14				.37		.13		.16	.29	19
20		.57	.45			.60		.04				.10	20
21		.12			.02	.27				.21			21
22		.45		.11	.16	.09	.11	.49					22
23		.02	.10				.05	.06		.10			23
24	.25		.18	.02		.03	.01	.05		.03	.35		24
25	.10	.06	.31				.12	.49		.86	.16	.39	25
26		.03					.38			.18	.44	.19	26
27	.41	.01					.01			.04	.53	1.24	27
28	.41	.21	.33		.11			.16	.02	.19	.09	.69	28
29	.22		.05		.06			.19		.03	.53		29
30		X	.49		.			.24			.44	.24	30
31	.29	X	.17	X	.10	X	.93	.04	X	.12	X	.08	31
Total	4.33	4.44	6.54	1.10	3.39	1.89	6.18	4.42	3.32	1.94	5.88	9.75	53.18
Rain Days.	15	19	25	12	16	11	20	16	12	14	20	23	203

YEAR'S TOTAL

W. 8,000. X. 14.

rec'd. 18·III·16

REGISTER OF RAINFALL IN 1915

43.15

FORM A. BRITISH RAINFALL. 4 JAN 1916

Kept at Penrarth, Towyn

in the County of Merioneth 4

by Mrs Wynne

Lat. ..... Long. .....

Time of Observation 9 A.M.

Nearest Railway Station Towyn Cam. R.

Diameter of Funnel of Rain Gauge 9 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 25 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.24	.27	.01	—	1.28	—	.01	.49	.17	.36	—	.22	1
2	.43	.76	.76	.50	—	.08	.42	.22	—	.02	—	.02	2
3	—	.08	.38	.13	—	—	.19	.09	—	—	—	.13	3
4	.39	.15	—	—	.30	.04	—	—	—	—	—	.71	4
5	.03	.23	.13	.07	.04	.18	—	.09	—	—	—	.90	5
6	.84	.05	.08	.23	—	—	.28	.12	—	—	—	.28	6
7	.55	.55	—	—	—	.02	.28	.35	—	.32	—	.26	7
8	.08	.38	—	—	—	—	—	.30	—	.05	.70	—	8
9	.19	.80	—	.24	—	—	.01	.09	—	—	.08	.42	9
10	.66	.08	.38	.18	—	—	.02	.11	—	.11	.03	.08	10
11	—	—	.04	.01	.03	—	.05	.12	—	—	1.48	.12	11
12	.38	.08	—	.18	—	—	.01	.06	.02	.19	.65	.13	12
13	.02	.20	—	—	.08	—	.01	.01	.16	.16	.07	.13	13
14	.12	.18	—	.03	.08	—	—	.05	.11	—	.31	.40	14
15	.26	—	—	.10	.14	—	.15	.04	.18	—	.08	.30	15
16	.08	.49	—	.08	.21	—	.65	.33	.02	—	—	.14	16
17	.12	.61	—	—	.74	—	—	—	—	—	—	.06	17
18	.02	.63	.22	—	—	—	.25	—	—	—	—	—	18
19	—	.01	.03	.15	.50	—	.49	—	—	—	—	.01	19
20	.68	—	.13	.09	—	—	—	—	—	.14	—	.62	20
21	.56	.14	—	.14	.22	—	.47	—	—	.13	—	.93	21
22	.19	.03	.16	.06	—	.14	.62	—	.03	.06	—	.28	22
23	—	.20	.09	.02	—	.40	.02	—	.06	.50	—	.21	23
24	—	—	.02	.02	—	—	.02	—	.14	.33	—	.52	24
25	—	.38	—	—	—	.26	.22	—	—	—	.20	.02	25
26	—	—	—	—	—	—	.22	—	.31	—	—	.50	26
27	—	.08	—	—	—	—	.29	—	.02	.52	—	.72	27
28	—	.21	.01	—	.01	.09	.07	.13	.08	.04	—	.01	28
29	—		—	—	—	.11	.03	—	.38	—	.12	.19	29
30	.12	X	—	.61	—	—	—	—	—	.07	.01	.21	30
31	.04	X	—	X	—	X	.22	.24	X	.01	X	.39	31
Total	5.93	6.92	2.44	2.86	3.63	1.32	5.00	2.84	1.68	3.01	3.43	9.21	YEAR'S TOTAL 48.57
Rain Days.	21	23	14	18	12	9	24	17	13	16	11	29	207

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

Kept at Penrarth, Towyn,

in the County of Merioneth

by Mrs. Wynne

Lat. ..... Long. .....

Time of Observation 9 A.M.

Nearest Railway Station Towyn, Camb. Rlwys.

Diameter of Funnel of Rain Gauge 9 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 25 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.24	.06	.15	—	—	.20	.32	—	—	.09	.45	—	1
2	(24)	.28	.04	—	—	.02	.14	—	.55	.94	.20	—	2
3	.02	.31	—	.22	.05	.48	.31	—	1.52	.45	.08	.05	3
4	.16	.34	.06	.11	.34	.64	—	—	.23	.02	.16	—	4
5	.14	.51	.08	—	.09	.06	.02	—	—	1.41	.09	—	5
6	.24	.23	—	—	.45	—	.14	—	—	.31	.53	.04	6
7	.09	.01	.02	—	.31	—	—	—	—	.46	.38	.43	7
8	.09	.02	.01	.01	.15	.06	—	—	—	.09	.08	.38	8
9	.21	.10	—	—	.04	.09	—	—	—	—	.04	.12	9
10	.08	.56	—	.19	.05	.13	.01	—	—	.14	.12	—	10
11	.06	.25	—	.38	.22	—	—	—	.11	—	.13	—	11
12	.09	.12	.02	.04	.62	—	.38	.29	.09	.05	.02	—	12
13	.02	.24	.16	.06	.05	—	.06	.31	—	.11	.01	—	13
14	.04	.32	.05	—	.32	—	—	.22	.02	.12	—	.01	14
15	.02	.50	.09	.26	.20	—	.06	.38	.13	.04	—	—	15
16	.01	—	—	.61	.06	—	.08	.38	—	.08	—	—	16
17	.24	.24	—	.20	—	—	—	—	1.46	.38	—	.21	17
18	.04	.22	.03	.48	—	—	—	.06	.23	.02	.10	.64	18
19	.15	—	.43	.10	—	—	—	.18	.03	—	.23	.22	19
20	.19	.03	.15	.06	—	—	—	—	—	—	.38	.13	20
21	.15	—	.05	—	.15	.01	—	—	—	—	.05	.30	21
22	—	—	—	—	—	.25	.02	—	—	.10	.06	.03	22
23	.09	—	.04	.11	—	.02	—	.19	—	.20	.20	.34	23
24	—	—	.05	.20	.76	.04	—	.30	—	.12	.01	.05	24
25	.06	.01	.12	—	.80	.09	—	.24	.11	.08	.52	.16	25
26	.14	—	.03	—	—	.14	—	.06	.09	.06	.18	—	26
27	.01	—	.03	—	.14	—	—	—	.50	1.30	.01	.01	27
28	—	.15	.01	—	—	.01	—	—	—	.43	.23	.38	28
29	.02	.04	—	—	—	.24	—	—	—	.16	.10	.32	29
30	—	X	—	—	—	.21	—	—	—	.11	.08	.16	30
31	—	X	—	X	.18	X	—	.32	X	.45	X	.05	31
Total	2.98	4.60	1.65	3.03	5.04	2.75	1.57	2.93	5.04	8.35	4.44	4.06	YEAR'S TOTAL 46.44
Rain Days.	26	21	20	15	19	14	11	12	13	26	26	20	226

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

Kept at Penarth

in the County of Merioneth

by Mrs Wynne

Lat. ..... Long. .....

Time of Observation 9 A.M.

Nearest Railway Station Towyn

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 35 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.16	.15	—	.04	—	.02	.43	—	.21	.14	1
2	.02	—	—	.23	—	.05	—	—	—	.15	.10	.02	2
3	.06	—	—	—	—	.21	—	—	—	.60	—	.08	3
4	—	.20	—	.03	—	—	—	—	—	.55	.03	.06	4
5	.46	—	.13	.36	—	—	—	.02	.62	.32	.29	—	5
6	—	—	.18	—	—	.15	—	—	—	.30	.40	.24	6
7	.84	—	—	—	—	.02	—	.05	—	.03	.02	.18	7
8	.43	—	—	.20	—	.18	.05	1.61	.29	.58	.48	.55	8
9	—	—	.04	.10	.01	—	—	.69	—	.34	.43	.08	9
10	.31	—	.92	.29	.01	—	—	.14	—	.39	—	—	10
11	.15	—	—	.48	—	—	—	.15	.01	.58	.22	—	11
12	.22	—	.18	.28	.40	—	—	.01	.05	.46	—	.08	12
13	.06	—	—	.04	—	.04	—	.35	.85	.03	.33	.08	13
14	—	—	—	.04	.14	—	.11	.03	—	.14	—	.14	14
15	—	—	—	.09	.03	—	—	.04	.02	.36	—	.60	15
16	—	.12	—	.10	—	—	—	.50	.32	.23	.10	.28	16
17	—	.03	.25	.56	.06	—	.68	1.45	.31	.26	.15	—	17
18	—	—	.10	.28	.03	—	.52	.16	.62	.16	—	—	18
19	—	.63	.11	.01	—	.16	—	—	.02	—	.01	—	19
20	—	.50	.02	.02	.33	1.14	—	.02	.03	—	.20	—	20
21	—	—	.04	—	—	—	—	.03	—	.25	.04	—	21
22	—	.03	—	—	—	.04	—	.54	.36	.33	.09	—	22
23	—	.32	—	—	.28	.25	.15	.05	.02	.04	—	.10	23
24	—	.08	.15	—	—	.08	.01	.10	.08	.63	.04	.12	24
25	—	.28	.14	—	—	—	—	.32	.24	.02	.13	—	25
26	—	—	—	—	.47	—	.14	.34	.50	.14	.85	—	26
27	—	—	.14	—	.65	.80	.38	.40	—	.19	.02	—	27
28	—	.12	—	—	.19	—	.10	.90	—	.13	—	—	28
29	—		.04	—	—	—	—	.09	—	.36	—	.04	29
30	—	X	.23	—	—	—	—	.50	—	.13	.32	—	30
31	—	X	.31	X	.28	X	—	.88	X	—	X	—	31
Total	2.58	2.31	3.23	3.29	3.18	3.19	2.14	10.02	4.80	4.81	4.82	2.85	YEAR'S TOTAL 50.25
Rain Days.	9	10	14	14	13	13	9	26	14	24	21	16	195

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL. 2.1.19

Kept at Penarth, Towyn

in the County of Merioneth

by Mrs Wynne

Lat. ..... Long. .....

Time of Observation 9 A.M.

Nearest Railway Station Towyn

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 25 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	.16	.	.06	.07	-	.	.19	.09	.03	.19	-	1
2	.04	.09	.	.07	.	.	.	.15	.05	.02	.15	1.04	2
3	-	.03	.	.01	.	.	.	.10	1.14	.54	.02	.02	3
4	.04	.14	.	.	.50	.	.	.02	1.14	.75	.49	.20	4
5	-	.05	.	.12	.63	.	.	.32	.10	.78	.03	.01	5
6	.06	.68	.	.23	.	.42	.	.02	.05	.51	.	.04	6
7	.10	.13	.	.20	.24	.	.	.05	1.10	.04	.30	.15	7
8	.32	.10	.	.	.	.09	.09	.	.24	.34	.05	-	8
9	.	.31	.	.06	.	.76	.11	.	.45	.61	.08	.21	9
10	.02	.14	.04	.	.	.	.21	.	.32	.19	.46	.24	10
11	.02	.09	.16	.	.06	.	.34	.02	.31	.	.	.51	11
12	-	.25	.	.	.30		.14	.	.06	.	.	.01	12
13	.	.01	.	.	.11	.05	-	.	.24	.08	.	.02	13
14	1.13	-	.04	.	.05	.03	.28	.	.32	.04	.	.54	14
15	.14	-	.	.	-	.	.35	.	1.61	.31	.	.93	15
16	.05	-	.	.	-	.11	.34	.05	.24	.06	.	.15	16
17	.33	-	-	.	-	.16	.40	.04	.44	.08		.29	17
18	.74	.10	.05	.	.01	.32	-	.	.33	.01	.	.21	18
19	.11	.39	.19	.24	-	.02	.38	.	.01	.02	.	.20	19
20	.24	.14	-	.14	.34	.18	.05	.03	.45	.	.	-	20
21	.32	.28	-	-	.	.16	.26	-	1.08	.	.	.12	21
22	.04	-	-	-	.84	.	.28	.03	.20	.02	.	.41	22
23	.38	-	-	-	1.49	.10	.13	.	.16	.	.06	.04	23
24	.06	.32	.	.	.	.	.	1.00	.66	.02	.36	.10	24
25	.	.02	.	.	.24	.	.43	.42	.31	.06	.06	.03	25
26	.11	.14	.	.08	.	.	.	.04	.23	.10	.04	.45	26
27	.	.12	.83	.	.	.16	.	.42	.18	.03	.38	.05	27
28	.	.09	.48	.	.	.	.	.	.01	.03	.50	.38	28
29	.	-	.15	.	.	.	.	.	.34	.02	.	.14	29
30	.	-	.14	.	.	.	.	.19	.09	.05	.20	.34	30
31	-	.	.89		.		.	.01		.13		.06	31
Total	4.31	3.81	3.00	1.24	3.94 4.97	2.56	4.42	3.70	12.37	4.84	3.34 3.67	4.34	YEAR'S TOTAL 54.99
Rain Days.	19	22	10	10	13	13	15	18	30	26	16	28	220

W.7,000, XI. 18

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Briarth. Towyn.

in the County of Merioneth.

by E. Evans.

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station Towyn.

Diameter of Funnel of Rain Gauge 9 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 25 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	66	=	=	=	25	=	25	=	130	46	04	48	1
2	17	=	07	=	=	=	=	=	=	=	=	25	2
3	24	=	[illegible]	=	12	12	=	=	=	=	=	10	3
4	"	19	36	=	=	=	35	35	12	=	(04)	48	4
5	14	21	=	11	=	=	=	=	10	=	=	48	5
6	=	02	45	=	=	=	=	=	=	=	=	18	6
7	05	=	15	20	=	=	=	=	33	=	=	07	7
8	26	=	05	=	=	11	=	=	04	=	03	=	8
9	41	=	05	19	=	=	=	=	=	=	03	=	9
10	14	=	100	05	06	=	=	=	=	25	=	24	10
11	02	=	145	11	14	06	06	=	=	11	=	49	11
12	02	=	04	=	=	242	=	=	=	25	25	=	12
13	50	=	=	25	=	=	35	=	=	50	=	18	13
14	67	=	=	29	=	=	27	02	=	35	=	04	14
15	33	05	=	30	=	=	=	02	=	11	=	55	15
16	15	18	=	04	=	25	11	=	=	=	83	09	16
17	02	28	06	55	=	65	12	58	=	=	68	=	17
18	07	40	125	=	=	=	25	60	19	=	11	31	18
19	40	49	20	=	=	43	=	25	19	=	21	35	19
20	01	11	=	=	24	06	=	=	68	=	=	50	20
21	=	74	=	=	=	=	55	=	40	=	15	08	21
22	=	38	=	=	=	11	=	=	130	=	=	90	22
23	=	=	=	20	=	09	=	=	=	78	05	24	23
24	03	=	=	=	70	08	=	=	03	22	22	26	24
25	45	=	=	09	10	=	=	48	28	04	=	04	25
26	09	=	25	45	=	20	=	35	03	=	11	44	26
27	78	=	11	25	=	=	=	48	=	=	=	=	27
28	=	=	02	04	=	06	=	75	=	=	03	43	28
29	=		05	15	=	08	=	15	=	=	18	60	29
30	=		=	45	=	13	=	=	=	03	30	52	30
31	=		38		=		36	(02)		=		=	31
TOTAL	5.64 3.44	3,05	5,94	3,72	1,61	4,85	2,64	4,01	5,19	3,10	3,24	8,30	Ins. TOTAL 37.32 49.42
Days with .01 in. or more	22	11	17	14	7	15	10	10	13	11	16	25	174

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Penrhiwtir

in the County of Glamorgan

by E. Evans. Gardener.

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station Tonypandy 4 miles

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 925 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	tr	01	11	10	52	=	77	2	45	43	=	25	1
2	=	10	05	47	01	=	11	=	67	10	=	22	2
3	=	31	=	11	01	=	29	04	37	57	=	10	3
4	=	=	=	=	15	=	=	164	26	18	=	=	4
5	=	=	23	05	180	=	24	31	02	20	=	=	5
6	=	=	58	24	40	=	=	=	=	43	06	=	6
7	25	25	25	15	03	=	26	=	=	=	02	=	7
8	18	05	=	45	29	=	24	29	=	=	=	=	8
9	35	46	30	73	=	=	28	=	11	=	16	=	9
10	58	26	32	=	=	21	45	03	=	=	06	=	10
11	=	07	16	15	32	=	27	07	=	=	=	=	11
12	34	22	=	45	=	85	03	10	15	07	42	=	12
13	08	06	46	35	=	03	=	=	=	=	37	06	13
14	11	07	71	30	=	05	23	=	145	43	75	=	14
15	02	36	11	65	=	22	=	=	=	03	02	=	15
16	07	=	45	52	35	136	30	=	40	32	=	=	16
17	36	=	05	07	45	=	=	35	83	07	=	=	17
18	61	11	=	23	36	23	=	11	77	=	=	=	18
19	07	84	=	45	09	09	50	07	05	=	=	=	19
20	21	=	=	43	=	=	34	=	28	=	=	=	20
21	=	=	=	07	=	=	127	=	=	=	=	21	21
22	13	=	03	11	=	=	53	55	=	=	=	02	22
23	08	=	26	30	=	01	08	=	=	=	=	43	23
24	09	=	111	03	=	07	=	=	=	=	=	65	24
25	02	13	26	08	04	13	93	03	=	=	=	02	25
26	27	16	97	17	=	=	08	=	05	=	08	08	26
27	11	06	53	15	15	93	46	=	=	=	16	27	27
28	50	26	30	07	45	07	27	=	=	=	13	26	28
29	26	03	11	03	59	=	132	=	=	=	15	52	29
30	46	X	92	35	09	27	03	=	88	=	55	31	30
31	28	X	35	X	31	X	16	04	X	53	X	05	31
TOTAL	5.43	3.81	8.62	7.28	6.41	4.52	9.41	3.63	6.74	3.36	2.93	3.45	YEAR'S TOTAL 66.59
Days with .01 in. or more	23.	19	23	28	19.	14	24.	13	15	12	13	15	216
Days with .04 in. or more	21	17	22	26	16	12	22	11	14	11	11	13	196

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

REG 4344

TRAWSFYNYDD CAMP

1919 – 20

FORM A. BRITISH RAINFALL.

8 JAN 20

Kept at Trawsfynydd *in the County of* Merioneth *by* E. Jones, Bro[illegible]

SH

a.m.

awsfynydd

Gauge five in.

Ground 1 ft. — in.

Sea Level 800. ft.

IMPORTANT NO[illegible] the result entered to the previous day. If an O[illegible] rsal rule, he is earnestly requested to add the rea[illegible] in the space provided for it at the end of th[illegible] paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·65	·	·	·13	·70	·	·25	·	1·06	·35	·	·77	1
2	·14	·	·	·	·	·	·	·	·63	·05	·	·36	2
3	·09	·	·52	·	·	·	·07	·09	·	·	·	·31	3
4	·16	·	·06	·02	·42	·09	·30	·38	·45	·	·	·64	4
5	·	·14	·40	·	·05	·10	·02	·	·16	·	·	·97	5
6	·03	·	~~1·57~~	·07	·	·	·	·	·11	·	·	·	6
7	·02	·	~~·35~~	·11	·	·19	·	·	·04	·	·	·37	7
8	·31	·	2·09	·	·	·	·	·	·	·	·	·	8
9	1·26	·	·19	·13	·	·	·	·	·	·	·	·	9
10	·19	·	·35	·11	·	·04	·	·	·	·13	·	·85	10
11	·	·	1·00	·28	·28	·	·09	·	·	·	·09	·40	11
12	·02	·	·27	·25	·04	1·77	·	·	·	·11	·	·	12
13	·63	·	·	·35	·	·	·08	·	·	·53	·	·	13
14	·61	·	·	·53	·	·	·09	·07	·	·14	·	·61	14
15	·81	·27	·	·63	·03	·	·	·	·	·39	·	·12	15
16	·15	·	·02	·02	·	·16	·03	·	·	·	1·14	·60	16
17	·05	·50	·	·11	·	·18	·04	1·14	·	·	1·56	·07	17
18	·06	·13	1·02	·	·07	·	·23	·36	·33	·	·20	·48	18
19	·07	·28	·84	·	·	·88	·02	·48	·28	·	·14	·12	19
20	·45	·17	·10	·	·05	·14	·	·	·	·	·11	·	20
21	·04	·69	·03	·	·04	·	·43	·	1·28	·	·06	1·74	21
22	·	·18	·	·	·	·44	·	·08	2·40	·	·	2·60	22
23	·	·21	·	·	·	·21	·	·	·	1·07	·14	·30	23
24	·03	·	·	·05	·	·04	·	·	·52	·	·56	·37	24
25	·42	·	·	·14	·23	·07	·	·59	·12	·40	·31	·	25
26	·24	·	·	·14	·	·07	·	1·16	·	·10	·11	·79	26
27	·09	·04	1·17	·17	·	·02	·	·04	·	·02	·03	·	27
28	·05	·	·05	·09	·	·	·	·89	·39	·07	·	·64	28
29	·48	~~·~~	·01	·08	·	·07	·	·13	·	·10	·	·46	29
30	-	~~·~~	·16	·44	·	·18	·	·	·25	·	·72	·64	30
31	·	~~·~~	·19	~~·~~	·	~~·~~	·58	·03	~~·~~	·06	~~·~~	·10	31
Total	7·05	2·61	10·04	3·85	1·85	4·65	2·23	5·44	8·02	3·64	5·27	14·31	YEAR'S TOTAL 68·96
Rain Days.	26	10	19	20	10	17	13	13	14	14	13	23	191

W. 8,000, VIII. 16

Brade

REG[redacted]

FORM A.
BRITISH RAINFALL.

6 JAN 20

Kept at Trawsfynydd Camp

in the County of Merioneth

by E. Jones, Bronygaer Trawsfynydd

Lat. 52° 52 Long. 3° 54

Time of Observation 9. 0. a.m.

Nearest Railway Station Trawsfynydd

Diameter of Funnel of Rain Gauge five in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 800. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·65	·	·	·13	·70	~	·25	·	1·06	·35	·	·77	1
2	·14	·	·	·	·	(	·	·	·63	·05	·	·36	2
3	·09	·	·52	·	·	~	·07	·09	·	·	·	·31	3
4	·16	·	·06	·02	·42	·09	·30	·38	·45	·	·	·64	4
5	·	·14	·40	·	·05	·10	·02	·	·16	·	·	·97	5
6	·03	·	~~1·37~~	·07	·	·	·	·	·11	·	·	·	6
7	·02	·	~~·35~~	·11	·	·19	·	·	·04	·	·	·37	7
8	·31	·	2·09	·	·	·	·	·	·	-	·	·	8
9	1·26	·	·19	·13	·	·	·	·	·	·	·	·	9
10	·19	·	·35	·11	·	·04	·	·	·	·13	·	·85	10
11	·	·	1·00	·28	·28	·	·09	·	-	·	·09	·40	11
12	·02	-	·27	·25	·04	1·77	·	-	-	·11		·	12
13	·63	·	·	·35	·		·08	·	·	·53	·	·	13
14	·61	·	·	·53	·	·	·09	·07	·	·24	·	·61	14
15	·81	·27	·	·63	·03	·	-	·	·	·39	·	·12	15
16	·15	-	·02	·02	·	·16	·03	·	·	·	1·14	·60	16
17	·05	·50	·	·11	·	·18	·04	1·14	·	·	1·56	·07	17
18	·06	·13	1·02	-	·01	·	·23	·36	·33	·	·20	·48	18
19	·07	·28	·84	·	·	·88	·02	·48	·28	·	·14	·12	19
20	·45	·17	·10	·	·05	·14	·	·	·	-	·11	·	20
21	·04	·69	·03	·	·04	·	·43	·	1·28	-	·06	1·74	21
22	·	·18	·	·	·	·44	·	·08	2·40	-	·	2·60	22
23	·	·21	·	·	·	·21	·	·	·	1·07	·24	·30	23
24	·03	·	·	·05	·	·04	·	·	·52	·	·56	·37	24
25	·42	·	·	·14	·23	·07	·	·59	·12	·40	·31	·	25
26	·24	·	·	·14	·	·07	·	1·16	·	·10	·11	·79	26
27	·09	·04	1·17	·17	·	·02	·	·04	-	·02	·03	·	27
28	·05	·	·05	·09	·	·	·	·89	·39	·09	·	·64	28
29	·48	~~X~~	·01	·08		·07	·	·13	·	·10	·	·46	29
30	-	~~X~~	·16	·44	·	·18	·	·	·25	·	·72	·64	30
31	·	~~X~~	·19	~~X~~	·	~~X~~	·58	·03	~~X~~	·06	~~X~~	·10	31
Total	7·05	2·61	10·04	3·85	1·85	4·65	2·23	5·44	8·02	3·64	5·27	14·31	YEAR'S TOTAL 68·96
Rain Days.	26	10	19	20	10	17	13	13	14	14	13	23	191

W. 8,000, VIII. 16

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Trawsfynydd Camp

in the County of Merioneth

by Edward Jones Bronygân Trawsfynydd

Lat. 52° 52′ Long. 3° 54′

Time of Observation 9.0 a.m.

Nearest Railway Station Trawsfynydd

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 800. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.	·13	·08	·06	·90	.	1·29	.	·11	·61	.	·49	1
2	.	·61	.	·03	·03	.	·16	·06	·26	·65	.	·57	2
3	.	·30	.	·06	·12	.	·11	·15	·29	1·24	.	·04	3
4	·03	.	.	.	·10	.	·14	2·32	·38	·26	.	.	4
5	.	.	·42	·33	2·50	.	·15	·38	·93	·16	.	.	5
6	.	.	·47	.	·71	.	·08	·03	.	·50	.	.	6
7	·45	·10	·10	·09	·06	.	·03	.	·06	.	·18	.	7
8	·39	·21	.	·45	·41	.	·22	·33	.	.	.	.	8
9	·72	2·40	.	·67	.	.	·39	·09	·09	.	·35	·05	9
10	·95	1·22	·21	.	.	·27	·14	.	.	.	.	·10	10
11	·67	·26	.	·26	·30	·07	·19	·07	.	.	.	.	11
12	·33	·55	·10	·34	·05	·32	·36	.	·08	·03	·62	·02	12
13	·27	·38	·34	·79	.	·26	.	.	.	.	.	.	13
14	·09	·23	·16	·67	·07	·19	·27	.	1·22	·07	·84	.	14
15	·15	·17	·24	1·34	·44	·30	·07	.	·11	·30	1·23	.	15
16	·11	·04	·46	·91	·64	·34	·69	.	·33	.	·05	.	16
17	.	.	·28	.	·78	·55	·02	·96	1·02	·23	.	.	17
18	1·33	.	.	·38	·66	·60	.	·10	·21	.	.	.	18
19	·12	·88	.	·28	.	·27	·22	·04	·17	.	.	.	19
20	·47	.	.	·60	.	.	·18	·14	.	.	.	·47	20
21	.	.	.	·10	.	.	·94	.	·09	·03	.	·25	21
22	·57	.	.	·24	.	·09	·89	·06	.	.	.	·27	22
23	·22	.	·11	·10	.	.	·21	·16	.	.	.	·42	23
24	·16	.	1·06	·47	.	.	·46	.	.	.	·05	·36	24
25	·17	.	·44	·54	·04	·48	·28	.	.	.	.	·42	25
26	·13	·59	·66	·61	·10	·26	·78	.	·09	.	·06	·64	26
27	·49	·33	·64	·08	.	·48	·06	.	.	.	.	·47	27
28	·12	.	·52	·05	·14	·10	·07	.	.	.	·08	1·07	28
29	·52	·25	.	·19	·56	·06	1·60	.	.	.	·54	1·49	29
30	·67		·78	·35	·11	·28	·03	.	·36	.	·60	.	30
31	·94		·24		·09		·10	.		·33		·21	31
TOTAL	10·07	8·65	7·31	9·96	8·83	4·62	10·33	4·89	5·82	4·41	4·60	7·37	YEAR'S TOTAL 86·86
Days with ·01 in. or more	24	17	19	26	21	17	29	14	17	12	11	17	224

(4633) W21958—2 & 7500. 10/19. Gp. 132. A.&E.W. 23 17 19 25 21 17 26 13 17 10 11 16 216